

**Upper beam - Low beam**

H1	H4	H7	H9	HB1	HB3	HB4	HB5
R2	D2S	D2R					

**Fog light**

H1	H2	H3	H7	H8	H11	HB4
----	----	----	----	----	-----	-----

**Front turn signals-Warning- light**

P21W	PY21W	W21W	WY21W
------	-------	------	-------

**Interior light**

W5W	C5W	FESTOON 10W	H5W
-----	-----	-------------	-----

**Side turn signals light**

W5W	WY5W	H21W	W3W
-----	------	------	-----



**Dashboard light**

W3W	W5W	T5	PCB
-----	-----	----	-----

**3rd Stop light**

W5W	W16W
-----	------

**Parking light**

W5W	T4W	R5W	H6W	H5W
-----	-----	-----	-----	-----

**Glove compartment light**

W5W	C5W	R5W
-----	-----	-----

**Trunk light**

R5W	FESTOON 10W	C5W
-----	-------------	-----



**Stop light**

P21/5W	P21W	W21W	W21/5W
--------	------	------	--------

**Rear turn signals-Warning light**

P21W	PY21W	H21W	WY21W
------	-------	------	-------

**Licence plate light**

R10W	C5W	W5W	R5W
------	-----	-----	-----

**Back up light**

P21W	H21W	W16W	W21W
------	------	------	------


**Rear fog light**

P21W	H21W
------	------

**Rear parking light**

H6W	R5W	R10W	T 4W
-----	-----	------	------


鹵素汽車頭燈燈泡-雙燈絲燈泡  
Head light lamps-upper and lower beam-halogen



**Packaging**

- ◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.
- ◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.
- ☐ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10400	H4	12	60/55	P43t	12342	64193	50440
10410	H4	12	100/90	P43t	12569	64195-1	---
20400	H4	24	75/70	P43t	13342	64196	50450
20410	H4	24	100/90	P43t	24569	64192-1	---




**Packaging**

- ◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.
- ◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.
- ☐ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10500	H4	12	60/55	P45t	12596	64198	52070
10510	H4	12	100/90	P45t	12568	64195-2	---
20500	H4	24	75/70	P45t	13555	64199	50450
20510	H4	24	100/90	P45t	24568	64192-2	---



鹵素汽車頭燈燈泡—雙燈絲燈泡  
Head light lamps-upper and lower beam-halogen




**Packaging**

◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.

◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.

※Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10401	H4-Gold	12	60/55	P43t	---	---	70440-1U
10411	H4-Gold	12	100/90	P43t	---	---	---
20401	H4-Gold	24	75/70	P43t	---	---	---
20411	H4-Gold	24	100/90	P43t	---	---	---



**Packaging**


◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.

◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.

※Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10405	H4-Super White	12	60/55	P43t	12342BV	64193	50440MU
10415	H4-Super White	12	100/90	P43t	---	---	---
20405	H4-Super White	24	75/70	P43t	---	---	---
20415	H4-Super White	24	100/90	P43t	---	---	---

鹵素汽車頭燈燈泡—雙燈絲燈泡  
Head light lamps-upper and lower beam-halogen



**Packaging**



◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.

◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.

※ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10403	H4-Rainbow	12	60/55	P43t	---	---	50440BLU
10413	H4-Rainbow	12	100/90	P43t	---	---	---
20403	H4-Rainbow	24	75/70	P43t	---	---	---
20413	H4-Rainbow	24	100/90	P43t	---	---	---

鹵素汽車頭燈燈泡—單燈絲燈泡  
Head light lamps -single filament-halogen



**Packaging**

◆ Com: 1/10/1000 Pcs/ Ctn,57.5×26.5×35.5cm,9.6/5.5Kg.


◆ IP : 1000 Pcs/Ctn,41.5×40×35.5cm,9/5.5Kg.

※ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10100	H1	12	55	P14.5s	12258	64150	50310
10120	H1	12	100	P14.5s	12454	62200	52140
20100	H1	24	70	P14.5s	13258	64155	50320-1
20110	H1	24	100	P14.5s	---	62209	91192




鹵素汽車頭燈燈泡—單燈絲燈泡  
Head light lamps -single filament-halogen



Packaging

- ◆ Com: 1/10/1000 Pcs/ Ctn,57.5×26.5×35.5cm,9.6/5.5Kg.
  - ◆ IP : 1000 Pcs/Ctn,41.5×40×35.5cm,9/5.5Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10200	H2	12	55	X511	12311	64173	50410
10210	H2	12	100	X511	12507	---	52150
20200	H2	24	70	X511	13311	64175	50420
20210	H2	24	100	X511	---	---	---



Packaging

- ◆ Com: 1/10/1000 Pcs/ Ctn,57.5×26.5×35.5cm,9.6/5.5Kg.
  - ◆ IP : 1000 Pcs/Ctn,41.5×40×35.5cm,9/5.5Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10300	H3	12	55	PK22s	12336	64151	50340
10330	H3	12	100	PK22s	12455	62201	52130
20300	H3	24	70	PK22s	13336	64156	50350
20310	H3	24	100	PK22s	13628	64159	50400




Packaging

- ◆ Com: 1/10/500 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
  - ◆ IP : 500 Pcs/Ctn,39×38×39cm,8/5.3Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10700	H7	12	55	PX26d	12972	64210	58520
10720	H7	12	100	PX26d	---	---	---
20700	H7	24	70	PX26d	13972	64215	58521
20710	H7	24	100	PX26d	---	---	---


鹵素汽車頭燈燈泡—單燈絲燈泡  
Head light lamps -single filament-halogen



**Packaging**

- ◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.
- ◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10800	H8	12	35	PGJ19-1	12360	64212	53090



**Packaging**

- ◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.
- ◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10900	H9	12	65	PGJ19-5	12361	64213	53100



**Packaging**

- ◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.
- ◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
11000	H10	12	42	PY20d	---	9145	9145




**Packaging**

- ◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.
- ◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
11100	H11	12	55	PGJ19-2	12362	64211	53110



鹵素汽車頭燈燈泡—單燈絲燈泡  
Head light lamps -single filament-halogen



Packaging

◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.

◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.

※ Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
11200	H12	12	53	PZ20d	---	9055	---

SAE鹵素汽車燈燈泡  
SAE light lamps -halogen




Packaging

◆ Com: 1/10/200 Pcs/ Ctn,45×23×42.5cm,9.3/6.6Kg.

※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
15000	HB1/9004	12.8	65/45	P29t	9004	9004	9004



Packaging


◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.

◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.

※ Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
15100	HB3/9005	12	60	P20d	9005	9005	9005

SAE 鹵素汽車燈燈泡  
SAE light lamps -halogen



**Packaging**

- ◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.
- ◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
15200	HB4/9006	12	51	P22d	9006	9006	9006



**Packaging**

- ◆ Com: 1/10/200 Pcs/ Ctn,45×23×42.5cm,9.3/6.6Kg.
- ※ Com---Commercial packaging


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
15300	HB5/9007	12	65/55	PX29t	9007	9007	9007



**Packaging**

- ◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.
- ◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
15800	880	12	27	PG13	12059	---	880




**Packaging**

- ◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.
- ◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
15900	881	12	27	PGJ13	12060	---	881



氣體放電燈-HID  
Discharge Lamps




Packaging

◆ Com: 1/20 Set/ Ctn, 51×41×41cm, 8/6Kg.

※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
70100	D2S	12	35	P32D-2	85122	66040	53500



Packaging



◆ Com: 1/20 Set/ Ctn, 51×41×41cm, 8/6Kg.

※ Com—Commercial packaging


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
70200	D2R	12	35	P32D-3	85126	66050	53510

Thanks to our latest lighting technology, Automotive lamps provide a major leap in road safety over conventional halogen lamps due to enormous increase in the illuminated field of vision.

See the comparative light charts and photos below.



白熾前大燈  
Head light lamps



**Packaging**

◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.

※ Com—Commercial packaging


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
30110	R2	12	45/40	P45t	12620	7951	1931
30120	R2	24	55/50	P45t	13620	7952	1937








尾燈泡, 剎車燈泡, 轉向燈泡  
Tail, stop and direction lamps



### Packaging

- ◆ Com:10/1000,56.5×28.5×28.5cm/Ctn,10.4/8Kg.
- ◆ IP : 1000 Pcs/Ctn,60×30.5×31.5cm,12/11Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
52920	P21W	12	21	BA15s	12498	7506	1057
62930	P21W	24	21	BA15s	13498	7511	1060



### Packaging

- ◆ Com:10/1000,56.5×28.5×28.5cm/Ctn,10.4/8Kg.
- ◆ IP : 1000 Pcs/Ctn,60×30.5×31.5cm,12/11Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
53002	PY21W	12	21	BAU15s	12496	7507	1056




### Packaging

- ◆ Com:10/1000,56.5×28.5×28.5cm/Ctn,10.4/8Kg.
- ◆ IP : 1000 Pcs/Ctn,60×30.5×31.5cm,12/11Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
53230	P21/5W	12	21/5	BAY15d	12499	7528	1077
63230	P21/5W	24	21/5	BAY15d	13499	7537	1078

# 楔形燈泡


Wedge base lamps



## Packaging

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
50710	W1.2W	12	1.2	W2*4.6d	12516	2721	91603
50720	W2W	12	2	W2*4.6d	12505	2722	91605
60720	W1.2W	24	1.2	W2*4.6d	13516	2741	91602
60730	W2W	24	2	W2*4.6d	---	---	91606



## Packaging

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
50930	W3W	12	3	W2.1*9.5d	12256	2821	5304
509400	W5W	12	5	W2.1*9.5d	12961	2825	5307
609300	W3W	24	3	W2.1*9.5d	13256	2841	5305
60950	W5W	24	5	W2.1*9.5d	13961	2845	91622




## Packaging

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
50942	WY5W	12	5	W2.1*9.5d	12396	2827	501





**Packaging**

◆ Com: 10/2500 Pcs/ Ctn,48×25×40cm,7.2/5Kg.

※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51130	W16W	12	16	W2.1*9.5d	12067	921	91607



**Packaging**

◆ Com:10/1000,56.5×28.5×28.5cm/Ctn,10.4/8Kg.

※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51200	W21W	12	21	W3*16q	12065	7505	7440



**Packaging**

◆ Com:10/1000,56.5×28.5×28.5cm/Ctn,10.4/8Kg.

※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51202	WY21W	12	21	W3*16q	---	---	---




**Packaging**

◆ Com:10/1000,56.5×28.5×28.5cm/Ctn,10.4/8Kg.

※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51300	W21/5W	12	21/5	W3*16d	12066	7515	7443


尾燈泡, 方向燈泡, 停車燈泡, 指示燈泡  
Tail, direction, parking and indicator lamps



**Packaging**

- ◆ Com: 10/5000 Pcs/ Ctn, 37.5×37.5×33cm, 8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn, 63×26.5×24.5cm, 12.6/10Kg.
- ※ Com—Commercial packaging, IP—Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51410	T6.5 BA7s	12	2	BA7s	12829	3898	2696



**Packaging**

- ◆ Com: 10/5000 Pcs/ Ctn, 37.5×37.5×33cm, 8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn, 63×26.5×24.5cm, 12.6/10Kg.
- ※ Com—Commercial packaging, IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51510	T8.5*23mm BA9s	12	2	BA9s	12913	3796	2660
51520	T8.5*23mm BA9s	12	3	BA9s	12910	3894	2656
61520	T8.5*23mm BA9s	24	2	BA9s	13913	3797	2663



**Packaging**


- ◆ Com: 10/5000 Pcs/ Ctn, 37.5×37.5×33cm, 8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn, 63×26.5×24.5cm, 12.6/10Kg.
- ※ Com—Commercial packaging, IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51600	T8.5*26mm BA9s	12	4	BA9s	12929	3893	2662
61630	T8.5*26mm BA9s	24	4	BA9s	13292	3930	2661





車內頂燈，牌照燈泡  
Festoon lamps



**Packaging**

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51900	T8*28 SV7	12	3	SV7	---	6428	91701
61900	T8*28 SV7	24	3	SV7	---	6430	91702



**Packaging**

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
52030	T11*31mm SV8.5	12	10	SV8.5	12860	6438	7585
62010	T11*31mm SV8.5	24	5	SV8.5	----	---	---




**Packaging**

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com---Commercial packaging,IP---Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
52110	T11*36 SV8.5	12	5	SV8.5	12844	6418	7546
52130	T11*36 SV8.5	12	10	SV8.5	---	6461	91715
62110	T11*36 SV8.5	24	5	SV8.5	13844	6423	7552
62120	T11*36 SV8.5	24	10	SV8.5	---	---	91716


車內頂燈，牌照燈泡  
Festoon lamps



**Packaging**

- ◆ Com: 10/5000 Pcs/ Ctn, 37.5×37.5×33cm, 8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn, 63×26.5×24.5cm, 12.6/10Kg.
- ※ Com—Commercial packaging, IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
52200	T11*41mm SV8.5	12	5	SV8.5	---	---	7575
52210	T11*41mm SV8.5	12	10	SV8.5	12860	6411	7576
62200	T11*41mm SV8.5	24	5	SV8.5	---	---	7579
62210	T11*41mm SV8.5	24	10	SV8.5	13866	6429	7580



**Packaging**

- ◆ Com: 10/5000 Pcs/ Ctn, 37.5×37.5×33cm, 8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn, 63×26.5×24.5cm, 12.6/10Kg.
- ※ Com—Commercial packaging, IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
52300	T15*41mm SV8.5	12	15	SV8.5	12850	6451	7592
52310	T15*41mm SV8.5	12	18	SV8.5	12807	6475	7593
52320	T15*41mm SV8.5	12	21	SV8.5	12803	6476	91761



FOUND



WISDOM LEAD EXCELLENCE



Upper beam - Low beam



H1 H4 H7 H8 H9 H11 HB3 HS1 M5 S1 S2 D2S D2R



Front turn signals-Warning- light



P21W PY21W WY5W



W21W WY21W H21W



R5W R10W W16W



Dashboard light



W2W W3W T5



Parking light



W3W W5W T4W H6W



Rear parking light



R5W W3W W5W



T4W H6W W21/5W P21/5W



Stop light



P21/5W W21W W21/5W



Turn signals-Warning light



P21W PY21W PR21W RY10W



R5W R10W W16W H21W



Licence plate light




T4W W3W W5W H6W R5W C5W






摩托車前照燈泡  
Motorcycle head light lamps



Packaging

- ◆ Com: 1/10/250 Pcs/ Ctn,48×25×40cm,8.2/5.3Kg.
- ◆ IP : 200 Pcs/Ctn,54×27×37cm,6/5Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
11400	HS1	12	35/35	PX43t	12636	---	50470
11405	HS1-SW	12	35/35	PX43t	---	---	---
11407	HS1-SB	12	35/35	PX43t	---	---	---



Packaging

- ◆ Com: 1/10/500 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference NO.		
					PHILIPS	OSRAM	GE
13010	M5(P15d-25-1)	12	25/25	P15d-25-1	---	---	---
13020	M5(P15d-25-1)	12	35/35	P15d-25-1	12653	---	---




Packaging

- ◆ Com: 1/10/500 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
13210	M5(P15d-25-3)	12	25/25	P15d-25-3	---	---	---
13220	M5(P15d-25-3)	12	35/35	P15d-25-3	12154	---	---

摩托車前照燈泡  
Motocycle head light lamps



Packaging

◆ Com: 1/10/500 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.

◆ IP : 25/500 Pcs/Ctn,41×41×37.5cm,10/9Kg.

※ Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
31340	S1	6	25/25	BA20d	6718	---	91210
31370	S1	12	25/25	BA20d	12718	---	91211
31350	S2	6	35/35	BA20d	6728	---	91220
31380	S2	12	35/35	BA20d	12728	---	91221
31390	S2	12	45/40	BA20d	12748	---	91231




Packaging

◆ Com: 1/10/500 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.

※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
13610	M5(BA20d)	12	25/25	BA20d	---	---	---
13620	M5(BA20d)	12	35/35	BA20d	---	---	---






**Packaging**

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
50710	W1.2W	12	1.2	W2*4.6d	12516	2721	91603/5301
50720	T5	12	2	W2*4.6d	12505	2722	91605



**Packaging**

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
50930	W3W	12	3	W2.1*9.5d	12256	2821	5304
50940	W5W	12	5	W2.1*9.5d	12961	2825/2826	5307



**Packaging**

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
50942	WY5W	12	5	W2.1*9.5d	12396	2827	501



**Packaging**

- ◆ Com: 10/2500 Pcs/ Ctn,48×25×40cm,7.2/5Kg.
- ◆ IP : 100/7200 Pcs/Ctn,60×30.5×31.5cm,13/12Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51000	T13	12	10	W2.1*9.5d	---	---	---


摩托車信號燈泡  
Motorcycle signal light bulb



Packaging

- ◆ Com: 10/2500 Pcs/ Ctn,48×25×40cm,7.2/5Kg.
- ◆ IP : 100/7200 Pcs/Ctn,60×30.5×31.5cm,13/12Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51002	T13-A	12	10	W2.1*9.5d	---	---	---



Packaging

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.


TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51600	T4W	12	4	BA9s	12929	3893	2662



Packaging

- ◆ Com:10/1000,47.5×22.5×22cm/Ctn,5.2/3.7Kg.
- ※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
52400	R5W	12	5	BA15s	12822	5007	2619



Packaging

- ◆ Com:10/1000,47.5×22.5×22cm/Ctn,5.2/3.7Kg.
- ※ Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
52610	R10W	12	10	BA15s	12814	5008	---




摩托車信號燈泡  
Motorcycle signal light bulb



Packaging

- ◆ Com: 10/2500 Pcs/ Ctn,48×25×40cm,7.2/5Kg.
- ◆ IP : 100/7200 Pcs/Ctn,60×30.5×31.5cm,13/12Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.


Found No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51002	T13-A	12	10	W2.1*9.5d	---	---	---



Packaging

- ◆ Com: 10/5000 Pcs/ Ctn,37.5×37.5×33cm,8.6/5.3Kg.
- ◆ IP : 100/5000 Pcs/Ctn,63×26.5×24.5cm,12.6/10Kg.
- ※ Com—Commercial packaging,IP—Industrial packaging.


Found No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
51600	T4W	12	4	BA9s	12929	3893	2662



Packaging

- ◆ Com:10/1000,47.5×22.5×22cm/Ctn,5.2/3.7Kg.
- ※ Com—Commercial packaging

Found No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
52400	R5W	12	5	BA15s	12822	5007	2619




Packaging

- ◆ Com:10/1000,47.5×22.5×22cm/Ctn,5.2/3.7Kg.
- ※ Com—Commercial packaging

Found No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
52610	R10W	12	10	BA15s	12814	5008	---

摩托車信號燈泡  
Motorcycle signal light bulb




Packaging

◆ Com:10/1000,56.5×28.5×28.5cm/Ctn,10.4/8Kg.

※Com—Commercial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
53200	---	12	18/5	BAY15d	---	7231	---
53230	P21/5W	12	21/5	BAY15d	12499	7528	1077




Packaging

◆ IP :100/1000/10000,38×28.5×48.5cm/Ctn,13/15Kg.

※IP—Industrial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
10600	H6W	12	6	BAX9s	12036	64132	91896



Packaging


◆ IP :100/1000/10000,38×28.5×48.5cm/Ctn,13/15Kg.

※IP—Industrial packaging

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
11800	H21W	12	21	BAY9s	12356	64136	---



**PCB燈泡**  
Plastic cap bulb



**Packaging**

◆ Com:100/1000/10000,38×28.5×48.5cm/Ctn,13/15Kg.

※IP--Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
80402	B8.3D	12	1.2	B8.3d	12597	2721MF8	91671
80400	B8.3D	12	2	B8.3d	12602	2722MF8	91665




**Packaging**

◆ Com:100/1000/10000,38×28.5×48.5cm/Ctn,13/15Kg.

※IP--Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
80501	B8.4D	12	1.2	B8.4D	---	---	91641
80503	B8.4D	12	2	B8.4D	---	---	91645
80504	B8.4D	14	1.12	B8.4D	---	---	91646




**Packaging**

◆ Com:100/1000/10000,38×28.5×48.5cm/Ctn,13/15Kg.

※IP--Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
80600	B8.5D	12	1.2	B8.5D	---	2721MF	5301
80608	B8.5D	12	2	B8.5D	12604	2722MF	5303



**Packaging**

◆ Com:100/1000/10000,38×28.5×48.5cm/Ctn,13/15Kg.

※IP--Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
81500	BX2D	12	1.2	BX2D	---	---	---
81503	BX2D	12	2	BX2D	---	---	---

**PCB燈泡**  
Plastic cap bulb




**Packaging**

◆ Com:100/1000/10000,38×28.5×48.5cm/Ctn,13/15Kg.

※IP--Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
81705	BX8.4D	12	1.2	BX8.4D	12625	2531MFX6	---
81708	BX8.4D	12	2	BX8.4D	12626	2532MFX6	---



**Packaging**

◆ Com:100/1000/10000,38×28.5×48.5cm/Ctn,13/15Kg.

※IP--Industrial packaging.

TEMCO No.	Type	Voltage	Watt	Base	Reference No.		
					PHILIPS	OSRAM	GE
82300	EBS-R	12	1.2	EBS-R	---	---	---
82301	EBS-R	12	1.8	EBS-R	---	---	91696
82306	EBS-R	24	1.2	EBS-R	24029	---	---



**LED 輔助照明燈**  
LED auxiliary lights



**Packaging**

- ◆ Com:10/5000/Ctn,38×38×33cm,10/9Kg.
  - ◆ BL :2/100/1000/Ctn,38×28.5×48.5cm,7/6Kg.
- ※ Com—Commercial packaging,BL—Blister packaging

TEMCO No.	Type	LED type	LED Q'ty	LED colour	Base
90177	T10	1W	1	Warm White	W2.1*9.5D
90178	T10	1W	1	Cool White	W2.1*9.5D
90179	T10	1W	1	Green	W2.1*9.5D
90180	T10	1W	1	Blue	W2.1*9.5D
90181	T10	1W	1	Red	W2.1*9.5D
90182	T10	1W	1	Yellow	W2.1*9.5D



**Packaging**

- ◆ Com:10/5000/Ctn,38×38×33cm,10/9Kg.
  - ◆ BL :2/100/1000/Ctn,38×28.5×48.5cm,7/6Kg.
- ※ Com—Commercial packaging,BL—Blister packaging

TEMCO No.	Type	LED type	LED Q'ty	LED colour	Base
90107	T10	SMD5050	1	Warm White	W2.1*9.5D
90108	T10	SMD5050	1	Cool White	W2.1*9.5D
90109	T10	SMD5050	1	Green	W2.1*9.5D
90110	T10	SMD5050	1	Blue	W2.1*9.5D
90111	T10	SMD5050	1	Red	W2.1*9.5D
90112	T10	SMD5050	1	Yellow	W2.1*9.5D
90113	T10	SMD5050	1	RGB	W2.1*9.5D



## LED 輔助照明燈 LED auxiliary lights



### Packaging

- ◆ Com:10/5000/Ctn,38×38×33cm,10/9Kg.
- ◆ BL :2/100/1000/Ctn,38×28.5×48.5cm,7/6Kg.

※ Com—Commercial packaging,BL—Blister packaging

TEMCO No.	Type	LED type	LED Q`ty	LED colour	Base
92056	BA9s	SMD 5050	1	Warm White	BA9s
92057	BA9s	SMD 5050	1	Cool White	BA9s
92058	BA9s	SMD 5050	1	Green	BA9s
92059	BA9s	SMD 5050	1	Blue	BA9s
92060	BA9s	SMD 5050	1	Red	BA9s
92061	BA9s	SMD 5050	1	Yellow	BA9s
92062	BA9s	SMD 5050	1	RGB	BA9s



### Packaging


- ◆ Com:10/5000/Ctn,38×38×33cm,10/9Kg.
- ◆ BL :2/100/1000/Ctn,38×28.5×48.5cm,7/6Kg.

※ Com—Commercial packaging,BL—Blister packaging

TEMCO No.	Type	LED type	LED Q`ty	LED colour	Base
93042	SV8.5	SMD 5050	6	Warm White	SV8.5
93043	SV8.5	SMD 5050	6	Cool White	SV8.5
93044	SV8.5	SMD 5050	6	Green	SV8.5
93045	SV8.5	SMD 5050	6	Blue	SV8.5
93046	SV8.5	SMD 5050	6	Red	SV8.5
93047	SV8.5	SMD 5050	6	Yellow	SV8.5
93048	SV8.5	SMD 5050	6	RGB	SV8.5



**LED 輔助照明燈**  
LED auxiliary lights




**Packaging**

◆ Com: 1/10/500/Ctn, 38×38×33cm, 10/9Kg.

※ Com—Commercial packaging

TEMCO No.	Type	LED type	LED Q'ty	LED colour	Base
95077	H1	SMD5050	12	Warm White	P14.5s
95078	H1	SMD5050	12	Cool White	P14.5s
95082	H1	SMD5050	12	Yellow	P14.5s



**Packaging**

◆ Com: 1/10/500/Ctn, 38×38×33cm, 10/9Kg.

※ Com—Commercial packaging

TEMCO No.	Type	LED type	LED Q'ty	LED colour	Base
95084	H3	SMD5050	9	Warm White	PK22s
95085	H3	SMD5050	9	Cool White	PK22s
95089	H3	SMD5050	9	Yellow	PK22s




**Packaging**

◆ Com: 1/10/250 Pcs/ Ctn, 48×25×40cm, 8.2/5.3Kg.

※ Com—Commercial packaging

TEMCO No.	Type	LED type	LED Q'ty	LED colour	Base
95126	H4	SMD5050	24	Warm White	P43t
95127	H4	SMD5050	24	Cool White	P43t

**LED 輔助照明燈**  
LED auxilliary lights



**Packaging**

◆ Com:1/10/500/Ctn,38×38×33cm,10/9Kg.

※ Com---Commercial packaging

TEMCO No.	Type	LED type	LED Q`ty	LED colour	Base
95112	H7	SMD5050	21	Warm White	PX26d
95113	H7	SMD5050	21	Cool White	PX26d
95117	H7	SMD5050	21	Yellow	PX26d



**Packaging**

◆ Com:1/10/200/Ctn,45×23×42.5cm/CTN,9.3/6.6Kg.

※ Com---Commercial packaging

TEMCO No.	Type	LED type	LED Q`ty	LED colour	Base
96063	Reading-lamp	SMD3528	12	Warm White	BA9s/W2.1*9.5d/SV8.5
96064	Reading-lamp	SMD3528	12	Cool White	BA9s/W2.1*9.5d/SV8.5



**Packaging**

◆ Com:20 set/Ctn,50×24×39.5cm,10/8Kg.


※ Com---Commercial packaging

TEMCO No.	Type	LED type	LED Q`ty	LED colour	Base
97000	Daytime running light	1W	5	Warm White	Special
97001	Daytime running light	1W	5	Cool White	Special



# 包裝標識

## Symbols used on the packaging



Do not touch with bare fingers



Operation only in luminaire installations with protective shield



No disposal of as household waste



Don't let children play with bulbs



For removal and installation use appropriate eye protection



No operation of lamps with scratched or damaged glass bulb




Dangerous voltage



Beware of temperature



Installation and servicing of electronic device only by qualified electrical employees



Switch off light before re-lamping



For removal and installation use appropriate gloves



Not suitable for household use



Read attached instructions before use



Use as vehicle lamp 12V or 24V

燈座型號  
Lamp bases



SV6



SV8,5-8



W2x4,6d



W2,1x9,5d



W3x16d



W3x16q



WX3x16d



W2,5x16q



W2,5x16d



BAX 9s



BAY 9s



BA 9s



BA 15s



BA 15d




BAU 15s



BAY 15d




BA 20d




BAW 15s



BAZ 15d




P15d-25-1



P15d-25-3




B8,5d/BX8,5D



B8,4d/Bx8,4d



B10d





燈座型號  
Lamp bases



BX 8,3d



BX 8,5d



EBS-R




P43t-38



PX43t-38




P45t-41



P14,5s



X511



PK22s




PX26d



P29t /Px29t



P20d/PY20d



P22d



PG13



PGJ13



PGJ19-1



PGJ19-2



PGJ19-5



P32d