

Car Monitor System



9 inch wall hanging DVD

YC-500

Function: DVD, TV, monitor, SD card, USB
Size: 9 inch (16:9)
Pixel: 640(W)*RGB*234(H)
Service Pattern: PAL/NTSC
Power: DC 12V
Infrared emission: Audio-infrared emission
FM emission: Audio FM emission
(88.0MHZ-88.7MHZ)
Video/Audio: One-way Video/Audio input,
one-way Video/Audio output
Available color: chino/beige/ black



12.1 inch wall hanging DVD

YC-501

Function: DVD, TV, monitor, SD card, USB
Size: 12.1 inch (16:9)
Pixel: 1280(W)*RGB*800(H)
Service Pattern: PAL/NTSC
Power: DC 12V
Infrared emission: Audio-infrared emission
FM emission: Audio FM emission
(88.0MHZ-88.7MHZ)
Video/Audio: One-way Video/Audio input,
one-way Video/Audio output
Available color: chino/beige/ black

Car Monitor System



Two-way video input\PAL\TSC Dual-mode automatic switching
Pixels:480*RGB*234=336960
Press both sides of the button, the display will automatically pop-up.With automatic reversing control
Available color: gray/beige/ black

7 inch LCD monitor with bracket

YC-502



Two-way video input\PAL\TSC Dual-mode automatic switching
Pixels:800(W)*RGB*480(H)
Hanging on the ceiling of car
Available color: chino/beige/ black

9 inch wall hanging LCD monitor

YC-503



Two-way video input\PAL\TSC Dual-mode automatic switching
Pixels:1280(W)*RGB*800(H)
Hanging on the ceiling of car
Available color: chino/beige/ black

12.1 inch wall hanging LCD monitor

YC-504

Car Monitor System



15.1 inch wall hanging LCD monitor
YC-505

type: 15.1 inch TFT LCD 4:3 car LCD monitor
power: about 15W
voltage: DC12v
video frequency: Two-way video input
Format: PAL/NTSC Dual-mode automatic switching
Pixels: 1280(H) x RGB X 800(W)
luminance: 300:1
Function: Av monitor
Blue Screen: No signal, automatic blue screen
Available color: chino/beige



7 inch European standard digital TV
YC-506

Pixel: 480(W)*RGB*234(H)
Receive Frequency: 44-885MHz
Sensitivity: Min -79dBm—mix 100dBm
Input impedance: 50Ω
Support U disk
AV: one-way video input, one-way video output
AF: one-way audio output, others but-in
earphone output
Available color: Black
Support following format: CMMB, Japan, Brazil, Europe and so on



Japan digital TV receiver box
YC-507

Fully compatible with IS DB-T standard
Receive Frequency: 470MHz-770MHz
Output Format:
1. Analog video output (support the NTSC format)
2. I2S digital audio output: support 32KHz, 44KHz, 48KHz (default) sampling frequency
Input impedance: 50Ω
Sensitivity: -95dBm--+100dBm
Operating temperature: (-20,+70)
Available color: Silver
Support following format: CMMB, Jpan Brzil, Telex and so on

Car Monitor System



SD USB

7 inch rearview mirror monitor
with touch screen

YC-508

Two-way video input\PAL\TSC Dual-mode
automatic switching
Pixels: 480*RGB*234=336960
With sensor buttons, Can be installed on
the original rear view mirror.
Supported media types: JPEG format,
AVI(MPEG-1,MPEG-2,MPEG-4),MP4,
WMA
Available color: black



10.2 inch rearview monitor

YC-509

Size:10.2 inch TFT-LCD Monitor
Dual-screen input:(AV1 AV2 AV3 AV4)
Power:DC 12V
System:PAL/NTSC double standard
Image resolution:640(H)*RGB*250(W)
Easy-to-install,reversing radar and can be
connected from a complete system of
reversing,reversing thetime,automatically
show reversing the situation,the car
situation at a glance.(can not use two
system at the same time)



7 inch rearview mirror monitor
with touch screen

YC-510

Two-way video input\PAL\TSC Dual-mode
automatic switching
Pixels:480*RGB*234=336960
With sensor button, Can be installed on
the original rear view mirror
Available color: black

Car Monitor System



7 inch pillow LCD monitor
YC-511

7 inch 16:9 pillow LCD monitor
Two-way video input\PAL\TSC Dual-mode automatic switching
Pixels: 480*RGB*234=336960
Full-function sensing operation, the machine color is the same with car with blue tooth and game interface
Suit for the car: ROYAL CROWN Teana Camry 08Accord Hybrid Odyssey HONDA CR-V ToyotaRAV4 Khan Randa
Available color: beige/gray



7 inch pillow LCD monitor
YC-512

7 inch 16:9 pillow LCD monitor
Two-way video input\PAL\TSC
Dual-mode automatic switching
Pixels: 480*RGB*234=336960
Press both sides of the button, the display will automatically pop-up
Available color: gray/beige/black



3.5 inch Rearview Mirror Monitor
YC-513

3.5 inch 4:3 Rearview Mirror Monitor
contact with the car camera and parking sensor, to Visual reversing Two-way video input, and V2 is the default car camera video input
PAL\TSC Dual-mode automatic switching
Available color: chino

Parking Sensor



Y-01

3-stage Warning Beep 4 BUilt-In Ultrasonic Detectors
 Alarm mode: Dang... ,Dang -Dang... or Bi, Bi...
 Power: DC 12V(24V Optional)
 Operation Voltage: DC 9~16V
 Operation Current: 20~200mA
 Detecting Range: 20~150cm
 Frequency: 40KHz
 Working Temperature: -30°C~70°C



Y-02

Digital LCD monitor
 Left and right obstacle distance
 3-color analog color bar display
 4 Built-in Ultrasonic Detectors
 Alarm mode: Dang... ,Dang -Dang... or Bi, Bi...
 Power: DC 12V(24V Optional)
 Operation Voltage: DC 9~16V
 Operation Current: 20~200mA
 Detecting Range: 20~150cm
 Frequency: 40KHz
 Working Temperature: -30°C~70°C



Y-03

Digital LCD monitor
 Left and right obstacle distance
 Three-color analog color bar display
 4 Built-in Ultrasonic Detectors
 Alarm mode: Bi...Bi...
 Power: DC 12V(24V Optional)
 Operation Current: 20~200mA
 Detecting Range: 20~150cm
 Working Temperature: -30°C~70°C

Parking Sensor



Y-04A

3-color digital LED display with buzzer built-in
"BiBi" alarm in 4 steps, 2 ~ 8 sensors available
Directional indicator of left and right
Detection distance: 0.3 ~ 2.5m
(alarm from 1.5m)
Working Temperature: -30°C~70°C



Y-04B

3-color digital LED display with buzzer built-in
"BiBi" alarm in 4 steps, 2 ~ 8 sensors available
Directional indicator of left and right
Detection distance: 0.3 ~ 2.5m
(alarm from 1.5m)
Working Temperature: -30°C~70°C



Y-05

LED Parking Sensor Display inside Rear Mirror
Three-color digital LED display with buzzer
built-in
"BiBi" alarm in 4 steps, 2 ~ 8 sensors available
Directional indicator of left and right
Detection distance: 0.3 ~ 2.5m
(alarm from 1.5m)
Working Temperature: -30°C~70°C

Parking Sensor



Y-06

Digital LCD monitor
Left and right obstacle distance
Three-color analog color bar display
4 Built-in Ultrasonic Detectors
Alarm mode: Dang... ,Dang –Dang
Power: DC 12V(24V Optional)
Operation Current: 20~200mA
Detecting Range: 20~150cm
Working Temperature: -30°C~70°C



Y-15

3.5-inch rearview parking mirror specifications
With 3.5" monitor, Clip on the original mirror & Replace
Parking system comes on automatically when reversing
Digital distance display of obstacles
Detection distance: 0.3 ~ 2.5m (alarm from 1.5m)
2, 3 or 4 detectors available to satisfy full needs
Card-shaped full-function remote control
High resolution rearview camera with IR
Working Temperature: -30°C~70°C

Central Lock



YC-101
 Universal
 Power: DC 12V
 1*5 wires+3*2 wires Actuator



YC-102
 Universal
 Power: DC 12V
 2*5 wires+2*2 wires Actuator




Head:style
 A:Normal
 B:360 Turning


YC-101T
 Universal
 Power: DC 12V
 1*2 wires Actuator

YC-101F
 Universal
 Power: DC 12V
 1*5 wires Actuator

Central Lock



YC-101R
Universal
Power: DC 12V
1*5wires+3*2 wires Actuator
With remote control
Remote various color available



YC-102R
Universal
Power: DC 12V
2*5wires+2*2 wires Actuator
With remote control
Remote various color available

Car Universal Camera



YC-361

Lens Angle : 170°
Spec. : 3.34cm*3.01cm*2.35cm
Sensor : OV7950
Tv System : NTSC
Resolution : 480 Tv Lines
illumination : 0.1-0.5 lux
Ip Rating : IP67/IP68
Video Output: 1.0vp-p, 75Ohm
Net Weight:0.081kg
420*280*400mm-0.563kg-50pcs/ctn



YC-360

Lens Angle : 170°
Spec. : 3.34cm*3.01cm*2.35cm
Sensor : OV7950
Tv System : NTSC
Resolution : 480 Tv Lines
Effective Pixels : 512*582 pixels
Minimum illumination : 0.1-0.5 lux
Ip Rating : IP67/IP68
Video Output: 1.0vp-p, 75Ohm
Net Weight : 0.081kg
420*280*400mm-0.563kg-50pcs/ctn



YC-363

Lens Angle : 170°
Spec. : 3.42cm*3.13cm*2.46cm
Sensor : OV7950
Tv System : NTSC
Resolution : 480 Tv Lines
Minimum illumination : 0.1-0.5 lux
Effective Pixels : 512*582 pixels
Ip Rating : IP67/IP68
With refrence line functions
Net Weight : 0.078kg
420*280*400mm-0.563kg-50pcs/ctn

Car Universal Camera



YC-305

Lens Angle : 170°
Spec. : Φ 18.5mm*20.2mm
Sensor : OV7950
Tv System : NTSC
Resolution : 480 Tv Lines
Effective Pixels : 512*582 pixels
Minimum illumination : 0.1-0.5 lux
Ip Rating : IP67/IP68
Operating Temperature : -20°C - 70°C
Humidity : RH95% maximum
Net Weight : 0.042kg
420*280*400mm-0.563kg-50pcs/ctn



YC-301

Lens Angle : 135°
Spec. : Φ 23mm*33.85mm
Sensor : OV7950
Tv System : NTSC
Resolution : 480 Tv Lines
Effective Pixels : 512*582 pixels
Minimum illumination : 0.1-0.5 lux
Ip Rating : IP67/IP68
samll size
Net Weight : 0.042kg
420*280*400mm-0.563kg-50pcs/ctn



YC-311

Lens Angle : 170°
Spec. : 24.8*2.1cm*2.4cm
Sensor:PC1030
Tv System : PAL/NTSC
Resolution : 420 Tv Lines
Ip Rating : IP68
Effective Pixels:656*492 pixels
Power Supply : DC 12v
Ultra-thin metal shell, the excellent appearance, with three color refrence line function
Net Weight : 0.139kg
420*280*400mm-0.563kg-30pcs/ctn

Car Universal Camera



YC-807

Lens Angle : 135°
Spec.: $\phi 28\text{mm} \times 35\text{mm}$
Sensor : OV7949/OV7950
Tv System : PAL/NTSC
Resolution : 380/420 Tv Lines
Ip Rating : IP67/IP68
Minimum illumination : 0.1-0.5 lux
Effective Pixels: 512*582 pixels
Net weight : 0.062kg
Special box : 0.055kg-26cm*8cm*4cm
420*280*400mm-0.563kg-50pcs/ctn



YC-306

Lens Angle : 170°
Sensor : OV7950
Tv System : NTSC
Resolution : 480 Tv Lines
illumination : 0.1-0.5 lux
Ip Rating : IP67/IP68
Video Output: 1.0vp-p, 75Ohm
Net Weight : 0.081 kg
420*280*400mm-0.563kg-50pcs/ctn



YC-322

Lens Angle: 135°
Spec.: 25cm*2.9cm*4.1cm
Sensor: OV7949/OV7950
Tv System: PAL/NTSC
Resolution: 380/420 Tv Lines
Ip Rating: IP67/IP68
Minimum illumination: 0.1-0.5 lux
IR Effective Pixels: 512*582 pixels
Net weight : 0.075kg
Special box : 0.055kg-26cm*8cm*4cm
420*280*400mm-0.563kg- 30pcs/ctn

Car Universal Camera



YC-326

Lens Angle : 135°
Spec.: $\Phi 3.83\text{cm} \times 2.8\text{cm}$
Sensor : OV7949/OV7950
Tv System : PAL/NTSC
Resolution : 380/420 Tv Lines
Ip Rating : IP67/IP68
Minimum illumination : 0.1-0.5 lux
Video Output: 1.0vp-p, 75Ohm
Effective Pixels: 512*582 pixels
Net weight : 0.07kg
Special box : 0.055kg-26cm*8cm*4cm
420*280*400mm-0.563kg- 50pcs/ctn



YC-326K

Lens Angle : 135°
Spec.: $\Phi 26$
Sensor : OV7949/OV7950
Tv System : PAL/NTSC
Resolution : 380/420 Tv Lines
Ip Rating : IP67/IP68
Minimum illumination : 0.1-0.5 lux
Video Output: 1.0vp-p, 75Ohm
Effective Pixels: 512*582 pixels
Net weight : 0.05kg
Special box : 0.055kg-26cm*8cm*4cm
420*280*400mm-0.563kg- 50pcs/ctn



YC-327

Lens Angle : 135°
Spec.: $3.5\text{cm} \times 6.5\text{cm} \times 2.4\text{cm}$
Sensor : OV7949/OV7950
Tv System : PAL/NTSC
Resolution : 380/420 Tv Lines
Ip Rating : IP67/IP68
Minimum illumination : 0.1-0.5 lux
Net weight : 0.108kg
Special box : 0.055kg-26cm*8cm*4cm
420*280*400mm-0.563kg-50pcs/ctn

Car Universal Camera



YC-350A

Lens Angle : 135°
Spec.:4.01cm*7.27cm*3.15cm
Sensor : OV7949/OV7950
Tv System : PAL/NTSC
Resolution : 380/420 Tv Lines
Ip Rating : IP67/IP68
Minimum illumination : 0.1-0.5 lux
Effective Pixels: 512*582 pixels
Operating Temperature : -20°C - 70°C
Net weight :0.05kg
Special box : 0.055kg-26cm*8cm*4cm
420*280*400mm-0.563kg- 50pcs/ctn



YC-629

Lens Angle : 135°
Spec.:7.5cm*6.5cm*7.6cm
Sensor : SHARP 1/4
Tv System : PAL/NTSC
Effective Pixels : 512*582 pixels
Resolution : 480 Tv Lines
Minimum illumination : 0.1-0.5lux
Ip Rating : IP67 IR
Net weight : 0.254kg
Special box : 0.055kg-26cm*8cm*4cm
420*280*400mm-0.563kg-50pcs/ctn



YC-303

Lens Angle : 135°
Spec. : Φ23mm*33.85mm
Sensor : OV7950
Tv System : NTSC
Resolution : 480 Tv Lines
Effective Pixels : 512*582 pixels
Minimum illumination : 0.1-0.5 lux
Ip Rating : IP67/IP68
Video Output: 1.0vp-p, 75Ohm
Net Weight : 0.048kg
420*280*400mm-0.563kg-50pcs/ctn

Car Special Camera



2005 MAZDA M6,
PENTIUM B70,B50



2009 BUICK EXCELLE



2009 CHERY TIGGO A3,
CHERY A3,RELY X5



BMW3 BMW5 BMWX5X7



BUICK REGAL, OPEL VECTRA,
ASTRA, ZAFIRA, HAMA MPE M1



HONDA CITY



HYUDAI ELANTRA,
YLANTE, KIA KLOK,
SORENTO, KIA BORREGO,
HUATAI TERRACAN, OPAIRUS



SKODA FABIA TIGUAN



SPECIAL FOR TOYOTA



SPECIAL FOR
FOCUS 3 CARRIAGE



SPECIAL FOR LIVINA



SPECIL FOR OCTAVIA



TOYOTA 2008 CAMRY



TOYOTA 2009 CAMRY



TOYOTA NEW CROWN



TOYOTA RAV4

Car Special Camera



TOYOTA REIZ LAND
 CRUISER 4500 4700



TOYUTA VOIS COROLLA



VOLKSWAGEN LAVIDA



VOLKSWAGEN TOUAREG,
 POLO(3 CARRIAGE),
 TIGUAN



AUDI A6L, Q7, A4



CHEVROLET EPICA, LOVA,
 AVEO, CAPTIVA, CRUZE
 WULING SPARK, BUICK G18,
 2008 BUICK EXCELLE,
 EXCELLE HRV



FORD MONDEO,
 FOCUS(2 CARRIAGE),
 FIESTA



GRANDEUR,
 WAGON(3 CARRIAGE),
 COUPE



HONDA CIVIC



HONDA CRV,(2 CARRIAGE)
 NEW FIT, 2009 ODYSSEY



NISSAN QASHQAI, X-TRAIL,
 CITROEN TRIUMPH



3 CARRIGE) PEUGEOT 307
 PEUGEOT 206, 207, 407,
 307SM



PEUGEOT 307(2 CARRIAGE),
 307CC, GEELY KING KONG,
 GEELY IMPERIAL Ec825,
 PANDA



ROWE 750



SPECIAL FOR BORREGO



SPECIAL FOR SAGITAR

Car Special Camera



SPECIAL FOR SONATA



SPECIAL FOR TOYOTA PRADO



SPECIAL FOR TOYOTA PRADO



TOYOTA PRADO 2700/4000



TOYOTA HIGHLANDER



TOYOTA YARIS



NISSAN LIVINA, TIIDA, GENISS



NISSAN NEW TEANA, TIIDATOW CARRIAGE, BLUEBIRD SYLPHY



SUBARU FORESTER, IMPREZA



AUDI A4L, TT, A5



HONDA 2008 ACCORD



2008 HONDA ODYSSEY



HONDA SPIRIOR



VOLKSWAGEN PASSAT, SAGITA, TOURAN, AUPERB



SKODA OCTAVIA



2008 BUICK LACROSSE

Warning Light



Revolving Light
Color: Red/Blue/Amber/Green/Purple
Installation: Magnetic mounting
Power: DC12V
Power Consumption : 21W
Size: 140×182×126 mm

YL-202



Revolving Light With Alarm
Color: Red/Blue/Amber/Green/Purple
Installation: Magnetic mounting
Power: DC12V
Power Consumption : 21W
Size: 140×182×126 mm

YL-203

Warning Light



YL-205

Revolving Light
Color: Red/Blue/Amber/Green/Purple
Installation: Magnetic mounting
Power: DC12V
Power Consumption:21w
Size: Dia.122.5×123.5 mm



YL-206

Revolving Light
Color: Red/Blue/Amber/Green/Purple
Installation: Magnetic mounting
Power: DC12V
Size: Dia.122.5×123.5 mm

Electronic Siren



YM-301

Sounds:7Tones:horn,siren,aux,yelp,
hi-lo,wail-2,wail-2
Power:DC 12V,80W
dB/1m:120
Size:210*67*133mm(controller)
185*167*115mm(siren)



YM-302

Sounds:7Tones:horn,siren,aux,yelp,
hi-lo,wail-2,wail-2
Power:DC 12V,100W
dB/1m:130
Size:210*67*133mm(controller)
185*167*115mm(siren)



YM-303

Power: DC 12V, 80W
dB/1m:120
Size:143*135mm
Super bright LED
Long LIFE warranty
Bottom with one big round magnet,
cover by base , no scarpe car painting
The spiral lines are available by request
Usage: police , fire engine ambulance ,
street sprinkler turck

Electronic Siren



YCT-208T

Sounds:3 Tones,Switchable
Power:DC 12V,25W
dB/1m:125
Size:100*106*117mm



YC-209T

Sounds:3 Tones,Switchable
Power:DC 12V,25W
dB/1m:125
Size:132*160*133mm

Electronic Siren



YC-200

Sounds:1 Tone or 6 Tones
Power:DC 12v,15W/20W
dB/1m:110/125
Size:88*106*101mm



YC-201

Sounds:1 Tones or 6 Tones
Power:DC 12V,25W
dB/1m:110/125
Size:100*106*117mm



YC-202

Sounds:1 Tone or 6 Tones
Power:DC 12v,15W/20W
dB/1m:110/125
Size:80.5*78.6*107mm

Electronic Siren



YC-203

Sounds: 1 Tone or 6 Tones
Batteru back-up(optional)
Power:DC 12v,15W/20W
dB/1m:110/125
Size:68*74*74mm



YC-204

Sounds: 1 Tone or 6 Tones
Power:DC 12v,15W/20W
dB/1m:110/125
Size:100*85*104mm



YC-205

Electronic siren series
Sounds: 1 Tone or 6 Tones
Power:DC 12v,15W/20W
dB/1m: 105/115
Size:91*69*81mm



YC-210

Electronic siren series
Sounds: One Tone
Power:DC 12v,25W
dB/1m: 105/115
Size:91*68*90mm

PIEZO SIZEN




YC-206

Sounds:1 Tone or 6 Tones
Power:DC 12V
dB/1m:110
Size:50*54*62mm



YC-207

Sounds:1 Tone or 6 Tones
Power:DC 12V
dB/1m:110
Size:43*39.5*67mm



YS-103

With Strobe
Power:DC 12V
dB/1m:110
Color:red/blue
Size:580*240*450mm

IN/OUT THERMOMETER



°C & °F in/out thermometer
Freeze alert
Blue light
Extra-wide Temp range: -50C - +70C
Size: 115*28*16mm
Color: Various color available

YT-11A



°C & °F in/out thermometer
Blue light
Extra-wide Temp range: -50C - +70C
Size: 115*28*16mm
Color: Various color available

YT-11S

IN/OUT THERMOMETER



°C & °F in/out thermometer
LED light
Extra-wide Temp range:-50C - +70C
Size:115*29*29mm
Color:Various color available

YT-12



in/out thermometer With Time
Display
Extra-wide Temp range:
-50C - +70C
Size:79*50*35mm

YT-13

NOTEPAD



YN-07C

Adjustable Auto note use for motor lorry with light
For Jeep & long Vehicle
Suction Cup Packing



YN-07

Adjustable Auto note use for motor lorry
For Jeep & long Vehicle
Suction Cup Packing
Display size:285*135*55mm



YN-07A

Adjustable Auto note including electronic calculator use for car
Use for car & Jeep & suv & srv
Suction Cup Packing
Display size:218*110*16mm

WORKING LIGHT



YC-12

Adjustable Halogen Spotlight
Powerful halogen bulb with shine
over one mile
size:90*180*85



YC-13

Adjustable Halogen Spotlight
Powerful halogen bulb
Size:165*75*68
Working light series



YC-15

Adjustable Halogen Spotlight
Powerful halogen bulb
Working light series

Car Special Camera

EXPERTISE LEAD EXCELLENCE
Temco

Car Special Camera

EXPERTISE LEAD EXCELLENCE
Temco