

INDEX


C.V.JOINT(OUTER)

AUDI	001-004
ALFA	005
ASUNA	006
BMW	007
CHRYSLER	008-013
CITROEN-PEUGEOT	014-022
DAIHATSU	023-025
FORD	026-032
FIAT	033-037
GM	038-044
HONDA	045-053
HYUNDAI	054-055
ISUZU	056
KIA	057
LADA	058
MERCEDES	059-060
MITSUBISHI	061-069
MOSKEWITZ	070
MR	070
MAZDA	071-080
NISSAN	081-093
OPEL	094-099
RF	100
RENAULT	101-107
ROVER	108-110
SAAB	111
SUBARU	112-114
SUZUKI	115-118
SKODA	119
TOYOTA	120-135
VOLVO	136-137
VOLKSWAGEN	138-141


C.V.JOINT(INNER)

AUDI	142
ALFA	142
ASUNA	143
BMW	143
CHRYSLER	144-146
CITROEN-PEUGEOT	147-151
DAIHATSU	152-153
FORD	154-156
FIAT	157
GM	158-160
HONDA	161-164
HYUNDAI	165
IV	165
ISUZU	166
KIA	167
LADA	168-169
MERCEDES	170
MITSUBISHI	171-176
MOSKEWITZ	177
MR	177
MAZDA	178-182
NISSAN	183-186
OPEL	187-188
RENAULT	189-191
ROVER	192
SAAB	193
SUBARU	194-195
SUZUKI	196-198
SKODA	199
TOYOTA	200-204
VOLVO	205
VOLKSWAGEN	206-209


AD-82001				
A	F	O	ABS	I/M/O
26	28	56.5		O
APPLICABLE MODEL:				
AUDI 180-84 5000S QUATTRO 4X4				




AD-82004				
A	F	O	ABS	I/M/O
33	30	53		I
APPLICABLE MODEL:				
AUDI AUDI A4 1.8 2.0L				




AD-82002				
A	F	O	ABS	I/M/O
26	25	56.5		O
APPLICABLE MODEL:				
AUDI 180-84 5000S QUATTRO 4X4				




AD-82004F2				
A	F	O	ABS	I/M/O
33	30	53		I
APPLICABLE MODEL:				
AUDI AUDI 80-80AVANT QUATTRO-90 QUATTRO FWD(M.T) All Models ABS-All Models ABS 05/88-/80-80AVANT QUATTRO-90 QUATTRO RWD(M.T) 1.8 ABS-2.3ABS(LIMOUS.) 03/88-07/93 80 DIESEL-80AVANT DIESEL-90 DIESEL(M.T) 1.9 DIESEL ABS-1.9DIESEL ABS 08/89-12/91 80-80AVANT-90(M.T) 1.6 ABS-1.8ABS,1.8EABS 10/86-12/91				




AD-82002F2				
A	F	O	ABS	I/M/O
26	25	56.5		O
APPLICABLE MODEL:				
AUDI 180-84 5000S QUATTRO 4X4				




AD-82004F2A(45T)				
A	F	O	ABS	I/M/O
33	30	53	45	I
APPLICABLE MODEL:				
AUDI AUDI 80-80AVANT QUATTRO-90 QUATTRO FWD(M.T) All Models ABS-All Models ABS 05/88-/80-80AVANT QUATTRO-90 QUATTRO RWD(M.T) 1.8 ABS-2.3ABS(LIMOUS.) 03/88-07/93 80 DIESEL-80AVANT DIESEL-90 DIESEL(M.T) 1.9 DIESEL ABS-1.9DIESEL ABS 08/89-12/91 80-80AVANT-90(M.T) 1.6 ABS-1.8ABS,1.8EABS 10/86-12/91				




AD-82002F2A(45T)				
A	F	O	ABS	I/M/O
26	25	56.5	45	O
APPLICABLE MODEL:				
AUDI 180-84 5000S QUATTRO 4X4				




AD-82005				
A	F	O	ABS	I/M/O
33	30	53		M
APPLICABLE MODEL:				
AUDI AUDI 80 2.3/2.6L 87-94 V6 4/6 CYL A/T M/T				




AD-82002F2A(96T)				
A	F	O	ABS	I/M/O
26	25	56.5	96	O
APPLICABLE MODEL:				
AUDI 180-84 5000S QUATTRO 4X4				




AD-82005F2				
A	F	O	ABS	I/M/O
33	30	53		I
APPLICABLE MODEL:				
AUDI AUDI 5000(M.T) 2.0 ABS-ALL Models ABS 05/88-/80-80 AVANT-90(A.T) 1.6 ABS-2.3 ABS 4-GEAR 10/86-01/96				



AD-82003				
A	F	O	ABS	I/M/O
22	30	51		I
APPLICABLE MODEL:				
AUDI AUDI QUATTRO 84-87 4000 2.3L 83-87 5CYL VW QUANTUM 83-88 5CYL exc 4WD 548 Coupe:82-87				



AD-82005F2A(45T)				
A	F	O	ABS	I/M/O
33	30	53	45	I
APPLICABLE MODEL:				
AUDI AUDI 5000(M.T) 2.0 ABS-All Models ABS 05/88-/80-80 AVANT-90 (A.T.) 1.6 ABS-2.3 ABS 4-GEAR 10/86-01/96				



AD-82007				
A	F	O	ABS	I/M/O
26	28	56.5		O
APPLICABLE MODEL:				
AUDI AUDI Turbo				

AD-82009A(45T)				
A	F	O	ABS	I/M/O
38	30	59.5	45	I
APPLICABLE MODEL:				
AUDI AUDI 94up A4				

AD-82007A(96T)				
A	F	O	ABS	I/M/O
26	28	56.5	96	O
APPLICABLE MODEL:				
AUDI AUDI Turbo				

AD-82009F2				
A	F	O	ABS	I/M/O
38	30	59.5		I
APPLICABLE MODEL:				
AUDI				

AD-82008				
A	F	O	ABS	I/M/O
38	25	59.5		O
APPLICABLE MODEL:				
AUDI AUDI 100(44),Avant 1.8(55kw) 3/83-11/90 2.0 Kat(85kw)1/88-12/90 2.0D(51kw)1/88-7/89 2.0TD(74kw)3/88-12/90 2.2(101kw)1/84-12/90 2.3E(98kw)1/88-12/90				

AD-82009F2A(45T)				
A	F	O	ABS	I/M/O
38	30	59.5	45	I
APPLICABLE MODEL:				
AUDI				

AD-82008F2				
A	F	O	ABS	I/M/O
38	25	59.5		O
APPLICABLE MODEL:				
AUDI AUDI 100-100 AVANT(A.T) 1.8ABS-2.3ABS 4-SPEED 01/88-12/90 100-100 AVANT(M.T) 1.8ABS-2.3ABS 01/88-12/90 100-100 AVANT DIESEL(M.T) 2.0DIESELABS-2.4TURBO DIESELABS 01/88-12/90 100-100 AVANT QUATTROFWD(M.T) 1.8ABS-2.3ABS 01/88-12/90 100-100 AVANT QUATTRO RWD(A.T/M.T) 1.8ABS-2.8ABS 01/88-08/94 200-200 AVANT QUATTRO RWD(A.T/M.T) 2.23ABS-2.3ABS 02/88-12/90 80-80AVANT QUATTRO-90 QUATTRO RWD(M.T) 2.0ABS(AVANT)-2.8ABS(AVANT) 02/83-				

AD-82010				
A	F	O	ABS	I/M/O
38	27	59.5		I
APPLICABLE MODEL:				
AUDI AUDI 100AVANT W/ABS A6 2.8/2.5L 90-94				


AD-82008F2A(45T)				
A	F	O	ABS	I/M/O
38	25	59.5	45	O
APPLICABLE MODEL:				
AUDI AUDI 100-100 AVANT(A.T) 1.8ABS-2.3ABS 4-SPEED 01/88-12/90 100-100 AVANT(M.T) 1.8ABS-2.3ABS 01/88-12/90 100-100 AVANT DIESEL(M.T) 2.0 DIESELABS-2.4TURBO DIESELABS 01/88-12/90 100-100 AVANT QUATTRO FWD(M.T) 1.8ABS-2.3ABS 01/88-12/90 100-100 AVANT QUATTRO RWD(A.T/M.T.) 1.8ABS-2.8ABS 01/88-08/94 200-200 AVANT QUATTRO RWD(A.T/M.T) 2.23ABS-2.3ABS 02/88-12/90 80-90 AVANT QUATTRO-90 QUATTRO RWD(M.T) 2.0ABS(AVANT)02/83-				

AD-82010A(45T)				
A	F	O	ABS	I/M/O
38	27	59.5	45	I
APPLICABLE MODEL:				
AUDI AUDI 100AVANT W/ABS A6 2.8/2.5L 90-94				


AD-82009				
A	F	O	ABS	I/M/O
38	30	59.5		I
APPLICABLE MODEL:				
AUDI AUDI 94up A4				

AD-82011				
A	F	O	ABS	I/M/O
33	30	53		I
APPLICABLE MODEL:				
AUDI AUDI A4 94up 1.8LA/T W/ABS				


AD-82804A(48T)				
A	F	O	ABS	I/M/O
38	36	60	48	I
APPLICABLE MODEL:				
AUDI Galaxy 1.9TDI(66-81KW)2/96-4/00 2.0I(85KW)2/95-3/00 2.3 16V (107KW)1/97-2.8 V6.4X4(128KW) Alhambra 1.8 20v Trtbo(110kw)8/96-				




AD-82809				
A	F	O	ABS	I/M/O
22	30	51		I
APPLICABLE MODEL:				
AUDI AUDI80-80 AVANT-90(A.T) 1.8ABS, 1.8 S ABS-1.8ABS, 1.8 S ABS 09/86-01/90 80-80 AVANT-90(M.T) 1.6ABS-1.8ABS, 1.8 E ABS 09/86-09/91				




AD-82805				
A	F	O	ABS	I/M/O
36	30	52		I
APPLICABLE MODEL:				
AUDI AUDI A2 1.4 16V-1.4 16V 01/00-/				




AD-82809A(96T)				
A	F	O	ABS	I/M/O
22	30	51	96	I
APPLICABLE MODEL:				
AUDI80-80 AVANT-90 (A.T.) 1.8 ABS, 1.8 S ABS-1.8 ABS, 1.8 S ABS 09/86-01/90 80-80 AVANT-90(M.T.) 1.6 ABS-1.8 ABS, 1.8 E ABS 09/86-90/91				




AD-82806				
A	F	O	ABS	I/M/O
38	27	60		I
APPLICABLE MODEL:				
AUDI AUDI GALAXY 1.9 TDI ABS-2.8V6 11/94-05/99				




AD-82810				
A	F	O	ABS	I/M/O
36	27	50.75		I
APPLICABLE MODEL:				
AUDI A3, Seat Cordoba III, VW Borel				




AD-82806A(48T)				
A	F	O	ABS	I/M/O
38	27	60	48	I
APPLICABLE MODEL:				
AUDI AUDI GALAXY 1.9 TDI ABS-2.8 V6 11/94-05/99				




AD-82811				
A	F	O	ABS	I/M/O
36	30	50.75		I
APPLICABLE MODEL:				
AUDI/Seat/skoda/VW				




AD-82807				
A	F	O	ABS	I/M/O
33	30	53		I
APPLICABLE MODEL:				
AUDI AUDI80-80 AVANT-90(A.T.) 1.6-2.3 AIR COND. 04/87-01/96 80-80 AVANT QUATTRO-90 QUATTRO Fwd (M.T.) 2.3 AIR COND. 2.3 AIR COND. 03/87-03/88 80 DIESEL-80 AVANT DIESEL-90 DIESEL (M.T.) 1.9 DIESEL-1.9 TURBO DIESEL 11/91-07/94 80-80 AVANT-90 (M.T.) 1.6-2.3, 2.3E 06/86-12/94 CABRIO (A.T.) 2.0-2.0 01/93- CABRIO (M.T.) 2.0-2.3 06/91- COUPE (A.T.) 2.0 3-SPEED-2.0 3-SPEED 05/89-70/91				




AD-82815				
A	F	O	ABS	I/M/O
30	30	50.7		I
APPLICABLE MODEL:				
AUDI				



AD-82808				
A	F	O	ABS	I/M/O
20	25	45.5		I
APPLICABLE MODEL:				
AUDI AUDI50 1.1-1.3-1.1-1.3 08/74-07/78				



AF-82001					
A	F	O	ABS	I/M/O	
28	24	55		O	
APPLICABLE MODEL:					
ALFA ALFA Romeo 33					




AU-82001				
A	F	O	ABS	I/M/O
19	19	48		I
APPLICABLE MODEL:				
AUSTIN 850 C.C				

AU-82002				
A	F	O	ABS	I/M/O
25	22	50		I
APPLICABLE MODEL:				
AUSTIN 1600 C.C 86-91				


AU-82004				
A	F	O	ABS	I/M/O
29	19	48		I
APPLICABLE MODEL:				
AUSTIN Mini Appache				

AU-82801				
A	F	O	ABS	I/M/O
26	23	53.5		M
APPLICABLE MODEL:				
AUSTIN				


BM-82801					
A	F	O	ABS	I/M/O	
30	27	64.8		M	
APPLICABLE MODEL:					
BMW					




BM-82201					
A	F	O	ABS	I/M/O	
30	27	59		M	
APPLICABLE MODEL:					
BMW					




CH-82001				
A	F	O	ABS	I/M/O
26	23	54		I
APPLICABLE MODEL:				
CHRYSLER OMNI 78-83 HORIZON 81-83 SCAMP 82-83 Tc3 78-82				




CH-82010F2				
A	F	O	ABS	I/M/O
23	28	57.7		I
APPLICABLE MODEL:				
CHRYSLER NEON All Models-All Models 01/94-12/95				




CH-82004				
A	F	O	ABS	I/M/O
26	23	54		I
APPLICABLE MODEL:				
CHRYSLER CARAVAN 84-87 400 82-83,600 83-88 CHRYSLER ARIES 81-87 LEBARON 84-87 DAYTONA 84-87 OMNI 84-87 SHADOW 87				




CH-82010F2A(46T)				
A	F	O	ABS	I/M/O
23	28	57.7	46	I
APPLICABLE MODEL:				
CHRYSLER NEON All Models ABS-All Models ABS 46T 19/88-19/99				




CH-82005				
A	F	O	ABS	I/M/O
26	28	54		I
APPLICABLE MODEL:				
CHRYSLER DAYTONA 84-86 ACI ACCLAIM(A) 87-88 ACI 2.2 LEBARON 84-90 OMNI 88-91 ACI SHADOW 87-90 ACI				




CH-82010F2A(56T)				
A	F	O	ABS	I/M/O
23	28	57.7	56	I
APPLICABLE MODEL:				
CHRYSLER NEON ALL Models ABS				




CH-82006				
A	F	O	ABS	I/M/O
26	32	54		I
APPLICABLE MODEL:				
CHRYSLER ARIES 87-89 CARAVAN 87-93 LEBARON 87-90 NEW YORKER 84-91 DYNASTY 89-90 2.5/3.0L LANCER 89-91 2.5/3.0L DAYTONA87-91 ACCLAIM 89-93 2.2/2.5L				




CH-82012				
A	F	O	ABS	I/M/O
26	22	54		I
APPLICABLE MODEL:				
CHRYSLER OMNI 83/6-86 PLYMOUTH TURISMO 1.6L/2.2L W/O TURBO 84-86				




CH-82006A(47T)				
A	F	O	ABS	I/M/O
26	32	54	47	I
APPLICABLE MODEL:				
CHRYSLER ARIES 87-89 CARAVAN 87-93 LEBARON 87-90 NEW YORKER 84-91 DYNASTY 89-90 2.5/3.0L LANCER 89-91 2.5/3.0L DAYTONA87-91 ACCLAIM 89-93 2.2/2.5L				




CH-82013				
A	F	O	ABS	I/M/O
26	24	54		I
APPLICABLE MODEL:				
CHRYSLER MEXICO CAR				




CH-82007				
A	F	O	ABS	I/M/O
26	29	54		O
APPLICABLE MODEL:				
CHRYSLER 91~				




CH-82014				
A	F	O	ABS	I/M/O
26	32	54		I
APPLICABLE MODEL:				
CHRYSLER DODGE CARAVAN 96-97 W/ABS				




CH-82814A(47T)				
A	F	O	ABS	I/M/O
26	23	54		I
APPLICABLE MODEL:				
CHRYSLER				




CH-82201				
A	F	O	ABS	I/M/O
33	24	54		M
APPLICABLE MODEL:				
CHRYSLER				




CH-82815				
A	F	O	ABS	I/M/O
26	23	54		I
APPLICABLE MODEL:				
CHRYSLER				




CH-82202				
A	F	O	ABS	I/M/O
23	23	57.7		M
APPLICABLE MODEL:				
CHRYSLER				




CH-82816				
A	F	O	ABS	I/M/O
26	24	57.7		M
APPLICABLE MODEL:				
CHRYSLER				




CH-82203				
A	F	O	ABS	I/M/O
26	25	54		M
APPLICABLE MODEL:				
CHRYSLER				




CH-82817				
A	F	O	ABS	I/M/O
27	35	58.5		O
APPLICABLE MODEL:				
CHRYSLER				




CH-82203A(47T)				
A	F	O	ABS	I/M/O
26	25	54	47	M
APPLICABLE MODEL:				
CHRYSLER				




CH-82819				
A	F	O	ABS	I/M/O
26	30	54		I
APPLICABLE MODEL:				
CHRYSLER				




CH-82204				
A	F	O	ABS	I/M/O
33	24	49.6		M
APPLICABLE MODEL:				
CHRYSLER				



CH-82819A(47T)				
A	F	O	ABS	I/M/O
26	30	54		I
APPLICABLE MODEL:				
CHRYSLER				



CH-82204A(50T)				
A	F	O	ABS	I/M/O
33	24	49.6	50	M
APPLICABLE MODEL:				
CHRYSLER				



CH-82205				
A	F	O	ABS	I/M/O
26	32	54		I
APPLICABLE MODEL:				
CHRYSLER				

CH-82205A(47T)				
A	F	O	ABS	I/M/O
26	32	54	47	I
APPLICABLE MODEL:				
CHRYSLER				


CH-82206				
A	F	O	ABS	I/M/O
23	28	57.7		I
APPLICABLE MODEL:				
CHRYSLER				

CH-82206A(56T)				
A	F	O	ABS	I/M/O
23	28	57.7	56	I
APPLICABLE MODEL:				
CHRYSLER				


CH-82207				
A	F	O	ABS	I/M/O
26	23	54		I
APPLICABLE MODEL:				
CHRYSLER				

CH-82208				
A	F	O	ABS	I/M/O
31	32	54		I
APPLICABLE MODEL:				
CHRYSLER				


CT-82001				
A	F	O	ABS	I/M/O
25	22	54.8		I
APPLICABLE MODEL:				
CITROEN 305 405 GS 1.5/1.6/1.9L M/T BX 309 1.4/1.6/1.9L 83-94				




CT-82005F2A(29T)				
A	F	O	ABS	I/M/O
25	23	54.8	29	I
APPLICABLE MODEL:				
CITROEN ZX 1.8i ABS-2.0.i ABS 03/91-06/97				




CT-82003				
A	F	O	ABS	I/M/O
25	34	54.8		I
APPLICABLE MODEL:				
PEUGEOT 305 405				




CT-82005F3				
A	F	O	ABS	I/M/O
25	23	54.8		I
APPLICABLE MODEL:				
CITROEN XANTIA 1.6.i ABS-1.6.i ABS 03/93-/ ZX 1.6i ABS-1.6i ABS 03/91-12/96				




CT-82003F2				
A	F	O	ABS	I/M/O
25	34	54.8		I
APPLICABLE MODEL:				
CITROEN BX 1.9 TURBO-1.9 TURBO DIESEL 07/85-04/87 XANTIA 1.6i-1.6i 01/94-/ /				




CT-82005F3A(48T)				
A	F	O	ABS	I/M/O
25	23	54.8	48	I
APPLICABLE MODEL:				
CITROEN Xantia(x1), Break 1.6(65kw)3/93-1/98 1.8, 1.6v(66kw)4/97-98 1.6i(65kw)3/91-96 1.6(65kw)92-96				




CT-82005				
A	F	O	ABS	I/M/O
25	23	54.8		I
APPLICABLE MODEL:				
PEUGEOT 305 405				




CT-82005F4				
A	F	O	ABS	I/M/O
25	23	54.8		I
APPLICABLE MODEL:				
CITROEN BX 1.5 1.6 ABS 1.7 DIESEL ABS 07/85 04/87 1.8 TURBO DIESEL TRD ABS 01/86 1.9 GTI, 16V ABS 1.9 DIESEL ABS 1.9 TURBO DIESEL ABS 07/85 04/87				




CT-82005A(29T)				
A	F	O	ABS	I/M/O
25	23	54.8		I
APPLICABLE MODEL:				
CITROEN				




CT-82005F4A(90T)				
A	F	O	ABS	I/M/O
25	23	54.8	90	I
APPLICABLE MODEL:				
CITROEN BX 1.5-1.9 TURBO DIESEL ABS 07/85-04/87				




CT-82005F2				
A	F	O	ABS	I/M/O
25	23	54.8		I
APPLICABLE MODEL:				
CITROEN				




CT-82006				
A	F	O	ABS	I/M/O
28	23	59		I
APPLICABLE MODEL:				
PEUGEOT 605				




CT-82006A(48T)				
A	F	O	ABS	I/M/O
28	23	59	48	I
APPLICABLE MODEL:				
PEUGEOT 605				




CT-82008F2				
A	F	O	ABS	I/M/O
21	22	56		I
APPLICABLE MODEL:				
CITROEN				




CT-82006F2				
A	F	O	ABS	I/M/O
28	23	58		I
APPLICABLE MODEL:				
CITROEN XM(Y3),Break 2.0 I(79-84-89KW) 2.1D 12v(16kw)5/89-4/94 605(6B)2.0,16v (89-97kw) 2.1D(60KW)6/89-4/94				




CT-82008F3				
A	F	O	ABS	I/M/O
21	22	56		I
APPLICABLE MODEL:				
CITROEN				




CT-82006F2A(48T)				
A	F	O	ABS	I/M/O
28	23	58	48	I
APPLICABLE MODEL:				
CITROEN XM(Y3),Break 2.0 I(79-84-89KW) 2.1D 12v(16kw)5/89-4/94 605(6B)2.0,16v (89-97kw) 2.1D(60KW)6/89-4/94				




CT-82009				
A	F	O	ABS	I/M/O
25	31	55.4		I
APPLICABLE MODEL:				
CITROEN				




CT-82007				
A	F	O	ABS	I/M/O
28	27	58		I
APPLICABLE MODEL:				
CITROEN XM(Y3),Break 2.1 TD 12v(80kw) 3.0 V6 (123kw) 3.0 V6 24v (147kw) 2.1TD 12v,sw(80kw) 3.0(123kw)3.0 V6 24V (147kw)5/89-4/94				




CT-82009F2				
A	F	O	ABS	I/M/O
25	31	55		I
APPLICABLE MODEL:				
CITROEN 405 II,Break 1.4(55kw) 1.6(65kw)1.9 SR I(95kw) 1.9D(47kw)8/92-10-96				




CT-82007A(48T)				
A	F	O	ABS	I/M/O
28	27		48	I
APPLICABLE MODEL:				
CITROEN W/ABS				




CT-82009F3				
A	F	O	ABS	I/M/O
25	31	55		M
APPLICABLE MODEL:				
CITROEN				




CT-82008				
A	F	O	ABS	I/M/O
21	22	56		I
APPLICABLE MODEL:				
CITROEN FUH.KANG				




CT-82011				
A	F	O	ABS	I/M/O
25	34	55.7		I
APPLICABLE MODEL:				
PEUGEOT 405 W/SENDIX ABS 89-91 W/ABS				




CT-82011A(29T)				
A	F	O	ABS	I/M/O
25	34	55.7	29	I
APPLICABLE MODEL:				
PEUGEOT 405 W/SENDIX ABS 89-91 W/ABS				




CT-82015				
A	F	O	ABS	I/M/O
35	45	70		I
APPLICABLE MODEL:				
CITROEN JUMPER PEUGEOT:BOXER FIAT:NUOVO DUCATO MAXL 1.8TON				




CT-82012				
A	F	O	ABS	I/M/O
25	34	55.7		I
APPLICABLE MODEL:				
PEUGEOT 405 W/BOSCH ABS 89-91				




CT-82015A(54T)				
A	F	O	ABS	I/M/O
35	45	70	54	I
APPLICABLE MODEL:				
CITROEN JUMPER PEUGEOT:BOXER FIAT:NUOVO DUCATO MAXL 1.8TON				




CT-82012A(29T)				
A	F	O	ABS	I/M/O
25	34	55.7	29	I
APPLICABLE MODEL:				
PEUGEOT				




CT-82802				
A	F	O	ABS	I/M/O
30	30	75		M
APPLICABLE MODEL:				
CITROEN				




CT-82012A(48T)				
A	F	O	ABS	I/M/O
25	34	55.7	48	I
APPLICABLE MODEL:				
PEUGEOT				




CT-82803				
A	F	O	ABS	I/M/O
25	22	57.6		I
APPLICABLE MODEL:				
CITROEN BX1.1 TT91 UP				




CT-82012A(90T)				
A	F	O	ABS	I/M/O
25	34	55.7	90	I
APPLICABLE MODEL:				
PEUGEOT 405 W/BOSCH ABS 89-91				




CT-82804				
A	F	O	ABS	I/M/O
25	23	56.7		M
APPLICABLE MODEL:				
CITROEN BX 1.9 GTI 16V 85-87 ZX 1.9 TURBO DIESEL 92 UP				




CT-82014				
A	F	O	ABS	I/M/O
28	27	63		I
APPLICABLE MODEL:				
CITROEN C25 87~ FIAT: DUCATO TALEN TO 93~ PEUGEOT: J5 89				




CT-82805				
A	F	O	ABS	I/M/O
25	30	54.8		I
APPLICABLE MODEL:				
CITROEN				




CT-82806				
A	F	O	ABS	I/M/O
28	34	59		I
APPLICABLE MODEL:				
CITROEN				




CT-82811				
A	F	O	ABS	I/M/O
21	22	50.5		I
APPLICABLE MODEL:				
CITROEN				




CT-82806A(48T)				
A	F	O	ABS	I/M/O
28	34	59	48	I
APPLICABLE MODEL:				
CITROEN				




CT-82812				
A	F	O	ABS	I/M/O
21	22	48		I
APPLICABLE MODEL:				
CITROEN				




CT-82807				
A	F	O	ABS	I/M/O
21	22	49.9		I
APPLICABLE MODEL:				
CITROEN				




CT-82812A(48T)				
A	F	O	ABS	I/M/O
21	22	48	48	I
APPLICABLE MODEL:				
CITROEN				




CT-82808				
A	F	O	ABS	I/M/O
28	39	63		I
APPLICABLE MODEL:				
CITROEN CITROEN GL 3253/3253K EVASION JUMPER FIAT ULISSEY JUMPER 10-14Q W/ABS PEUGEOT :806PARTNER 94-95				




CT-82813				
A	F	O	ABS	I/M/O
21	34	48.5		I
APPLICABLE MODEL:				
CITROEN				




CT-82808A(54T)				
A	F	O	ABS	I/M/O
28	39	63	54	I
APPLICABLE MODEL:				
CITROEN JUMPER 10-14 Q ABS-10-14 Q ABS 01/94-7				




CT-82813A(48T)				
A	F	O	ABS	I/M/O
21	34	48.5	48	I
APPLICABLE MODEL:				
CITROEN				




CT-82810				
A	F	O	ABS	I/M/O
25	30	55.4		I
APPLICABLE MODEL:				
CITROEN				




CT-82814				
A	F	O	ABS	I/M/O
27	39	59		I
APPLICABLE MODEL:				
CITROEN EVASION 1.9 TURBO DIESEL-2.1 TURBO DIESEL 12V 08/94-7				




CT-82822				
A	F	O	ABS	I/M/O
21	22	56.4		O
APPLICABLE MODEL:				
CITROEN C15E1.1-DESDE CHASIS 4196 07/87-/				




CT-82827A(48T)				
A	F	O	ABS	I/M/O
25	34	58	48	I
APPLICABLE MODEL:				
CITROEN				




CT-82823				
A	F	O	ABS	I/M/O
21	20	50		O
APPLICABLE MODEL:				
CITROEN AX1.0 X-1.1 X.SX05/96-/				




CT-82828				
A	F	O	ABS	I/M/O
25	39	59		I
APPLICABLE MODEL:				
CITROEN Xantia(X1).Break 2.0 Turbo(108kw) 2.1TD 12V(97kw) 6/95-1/98				




CT-82824				
A	F	O	ABS	I/M/O
30	27	74.5		I
APPLICABLE MODEL:				
CITROEN				




CT-82828A(29T)				
A	F	O	ABS	I/M/O
25	39	59	29	I
APPLICABLE MODEL:				
CITROEN XANTIA2.0TURBO-2.1 TD 19/95-19/98				




CT-82825				
A	F	O	ABS	I/M/O
30	27	72		I
APPLICABLE MODEL:				
CITROEN				




CT-82828A(48T)				
A	F	O	ABS	I/M/O
25	39	59	48	I
APPLICABLE MODEL:				
CITROEN				




CT-82826				
A	F	O	ABS	I/M/O
21	22	48		I
APPLICABLE MODEL:				
CITROEN				




CT-82829				
A	F	O	ABS	I/M/O
25	34	55.7		I
APPLICABLE MODEL:				
CITROEN				




CT-82827				
A	F	O	ABS	I/M/O
25	34	58		I
APPLICABLE MODEL:				
CITROEN				




CT-82829A(29T)				
A	F	O	ABS	I/M/O
25	34	55.7	29	I
APPLICABLE MODEL:				
CITROEN				




CT-82829A(48T)				
A	F	O	ABS	I/M/O
25	34	55.7	48	I
APPLICABLE MODEL:				
CITROEN				




CT-82833				
A	F	O	ABS	I/M/O
25	24	58.5		M
APPLICABLE MODEL:				
CITROEN				




CT-82830				
A	F	O	ABS	I/M/O
25	34	58		I
APPLICABLE MODEL:				
CITROEN XANTIA2.0 16V ABS 29T-2.0 AUTO 16V ABS 29T01/98-7				




CT-82834				
A	F	O	ABS	I/M/O
25	22	60		M
APPLICABLE MODEL:				
CITROEN				




CT-82830A(29T)				
A	F	O	ABS	I/M/O
25	34	58	29	I
APPLICABLE MODEL:				
CITROEN				




CT-82834A(48T)				
A	F	O	ABS	I/M/O
25	22	60	48	M
APPLICABLE MODEL:				
CITROEN				




CT-82831				
A	F	O	ABS	I/M/O
25	22	60		I
APPLICABLE MODEL:				
CITROEN				




CT-82835				
A	F	O	ABS	I/M/O
25	25	60		O
APPLICABLE MODEL:				
CITROEN				




CT-82831A(29T)				
A	F	O	ABS	I/M/O
25	22	60	29	I
APPLICABLE MODEL:				
CITROEN				




CT-82836				
A	F	O	ABS	I/M/O
38	27	74		M
APPLICABLE MODEL:				
CITROEN				



CT-82832				
A	F	O	ABS	I/M/O
25	22	57.7		I
APPLICABLE MODEL:				
CITROEN				



CT-82837				
A	F	O	ABS	I/M/O
25	22	55.4		M
APPLICABLE MODEL:				
CITROEN				



CT-82838				
A	F	O	ABS	I/M/O
25	30	55.5		O
APPLICABLE MODEL:				
CITROEN				

CT-82203				
A	F	O	ABS	I/M/O
28	39	59		I
APPLICABLE MODEL:				
CITROEN				

CT-82839				
A	F	O	ABS	I/M/O
25	34	55.7		I
APPLICABLE MODEL:				
CITROEN ACURA-LEGEND 2.0 Mod.KA1-KA2-KA4 Eng.C20A 2.5i V6 24V Mod. HS Eng.C25A KA-7 ABS C32A KA-8 ABS C32A All Models V6 ABS ACCORD 1.8 75KW(100HP)				

CT-82203A(48T)				
A	F	O	ABS	I/M/O
28	39	59	48	I
APPLICABLE MODEL:				
CITROEN				

CT-82843				
A	F	O	ABS	I/M/O
21	21	48		I
APPLICABLE MODEL:				
CITROEN				

CT-82204				
A	F	O	ABS	I/M/O
21	20	49.2		M
APPLICABLE MODEL:				
CITROEN				

CT-82843A(48T)				
A	F	O	ABS	I/M/O
21	21	48	48	I
APPLICABLE MODEL:				
CITROEN				

CT-82205				
A	F	O	ABS	I/M/O
21	20	54		M
APPLICABLE MODEL:				
CITROEN				

CT-82201				
A	F	O	ABS	I/M/O
21	20	50		O
APPLICABLE MODEL:				
CITROEN				

CT-82206				
A	F	O	ABS	I/M/O
21	24	54		M
APPLICABLE MODEL:				
CITROEN				

CT-82202				
A	F	O	ABS	I/M/O
21	24	57		M
APPLICABLE MODEL:				
CITROEN				

CT-82207				
A	F	O	ABS	I/M/O
21	22	48		M
APPLICABLE MODEL:				
CITROEN				

CT-82208					
A	F	O	ABS	I/M/O	
21	22	48		I	
APPLICABLE MODEL:					
CITROEN					


CT-82209					
A	F	O	ABS	I/M/O	
25	23	60		I	
APPLICABLE MODEL:					
CITROEN					

CT-82210					
A	F	O	ABS	I/M/O	
21	20	49.8		M	
APPLICABLE MODEL:					
CITROEN					


CT-82211					
A	F	O	ABS	I/M/O	
25	26	58.5		M	
APPLICABLE MODEL:					
CITROEN					

CT-82212					
A	F	O	ABS	I/M/O	
28	39	58.5		I	
APPLICABLE MODEL:					
CITROEN					


DA-82024				
A	F	O	ABS	I/M/O
24	20	44		M
APPLICABLE MODEL:				
DAIHATSU Cuore L210 MT				




DA-82801A(48T)				
A	F	O	ABS	I/M/O
24	19	52		48
APPLICABLE MODEL:				
DAIHATSU				




DA-82024F2				
A	F	O	ABS	I/M/O
24	20	44		M
APPLICABLE MODEL:				
DAIHATSU CUORE-MIRA0.8-660 (A.T./M.T.) 01/90-12/95 KANCIL All Models-All Models01/90-/				




DA-82802				
A	F	O	ABS	I/M/O
24	19	47		M
APPLICABLE MODEL:				
DAIHATSU MOVEALL MODELS-ALL MODELS				




DA-82031				
A	F	O	ABS	I/M/O
24	20	52		M
APPLICABLE MODEL:				
DAIHATSU G 100-S 1.3 93UP				




DA-82803				
A	F	O	ABS	I/M/O
26	30	42		M
APPLICABLE MODEL:				
DAIHATSU				




DA-82032				
A	F	O	ABS	I/M/O
24	19	44		M
APPLICABLE MODEL:				
DAIHATSU MIRA 600C.C 90~ AT/MT				




DA-82804				
A	F	O	ABS	I/M/O
24	19	52		M
APPLICABLE MODEL:				
DAIHATSU 91-ROCKY				




DA-82034				
A	F	O	ABS	I/M/O
26	26	61.95		M
APPLICABLE MODEL:				
DAIHATSU				




DA-82805				
A	F	O	ABS	I/M/O
26	22	44.5		I
APPLICABLE MODEL:				
DAIHATSU SUZUKI SAMURAI				



DA-82801				
A	F	O	ABS	I/M/O
24	19	52		M
APPLICABLE MODEL:				
DAIHATSU TERIOS 1.3 J100-1.3 J100 03/97-/ TERIOS KID660 J111G 4WD-660 J111G 4WD10/98-/ M				



DA-82806				
A	F	O	ABS	I/M/O
26	19	44		M
APPLICABLE MODEL:				
DAIHATSU				



DA-82807				
A	F	O	ABS	I/M/O
24	19	40		M
APPLICABLE MODEL:				
DAIHATSU COVER				

DA-82201				
A	F	O	ABS	I/M/O
24	19	47		M
APPLICABLE MODEL:				
DAIHATSU				

DA-82808				
A	F	O	ABS	I/M/O
24	20	47		I
APPLICABLE MODEL:				
DAIHATSU				

DA-82809				
A	F	O	ABS	I/M/O
26	22	44.5		M
APPLICABLE MODEL:				
DAIHATSU				

DA-82810				
A	F	O	ABS	I/M/O
26	20	45		O
APPLICABLE MODEL:				
DAIHATSU				

DA-82812				
A	F	O	ABS	I/M/O
29	29	47		I
APPLICABLE MODEL:				
DAIHATSU				

DA-82815				
A	F	O	ABS	I/M/O
24	19	52		I
APPLICABLE MODEL:				
DAIHATSU				

FD-82002					
A	F	O	ABS	I/M/O	
23	20	50		O	
APPLICABLE MODEL:					
FORD FLESTA 77-80					

FD-82100					
A	F	O	ABS	I/M/O	
23	30	55		I	
APPLICABLE MODEL:					
FORD					

FD-82004F2					
A	F	O	ABS	I/M/O	
23	22	55		O	
APPLICABLE MODEL:					
FORD ESCORT 1.6 L-1.6 L01/93-11/92 ESCORT-ESCORT VAN-ORION(A.T.)1.4(gear CTX) -VAN 1.111/92-08/90 ESCORT-ESCORT VAN-ORION(M.T.)1.1-VAN 1.302/80-08/90 ESCORT-ORION DIESEL(M.T.)1.6 DIESEL-1.8 DIESEL02/84-08/90 FIESTA-FIESTA VAN(M.T.)1.3-1.6 XR208/80-03/89 FIESTA-FIESTA VAN DIESEL(M.T.)1.6 DIESEL -1.6 DIESEL02/84-04/88 ORION I 1.3(M.T.)-1.6 L01/83-03/86 ORION II 1.3(M.T.)-1.8 DIESEL(M.T.)12/85-07/90					

FD-82101					
A	F	O	ABS	I/M/O	
28	32	56		I	
APPLICABLE MODEL:					
FORD 6262.0 MX-6-2.5 MX-619/93-19/97 PROBE (A.T.)2.0-2.519/93-19/97					

FD-82005					
A	F	O	ABS	I/M/O	
24	30	46		O	
APPLICABLE MODEL:					
FORD CORCEEL JUNTA FIXA					

FD-82101A(44T)					
A	F	O	ABS	I/M/O	
28	32	56	44	I	
APPLICABLE MODEL:					
FORD 6262.0 MX-6 ABS-2.5 MX-6 ABS 19/93-19/97 PROBE (A.T.)2.0 ABS-2.5 ABS 19/93-19/97					

FD-82006					
A	F	O	ABS	I/M/O	
26	30	56		I	
APPLICABLE MODEL:					
FORD FORD SABLE 2.5/3.0/3.8/GSLS 6CYL 86-93 A/T TAURUS 2.5 ACI A/T M/T 3.0L V6 6CYL 86-93					

FD-82103					
A	F	O	ABS	I/M/O	
26	32	55.9		I	
APPLICABLE MODEL:					
FORD SABLE 3.8 V-6-3.8 V-601/88-12/92 TAURUS 3.8 V-6-SHO01/88-12/92					


FD-82007					
A	F	O	ABS	I/M/O	
26	23	51		I	
APPLICABLE MODEL:					
FORD FORD ESCORT:83-90 TEMPO:EXP 84-90 TOPAZ:2.3L 4CYL 84-90 A/T LYNX/LN7 FROM 83-90					

FD-82103A(50T)					
A	F	O	ABS	I/M/O	
26	32	55.9	50	I	
APPLICABLE MODEL:					
FORD CONTINENTAL 3.8(A.T.)ABS-3.8(A.T.)ABS01/88-12/92 SABLE 3.8 V-6 ABS-3.8 V-6 ABS01/88-12/92 TAURUS 3.0 V6 ABS-SHO ABS01/90-12/92					


FD-82009					
A	F	O	ABS	I/M/O	
24	30	46		I	
APPLICABLE MODEL:					
FORD					

FD-82104					
A	F	O	ABS	I/M/O	
26	28	51		I	
APPLICABLE MODEL:					
FORD MERCURY TOPAZ 2.3-2.319/92-19/94 TEMPO 2.3-2.319/92-19/94					


FD-82105				
A	F	O	ABS	I/M/O
25	25	56.5		O
APPLICABLE MODEL:				
FORD ESCORT-ESCORT VAN-ORION (M.T.) 1.8 ABS (gear MTX75)-2.0 ABS (gear 09/91-/MTX75) ESCORT-ORION DIESEL (M.T.)1.8 TURBO DIESEL(gear MTX75)-1.8 TURBO04/91-/ DIESEL (gear MTX75) ESCORT CABRIO (M.T.)1.8 TURBO DIESEL -1.8 TURBO DIESEL 12/95-/				




FD-82110				
A	F	O	ABS	I/M/O
27	30	54.3		I
APPLICABLE MODEL:				
FORD EXPLORER2.0-2.019/95-19/99 MERCURY MYSTIQUE2.0-2.019/95-19/99				




FD-82106F2				
A	F	O	ABS	I/M/O
26	28	56		I
APPLICABLE MODEL:				
FORD ESCORT1.8L ABS-1.9L ABS01/91-12/96 TRACERABS-ABS01/91-12/96				




FD-82110A(44T)				
A	F	O	ABS	I/M/O
27	30	54.3	44	I
APPLICABLE MODEL:				
FORD EXPLORER2.0-2.019/95-19/99 MERCURY MYSTIQUE2.0-2.019/95-19/99				




FD-82106F2A(44T)				
A	F	O	ABS	I/M/O
26	28	56	44	I
APPLICABLE MODEL:				
FORD ESCORT1.8L ABS-1.9L ABS01/91-12/96 TRACERABS-ABS01/91-12/96				




FD-82113				
A	F	O	ABS	I/M/O
27	30	57		I
APPLICABLE MODEL:				
FORD MONDEO A/T W/ABS 93-96				




FD-82106F3				
A	F	O	ABS	I/M/O
26	28	56		M
APPLICABLE MODEL:				
FORD MERCURY TOPAZ ALL MODELS-TRACER 19/91-19/96				




FD-82113A(44T)				
A	F	O	ABS	I/M/O
27	30	57	44	I
APPLICABLE MODEL:				
FORD MONDEO (A.T.)1.8i 16V ABS-2.0i 16V ABS01/95-/ MONDEO (M.T.)1.6i 16V-2.0i 16V ABS 1/93-/				




FD-82108				
A	F	O	ABS	I/M/O
25	22	56.5		O
APPLICABLE MODEL:				
FORD FIESTA-FIESTA VAN (M.T.)1.2 16V-1.4 ABS01/94-/ FIESTA-FIESTA VAN DIESEL (M.T.) 1.6 DIESEL-1.8 DIESEL ABS01/94-/ FIESTA (M.T.)1.2 16V-1.8 DIESEL01/96-/ PUMA1.4 16V M.T.-1.46VM.T.11/97-/				




FD-82113F2				
A	F	O	ABS	I/M/O
27	30	57		I
APPLICABLE MODEL:				
FORD				




FD-82109				
A	F	O	ABS	I/M/O
26	30	58		I
APPLICABLE MODEL:				
FORD AEROSTARAEROSTAR-AEROSTAR19/90-19/97				




FD-82113F2A(44T)				
A	F	O	ABS	I/M/O
27	30	57	44	I
APPLICABLE MODEL:				
FORD				




FD-82808					
A	F	O	ABS	I/M/O	
25	23	53.38		M	
APPLICABLE MODEL:					
FORD FOCUS,EXC.2.0-2.0 20/00-20/01 FOCUS,FOCUS SW1.4 16V-2.0 16V 01/98-/					




FD-82816					
A	F	O	ABS	I/M/O	
26	23	51		I	
APPLICABLE MODEL:					
FORD TOPAZ-01/84-12/85 TOPAZ VERONAALL MODELS-ALL MODELS 19/84-19/85					




FD-82809					
A	F	O	ABS	I/M/O	
25	21	53.2		M	
APPLICABLE MODEL:					
FORD FESTIVALALL MODELS-ALL MODELS					




FD-82817					
A	F	O	ABS	I/M/O	
25	30	56.5		I	
APPLICABLE MODEL:					
FORD ESCORT1.8 TURBO DIESEL-1.8 TURBO DIESEL 01/98-12/00					




FD-82811					
A	F	O	ABS	I/M/O	
25	30	56.5		I	
APPLICABLE MODEL:					
FORD ESCORT1.8-1.8/-/ ORION2.0-2.0					




FD-82819					
A	F	O	ABS	I/M/O	
23	20	60		O	
APPLICABLE MODEL:					
FORD ESCORT-ESCORT VAN-ORION (M.T.) 1.3-1.302/95-/ FIESTA-FIESTA VAN (M.T.)1.0-1.1 ABS04/89-05/94 ORION III 1.3 (M.T.)-1.3 (M.T.)07/90-07/93					




FD-82812					
A	F	O	ABS	I/M/O	
25	20	56.5		O	
APPLICABLE MODEL:					
FORD ENDURAALL MODELS-ALL MODELS 19/96-/					




FD-82820					
A	F	O	ABS	I/M/O	
28	36	64.5		I	
APPLICABLE MODEL:					
FORD					




FD-82814					
A	F	O	ABS	I/M/O	
26	24	51		I	
APPLICABLE MODEL:					
FORD TOPAZALL Models-ALL Models 01/86-12/91 TOPAZ VERONAALL MODELS-ALL MODELS 01/86-12/91					




FD-82821					
A	F	O	ABS	I/M/O	
28	26	57		M	
APPLICABLE MODEL:					
FORD					




FD-82815					
A	F	O	ABS	I/M/O	
23	22	60		O	
APPLICABLE MODEL:					
FORD ESCORT-ESCORT VAN-ORION (M.T.)1.3 -VAN 1.301/86-10/91 FIESTA-FIESTA VAN (M.T.)1.3-1.8 16V ABS04/89-01/94 FIESTA-FIESTA VAN DIESEL (M.T.) 1.6 DIESEL-1.8 DIESEL ABS04/89-01/94 ORION III 1.3 (M.T.)07/90-07/93					




FD-82821A(48T)					
A	F	O	ABS	I/M/O	
28	26	57	48	M	
APPLICABLE MODEL:					
FORD					




FD-82822				
A	F	O	ABS	I/M/O
26	33	56		I
APPLICABLE MODEL:				
FORD				




FD-82827				
A	F	O	ABS	I/M/O
23	22	55		O
APPLICABLE MODEL:				
FORD				




FD-82823				
A	F	O	ABS	I/M/O
26	32	51		I
APPLICABLE MODEL:				
FORD TOPAZ VERONA5SPD-TEMPO 19/84-19/86				




FD-82827A(94T)				
A	F	O	ABS	I/M/O
23	22	55	94	O
APPLICABLE MODEL:				
FORD				




FD-82824				
A	F	O	ABS	I/M/O
28	32	55.9		I
APPLICABLE MODEL:				
FORD				




FD-82828				
A	F	O	ABS	I/M/O
27	24	56.1		M
APPLICABLE MODEL:				
FORD 2003				




FD-82825				
A	F	O	ABS	I/M/O
27	25	54.3		I
APPLICABLE MODEL:				
FORD				




FD-82829				
A	F	O	ABS	I/M/O
25	22	55.5		O
APPLICABLE MODEL:				
FORD				




FD-82826				
A	F	O	ABS	I/M/O
26	33	55.8		I
APPLICABLE MODEL:				
FORD				




FD-82830				
A	F	O	ABS	I/M/O
25	20	56.5		M
APPLICABLE MODEL:				
FORD				




FD-82826A(50T)				
A	F	O	ABS	I/M/O
26	33	55.8	50	I
APPLICABLE MODEL:				
FORD				




FD-82831				
A	F	O	ABS	I/M/O
25	30	56		I
APPLICABLE MODEL:				
FORD				




FD-82832				
A	F	O	ABS	I/M/O
27	23	56.1		M
APPLICABLE MODEL:				
FORD				




FD-82201				
A	F	O	ABS	I/M/O
25	30	56.5		I
APPLICABLE MODEL:				
FORD				




FD-82833				
A	F	O	ABS	I/M/O
27	26	56.5		M
APPLICABLE MODEL:				
FORD				




FD-82202				
A	F	O	ABS	I/M/O
27	25	54.3		M
APPLICABLE MODEL:				
FORD				




FD-82834				
A	F	O	ABS	I/M/O
25	26	53.3		M
APPLICABLE MODEL:				
FORD				




FD-82203				
A	F	O	ABS	I/M/O
27	27	59.7		M
APPLICABLE MODEL:				
FORD				




FD-82836				
A	F	O	ABS	I/M/O
26	32	55.9		I
APPLICABLE MODEL:				
FORD				




FD-82204				
A	F	O	ABS	I/M/O
26	24	55.9		M
APPLICABLE MODEL:				
FORD				




FD-82836A(50T)				
A	F	O	ABS	I/M/O
26	32	55.9		I
APPLICABLE MODEL:				
FORD				




FD-82204A(50T)				
A	F	O	ABS	I/M/O
26	24	55.9	50	M
APPLICABLE MODEL:				
FORD				




FD-82851				
A	F	O	ABS	I/M/O
45	28	25		I
APPLICABLE MODEL:				
FORD				




FD-82205				
A	F	O	ABS	I/M/O
26	23	51.1		M
APPLICABLE MODEL:				
FORD				




FD-82206				
A	F	O	ABS	I/M/O
28	24	56		I
APPLICABLE MODEL:				
FORD				




FD-82212				
A	F	O	ABS	I/M/O
25	23	56.5		M
APPLICABLE MODEL:				
FORD				




FD-82206A(44T)				
A	F	O	ABS	I/M/O
28	24	56	44	I
APPLICABLE MODEL:				
FORD				




FD-82213				
A	F	O	ABS	I/M/O
25	24	53		M
APPLICABLE MODEL:				
FORD				




FD-82207				
A	F	O	ABS	I/M/O
26	23	59.7		M
APPLICABLE MODEL:				
FORD				




FD-82214				
A	F	O	ABS	I/M/O
25	24	53.3		M
APPLICABLE MODEL:				
FORD				




FD-82209				
A	F	O	ABS	I/M/O
25	22	53.3		M
APPLICABLE MODEL:				
FORD				




FD-82215				
A	F	O	ABS	I/M/O
27	34	56.5		I
APPLICABLE MODEL:				
FORD				




FD-82210				
A	F	O	ABS	I/M/O
27	26	56		M
APPLICABLE MODEL:				
FORD				




FD-82216				
A	F	O	ABS	I/M/O
24	19	58		I
APPLICABLE MODEL:				
FORD				




FD-82211				
A	F	O	ABS	I/M/O
25	21	56.5		M
APPLICABLE MODEL:				
FORD				




FD-82217				
A	F	O	ABS	I/M/O
28	36	57		I
APPLICABLE MODEL:				
FORD				




FI-82802				
A	F	O	ABS	I/M/O
8	20	48.1		O
APPLICABLE MODEL:				
FIAT				




FI-82806				
A	F	O	ABS	I/M/O
25	22	52		O
APPLICABLE MODEL:				
FIAT FIAT MAREA-WEEKEND M/T A/T 96UP W/ABS				




FI-82803				
A	F	O	ABS	I/M/O
8	20	60.2		O
APPLICABLE MODEL:				
FIAT				




FI-82806A(44T)				
A	F	O	ABS	I/M/O
25	22	52	44	O
APPLICABLE MODEL:				
FIAT FIAT MAREA-WEEKEND M/T A/T 96UP W/ABS				




FI-82804				
A	F	O	ABS	I/M/O
22	22	52		O
APPLICABLE MODEL:				
FIAT MAREA-WEEKEND A/T 1.6 1.6V 96V A/T				




FI-82807				
A	F	O	ABS	I/M/O
22	20	52		O
APPLICABLE MODEL:				
FIAT FIORINO 1.7 TURBO DIESEL 94UP 1.4 1.6 1.7				




FI-82804A(44T)				
A	F	O	ABS	I/M/O
22	22	52	44	O
APPLICABLE MODEL:				
FIAT MAREA-WEEKEND A/T 1.6 16V 96V A/T				




FI-82808				
A	F	O	ABS	I/M/O
27	34	58		I
APPLICABLE MODEL:				
FIAT SCUDO DIEESEL 1.9 95UP				




FI-82805				
A	F	O	ABS	I/M/O
22	22			O
APPLICABLE MODEL:				
FIAT BRAVO-BRAVA(A.T) 1.6 10/95 BRAVO-BRAVA(M.T) 1.6 10/95 PUNTO(PRIMA SERIE) 1.7 DIESEL 01/98				




FI-82808A(48T)				
A	F	O	ABS	I/M/O
27	34	58	48	I
APPLICABLE MODEL:				
FIAT SCUDO DIESEL 1.9 95UP				




FI-82805A(44T)				
A	F	O	ABS	I/M/O
22	22		44	O
APPLICABLE MODEL:				
FIAT BRAVO-BRAVA(A.T) 1.6 10/95 BRAVO-BRAVA(M.T) 1.6 10/95 PUNTO(PRIMA SERIE) 1.7 DIESEL 01/98 W/ABS				




FI-82811				
A	F	O	ABS	I/M/O
27	25	56		I
APPLICABLE MODEL:				
FIAT				




FI-82811A(44T)				
A	F	O	ABS	I/M/O
27	25	56	44	I
APPLICABLE MODEL:				
FIAT				




FI-82817				
A	F	O	ABS	I/M/O
25	25	52		O
APPLICABLE MODEL:				
FIAT Spider(916) 1.8 16v T-Spark(106kw) 5/98- 2.0 16v T-Spark(114kw)5/98- 1.9 td(55-74kw) 10/96-98 FIAT Coupe 1.8 16v(96kw)3/96- 2.0 20v(108-113kw)3/96-				




FI-82812				
A	F	O	ABS	I/M/O
22	21	51		M
APPLICABLE MODEL:				
FIAT				




FI-82817A(90T)				
A	F	O	ABS	I/M/O
25	25	52	90	O
APPLICABLE MODEL:				
FIAT Spider(916) 1.8 16v T-Spark(106kw) 5/98- 2.0 16v T-Spark(114kw)5/98- 1.9 td(55-74kw) 10/96-98 FIAT Coupe 1.8 16v(96kw)3/96- 2.0 20v(108-113kw)3/96-				




FI-82813				
A	F	O	ABS	I/M/O
22	22	42		I
APPLICABLE MODEL:				
FIAT TAVRIA 1.1(M.T)04/87 1.3(M.T)01/89				




FI-82818				
A	F	O	ABS	I/M/O
25	25	58.8		O
APPLICABLE MODEL:				
FIAT				




FI-82814				
A	F	O	ABS	I/M/O
20	19	42		M
APPLICABLE MODEL:				
FIAT				




FI-82819				
A	F	O	ABS	I/M/O
22	22	51		O
APPLICABLE MODEL:				
FIAT				




FI-82815				
A	F	O	ABS	I/M/O
22	21	51		M
APPLICABLE MODEL:				
FIAT PUNTO(SECONEA SERIE) 1.2 EL, GO, ELX, VERVE 1.2 8V, 6.7-Speedgear, (M.T) 08/99 1.2 16V EL, ELX, HLX, GO, VERVE 08/99				




FI-82820				
A	F	O	ABS	I/M/O
22	22	51		M
APPLICABLE MODEL:				
FIAT				




FI-82816				
A	F	O	ABS	I/M/O
22	20	46.8		O
APPLICABLE MODEL:				
FIAT Cinquecento 1.1 Sporting(40KW)10/94-700 (22KW)11/91- 900(29-30kw) 11/91-Seicento 1.1 Sporting(40KW)9/98-900(29kw) 9/98-				




FI-82821				
A	F	O	ABS	I/M/O
22	22	47		O
APPLICABLE MODEL:				
FIAT				




FI-82822				
A	F	O	ABS	I/M/O
27	28	56		O
APPLICABLE MODEL:				
FIAT 164 (A.T.)3.0 V6 ABS-3.0 V6 ABS07/87-09/92 164 (M.T.)2.5 TURBO DIESEL ABS-3.0 V6 ABS07/87-09/92 THEMA6V FERRARI/PROTECTAABS-6V FERRARI/PROTECTAABS				




FI-82824A(44T)				
A	F	O	ABS	I/M/O
25	28	56	44	O
APPLICABLE MODEL:				
FIAT 155(M.T) 1.6i 16V TWIN SPARK ABS-2.5 V6 ABS01/92-SPIDER 2.0i.V6 TURBO ABS-3.0 V6 05/95-/				




FI-82822A(44T)				
A	F	O	ABS	I/M/O
27	28	56	44	O
APPLICABLE MODEL:				
FIAT				




FI-82825				
A	F	O	ABS	I/M/O
25	24	51		M
APPLICABLE MODEL:				
FIAT				




FI-82822A(90T)				
A	F	O	ABS	I/M/O
27	28	56	90	O
APPLICABLE MODEL:				
FIAT				




FI-82826				
A	F	O	ABS	I/M/O
22	22	56		O
APPLICABLE MODEL:				
FIAT				




FI-82823				
A	F	O	ABS	I/M/O
25	25	59		O
APPLICABLE MODEL:				
FIAT				




FI-82827				
A	F	O	ABS	I/M/O
25	25	52		O
APPLICABLE MODEL:				
FIAT ALFA ROMEO 1.4 ie 16v T-Spark(76kw) 11/98-1/99 1.6 ie 16v T-Spark(88kw)11/98-01 1.4S-140 1.8 ie 16v T-Spark(103kw)11/98-01 1.9 TD(88kw)11/98-1/99 2.0 16v T-Spark(110kw)11/98-01				




FI-82823A(44T)				
A	F	O	ABS	I/M/O
25	25	59	44	O
APPLICABLE MODEL:				
FIAT				




FI-82828				
A	F	O	ABS	I/M/O
27	28	56		O
APPLICABLE MODEL:				
FIAT				




FI-82824				
A	F	O	ABS	I/M/O
25	28	56		O
APPLICABLE MODEL:				
FIAT TAVRIA1.1 (M.T.)-1.3 (M.T.)04/87-/				




FI-82829				
A	F	O	ABS	I/M/O
	19			M
APPLICABLE MODEL:				
FIAT				




FI-82201				
A	F	O	ABS	I/M/O
	21			M
APPLICABLE MODEL:				
FIAT				




FI-82207				
A	F	O	ABS	I/M/O
	25	24	51	M
APPLICABLE MODEL:				
FIAT				




FI-82202				
A	F	O	ABS	I/M/O
	22	20	47	O
APPLICABLE MODEL:				
FIAT				




FI-82208				
A	F	O	ABS	I/M/O
	22	20	45.5	O
APPLICABLE MODEL:				
FIAT				




FI-82203				
A	F	O	ABS	I/M/O
	22	22	52	O
APPLICABLE MODEL:				
FIAT				




FI-82204				
A	F	O	ABS	I/M/O
	22	20	52	M
APPLICABLE MODEL:				
FIAT				




FI-82205				
A	F	O	ABS	I/M/O
	25	24	51	M
APPLICABLE MODEL:				
FIAT				




FI-82206				
A	F	O	ABS	I/M/O
	25	22	51	O
APPLICABLE MODEL:				
FIAT				




GM-82001				
A	F	O	ABS	I/M/O
33	29	47.6		O
APPLICABLE MODEL:				
GM X CAR 80-85 SKYHAWK 82-84 CIMARRON 82-88 CENTURY 82-89 SKYLARK 86-90 CELEBRITY 82-89 FIERO 84 6000 82-89 SOMERSET 85-87 SUNBIRD 82-91 GRAND AM 85-90				




GM-82013				
A	F	O	ABS	I/M/O
33	32	73		O
APPLICABLE MODEL:				
GM REGAL All Models 01/88-12/92 LUMINA 3.1, 3 SPEED, NO ABS(A.T.) 01/90-12/91 3.1, 4 SPEED, NO ABS(A.T.)01/90-12/92 3.4, 4 SPEED, NO ABS(A.T.)01/90-12/92 3.4, 5 SPEED, NO ABS(A.T.)01/90-12/92				




GM-82001A(48T)				
A	F	O	ABS	I/M/O
33	29	47.6	48	O
APPLICABLE MODEL:				
GM X CAR 80-85 SKYHAWK 82-84 CIMARRON 82-88 CENTURY 82-89 SKYLARK 86-90 CELEBRITY 82-89 FIERO 84 6000 82-89 SOMERSET 85-87 SUNBIRD 82-91 GRAND AM 85-90				




GM-82013A(47T)				
A	F	O	ABS	I/M/O
33	32	73	47	O
APPLICABLE MODEL:				
GM REGAL All Models 01/88-12/92 LUMINA 3.1, 3 SPEED, NO ABS(A.T.) 01/90-12/91 3.1, 4 SPEED, NO ABS(A.T.)01/90-12/92 3.4, 4 SPEED, NO ABS(A.T.)01/90-12/92 3.4, 5 SPEED, NO ABS(A.T.)01/90-12/92				




GM-82002				
A	F	O	ABS	I/M/O
27	34	56		O
APPLICABLE MODEL:				
GM GM RIVERA 79-85 GM GMC: JIMMY 82-94 E CAR 79-84K CAR BLAEEER 82-84 PICK UP S10 S15 82-93				




GM-82015				
A	F	O	ABS	I/M/O
33	29	52		O
APPLICABLE MODEL:				
GM GM EXPORO ABS W/O ABS				




GM-82003				
A	F	O	ABS	I/M/O
26	29	56		O
APPLICABLE MODEL:				
GM GM COROLLA 88-91 Coupe GTS COROLLA 87-88 FX M/T Nova85-89 EXC Toyota GEO 88-89 PRIZM 89-91 (EXC) 1.8/2.0L				




GM-82015A(47T)				
A	F	O	ABS	I/M/O
33	29	52	47	O
APPLICABLE MODEL:				
GM GM EXPORO ABS W/O ABS				




GM-82004				
A	F	O	ABS	I/M/O
22	22	50		I
APPLICABLE MODEL:				
GM ISUZU:1-MARK 85-89 D/S Spectrum (LEFI)85-89				




GM-82017				
A	F	O	ABS	I/M/O
33	35	77		O
APPLICABLE MODEL:				
GM GM K1500/K2500 4WD For Truck 88-95				




GM-82006				
A	F	O	ABS	I/M/O
22	21	50		M
APPLICABLE MODEL:				
GM SPECTRUM 85-89 Gemini 85-88 ALL				




GM-82017A(55T)				
A	F	O	ABS	I/M/O
33	35	77	55	O
APPLICABLE MODEL:				
GM K1500/K2500 4WD For Truck 88-95(WITH ABS)				




GM-82019				
A	F	O	ABS	I/M/O
33	32	50		O
APPLICABLE MODEL:				
GM CADILLAC 4500C.C				




GM-82104				
A	F	O	ABS	I/M/O
22	22	50		M
APPLICABLE MODEL:				
GM GEO:STORM 1.6L M/T SOHC ISUZU:STYLUS 1.6L SOHC 90-93				




GM-82019F2				
A	F	O	ABS	I/M/O
33	30	50		I
APPLICABLE MODEL:				
GM				




GM-82105				
A	F	O	ABS	I/M/O
22	21	50		M
APPLICABLE MODEL:				
GM GEO:STORM 1.6L M/T SOHC ISUZU:STYLUS 1.6L SOHC 90-93				




GM-82020				
A	F	O	ABS	I/M/O
27	34	55.8		O
APPLICABLE MODEL:				
GM GM 82-95 CHEVROLET 4*4 S-10 S-15 SYCLONE OLDSMOBILE 4*4 S,T BODY				




GM-82106				
A	F	O	ABS	I/M/O
33	32	47.7		O
APPLICABLE MODEL:				
GM CENTURY3-4 SPEED V6 (A.T.)-3-4 SPEED V6 (A.T.)01/87-12/89 SKYHAWK4 SPEED,TURBO (M.T.) -4 SPRRD,TURBO 01/85-12/87(M.T.) SKYLARK3-4 SPEED (A.T.) -M.T.01/87-12/95				




GM-82102				
A	F	O	ABS	I/M/O
27	32	61.5		O
APPLICABLE MODEL:				
GM CELEBRITY A3 SPEED-4 SPEED01/83-12/91 DE VILLE All Models-All Models01/85-12/85 EL DORADO E All Models-All Models01/86-12/88 ELECTRA All Models-All Models01/85-12/85 FLEETWOOD All Models-All Models01/85-12/85 LUMINA APV All Models-All Models01/90-12/91 PARK AVENUE All Models-All Models01/85-12/85 REATA All Models-All Models01/89-12/92				




GM-82106A(48T)				
A	F	O	ABS	I/M/O
33	32	47.7	48	O
APPLICABLE MODEL:				
GM CENTURY All Models 3SPEED -All Models ABS19/87-19/91 SKYLARK All Models ABS -All Models ABS01/92-12/92				




GM-82102A(47T)				
A	F	O	ABS	I/M/O
27	32	61.5	47	O
APPLICABLE MODEL:				
GM CELEBRITY ALL MODELS ABS-ALL MODELS ABS19/86-19/90 CENTURY All Models-All Models 19/86-19/93 LUMINA APV APV ABS-APV ABS 19/90-19/91 PONTIAC 6000 All Models ABS-All Models ABS19/86-19/93				




GM-82106F2				
A	F	O	ABS	I/M/O
33	32	47.7		M
APPLICABLE MODEL:				
GM				




GM-82103				
A	F	O	ABS	I/M/O
33	24	47.5		I
APPLICABLE MODEL:				
GM CENTURY (COUPE-SEDAN-WAGON) All Models-All Models01/86-12/88				




GM-82106F3				
A	F	O	ABS	I/M/O
33	32	47.7		M
APPLICABLE MODEL:				
GM				




GM-82108F2				
A	F	O	ABS	I/M/O
33	29	80		O
APPLICABLE MODEL:				
GM PICK UP 1 TON 4WD CHASSIS CAB All Models -All Models 01/88-12/92 PICK UP 1 TON 4WD CHASSIS CAB All models -All Models 2DOORS 01/88-12/92 PICK UP 3/4 TON 4WD SUBURBAN All Models (86000 GVWR) -All Models (860001/89-12/92GVWR)				




GM-82114				
A	F	O	ABS	I/M/O
33	29	47.6		M
APPLICABLE MODEL:				
GM PONTIAC SUNFIRE M/T 4CYL 95-97c				




GM-82108F2A(55T)				
A	F	O	ABS	I/M/O
33	29	80	55	O
APPLICABLE MODEL:				
GM SUBURBAN SILVERADO 8600IBS, GVW ABS FRONT-8600IBS, GVW, ABS 19/92-19/94FRONT				




GM-82114A(48T)				
A	F	O	ABS	I/M/O
33	29	47.6	48	M
APPLICABLE MODEL:				
GM CAVALIER All Models ABS -All Models ABS 19/95-20/00				




GM-82109				
A	F	O	ABS	I/M/O
33	29	52		O
APPLICABLE MODEL:				
GM ESPERO 1.8-2.005/92-07/95 DAEWOO: ESPERO A/T 91-93 PONTIAC: LEMANS OPTIMA A/T 2.0L 89-90				




GM-82115				
A	F	O	ABS	I/M/O
27	34	55.8		O
APPLICABLE MODEL:				
GM				




GM-82111				
A	F	O	ABS	I/M/O
33	34	50		O
APPLICABLE MODEL:				
GM CADILLAC 4.6L 93-97				




GM-82143				
A	F	O	ABS	I/M/O
33	41	80		O
APPLICABLE MODEL:				
GM				




GM-82112				
A	F	O	ABS	I/M/O
33	32	61.5		O
APPLICABLE MODEL:				
GM ELDORADO All Models NO ABS-All Models NOABS 01/89-12/90 FLEETWOOD All Models NO ABS-All Models NOABS 01/91-12/93 REATTA I All Models NO ABS-All Models NOABS 01/90-12/90 RIVIERA All Models-All Models 01/89-12/90				




GM-82801				
A	F	O	ABS	I/M/O
33	32	47.7		I
APPLICABLE MODEL:				
GM CAVALIER All Models -All Models 19/90-19/93 CENTURYSS-SS 19/90-/				




GM-82112A(47T)				
A	F	O	ABS	I/M/O
33	32	61.5	47	O
APPLICABLE MODEL:				
GM				




GM-82801A(48T)				
A	F	O	ABS	I/M/O
33	32	47.7	48	I
APPLICABLE MODEL:				
GM CAVALIER All Models ABS -All Models ABS Z24 19/94-19/98				




GM-82802				
A	F	O	ABS	I/M/O
27	32	61.5		I
APPLICABLE MODEL:				
GM CENTURY All Models-All Models 01/91-12/93				




GM-82808				
A	F	O	ABS	I/M/O
33	32	50		I
APPLICABLE MODEL:				
GM CENTURY, CUTLASS, EUROSPORT ALL MODELS-ALL MODELS 19/94-19/97				




GM-82803				
A	F	O	ABS	I/M/O
27	32	61.5		O
APPLICABLE MODEL:				
GM COLT FOR MEXICIAALL MODELS -ALL MODELS				




GM-82809				
A	F	O	ABS	I/M/O
33	23	47.5		I
APPLICABLE MODEL:				
GM CELEBRITY All Models -All Models19/82-19/85 CITATION, CITATION II All Models -All Models19 82-19/85				




GM-82804				
A	F	O	ABS	I/M/O
33	32	47.7		O
APPLICABLE MODEL:				
GM BERETTA All Models MEXICO -All Models MEXICO19/91-20/01 CAVALIER All Models MEXICO -All Models MEXICO19/91-20/0				




GM-82810				
A	F	O	ABS	I/M/O
30	32	55		O
APPLICABLE MODEL:				
GM				




GM-82805				
A	F	O	ABS	I/M/O
33	32	47.7		I
APPLICABLE MODEL:				
GM CAVALIER All Models MEXICO -All Models Z24 MEXICO19/94-19/97				




GM-82811				
A	F	O	ABS	I/M/O
22	22	52		M
APPLICABLE MODEL:				
GM				




GM-82806				
A	F	O	ABS	I/M/O
33	41	80		O
APPLICABLE MODEL:				
GM SUBURBAN, YUKON8 600IBS, GVW,FRONT-860IBS,GVW, FRONT19/98-20/00				




GM-82811A(29T)				
A	F	O	ABS	I/M/O
22	22	52	29	M
APPLICABLE MODEL:				
GM				




GM-82807				
A	F	O	ABS	I/M/O
33	23	46.5		I
APPLICABLE MODEL:				
GM CELEBRITY (COUPE-SEDAN-WAGON) All Models(MEXICO) All Models (MEXICO) 01/82-12/85 CENTURY (COUPE-SEDAN-WAGON)CENTURY, CENTURY SS (MEXICO)-CENTURY,01/83-12/85 CENTURY SS (MEXICO) CITATION, CITATION II All Models (MEXICO) -All Models (MEXICO)01/82-12/85				




GM-82812				
A	F	O	ABS	I/M/O
33	31	65		O
APPLICABLE MODEL:				
GM				




GM-82204				
A	F	O	ABS	I/M/O
33	25	50		M
APPLICABLE MODEL:				
GM				




GM-82209				
A	F	O	ABS	I/M/O
27	32	61.5		O
APPLICABLE MODEL:				
GM				




GM-82205				
A	F	O	ABS	I/M/O
27	25	61.5		M
APPLICABLE MODEL:				
GM				




GM-82210				
A	F	O	ABS	I/M/O
33	32	47.65		I
APPLICABLE MODEL:				
GM				




GM-82206				
A	F	O	ABS	I/M/O
33	25	73		M
APPLICABLE MODEL:				
GM				




GM-82210A(48T)				
A	F	O	ABS	I/M/O
33	32	47.65	48	O
APPLICABLE MODEL:				
GM				




GM-82206A(47T)				
A	F	O	ABS	I/M/O
33	25	73	47	M
APPLICABLE MODEL:				
GM				




GM-82211				
A	F	O	ABS	I/M/O
33	29	52		O
APPLICABLE MODEL:				
GM				




GM-82207				
A	F	O	ABS	I/M/O
22	21	50		M
APPLICABLE MODEL:				
GM				




GM-82211A(47T)				
A	F	O	ABS	I/M/O
33	29	52	47	O
APPLICABLE MODEL:				
GM				




GM-82208				
A	F	O	ABS	I/M/O
30	25	54.8		M
APPLICABLE MODEL:				
GM				



GM-82212				
A	F	O	ABS	I/M/O
22	23	52		M
APPLICABLE MODEL:				
GM				




GM-82213				
A	F	O	ABS	I/M/O
30	26	54.5		M
APPLICABLE MODEL:				
GM				




Technical drawing of GM-82213 C.V. Joint (Outer) showing dimensions and tooth counts. The drawing includes a cross-section of the joint with the following dimensions: TEETH=30, 104, 69, 66, 17.5, 54.5, and 12. The drawing also shows a detail of the teeth with a diameter of 12 and a length of 17.5.

GM-82214				
A	F	O	ABS	I/M/O
28	32	55.5		M
APPLICABLE MODEL:				
GM				




Technical drawing of GM-82214 C.V. Joint (Outer) showing dimensions and tooth counts. The drawing includes a cross-section of the joint with the following dimensions: TEETH=28, 98.5, 66, 17, 55.5, and 12. The drawing also shows a detail of the teeth with a diameter of 12 and a length of 17.


HO-82001					
A	F	O	ABS	I/M/O	
23	22	45		I	
APPLICABLE MODEL:					
HONDA Civic 1200/1300 73-77 Accord Cvcc 78-79					




HO-82011					
A	F	O	ABS	I/M/O	
26	32	49		M	
APPLICABLE MODEL:					
HONDA HONDAAD 83-86 Prelude 85-87 SEL 2.0L Accord 84-85 SEL					




HO-82003					
A	F	O	ABS	I/M/O	
23	22	45		M	
APPLICABLE MODEL:					
HONDA C1V1C 1.3 84-87 M/T 3DR SBI SG SH SL SS Sr100 St100 ST SM 76-79 Civic Cvcc 73-83 Accord C VCC 76-80 sm120 79-80					




HO-82013					
A	F	O	ABS	I/M/O	
23	30	45		M	
APPLICABLE MODEL:					
HONDA HONDA SS ST VE WD HONDA SR VC Prelude 83 Civic Cvcc 83-86 Civic 1300/1500 80-83 BALLADE-ALL					




HO-82004					
A	F	O	ABS	I/M/O	
24	30	45		M	
APPLICABLE MODEL:					
HONDA Accord Cvcc 81-84 SM200 Sv100 SY SE 81-82 3DR 4DR					




HO-82015					
A	F	O	ABS	I/M/O	
23	27	49		M	
APPLICABLE MODEL:					
HONDA HONDA Civic 88-89 4WD EFI 87-92 GAI 86up CRX 1.5 88-91 HF Civic 1.3 84-87 M/T 4SPD 3DR Civic 1.5L 88-91 M/T 4SPD					




HO-82005					
A	F	O	ABS	I/M/O	
24	22	45		M	
APPLICABLE MODEL:					
HONDA Prelude 81-82 ALL 82AC Accord 81-2/81					




HO-82016					
A	F	O	ABS	I/M/O	
26	32	49		M	
APPLICABLE MODEL:					
HONDA INTEGRA DAI AV Da2 85-89 Ef3 Ef4 Ef15 Ef7 87-92 HONDA CA2,3,5,6 85-89 Accord 84-89 LXI A/T M/T 16V1 AB BB BAI 84-87					




HO-82006					
A	F	O	ABS	I/M/O	
24	30	47		M	
APPLICABLE MODEL:					
HONDA HONDA (INTI'L) Prelude 83-87 DX 5sp Accord 4AT/5SP 84-85 Cvcc (EXC/S) A/T M/T					




HO-82017					
A	F	O	ABS	I/M/O	
26	30	49		M	
APPLICABLE MODEL:					
HONDA Ef2 Ef6 87-92 HONDA CAI EC ALB 85-89 CIVIC 88-90(EXC H/B)4WD 16V CRX 88-91 DX SI 1.6L CIVIC 88-91 DX CX LX SOHC 1.5L					




HO-82009					
A	F	O	ABS	I/M/O	
23	30	49		M	
APPLICABLE MODEL:					
HONDA HONDA AHAK 84-87 Ga2 86up Civic CRX 84-87 DX SI Civic 1300/1500 84-87 Civic S DX Si					




HO-82018					
A	F	O	ABS	I/M/O	
26	30	49		M	
APPLICABLE MODEL:					
HONDA Accord 84-89 16V1.5L					




HO-82019				
A	F	O	ABS	I/M/O
28	32	60		M
APPLICABLE MODEL:				
HONDA HONDA BIC CB2 CB4 89UP Accord 90-94 ALL V6 ABS PREUDE 90-91 2.0L DOHC W/ABS				




HO-82021				
A	F	O	ABS	I/M/O
28	34	60		M
APPLICABLE MODEL:				
HONDA ACCORD LEGEND KA1 KA2 Ka4 85-88 Legend 86-91 ABS W/O ABS				




HO-82019A(50T)				
A	F	O	ABS	I/M/O
28	32	60	50	M
APPLICABLE MODEL:				
HONDA HONDA BIC CB2 CB4 89UP Accord 90-94 ALL V6 ABS PRELUDE 90-91 2.0L DOHC W/ABS				




HO-82023				
A	F	O	ABS	I/M/O
28	34	60		M
APPLICABLE MODEL:				
HONDA REPLACE GCK HO-104-021 ACCORD LEGEND 86-91 ABS W/O ABS LEGEND KA 1 KA 2 KA 3 85-88				




HO-82019F3				
A	F	O	ABS	I/M/O
28	32	60		M
APPLICABLE MODEL:				
HONDA				




HO-82023A(50T)				
A	F	O	ABS	I/M/O
28	34	60	50	M
APPLICABLE MODEL:				
HONDA REPLACE GCK HO-104-021 ACCORD LEGEND 86-91 ABS W/O ABS LEGEND KA 1 KA 2 KA 3 85-88				




HO-82019F3A(50T)				
A	F	O	ABS	I/M/O
28	32	60	50	M
APPLICABLE MODEL:				
HONDA ACCORD1.8 CB1-2.0 Cb4 4WS 01/89-09/97 ASCOT1.8 CB1-2.5 CE509/89-09/97 INSPIRE2.0 CC3-2.0 CC301/92-02/95 PERLUDE112.2 BA9 4WS-2.2 BA94WS09/91-09/94 RAFAGA2.0 CE4-2.0 CE410/93-09/97				




HO-82023F2				
A	F	O	ABS	I/M/O
28	34	60		M
APPLICABLE MODEL:				
HONDA				




HO-82020				
A	F	O	ABS	I/M/O
26	32	55		M
APPLICABLE MODEL:				
HONDA HONDA V-EC EG9 91UP PRELUDE BA4 BA5 87-89 Accord 90 6 Ram INTEGRA DA6 89 UP NEW Civic				




HO-82023F2A(50T)				
A	F	O	ABS	I/M/O
28	34	60	50	M
APPLICABLE MODEL:				
HONDA ACURA VIGOR VIGOR ABS-VIGOR ABS 19/92-19/94				




HO-82020A(50T)				
A	F	O	ABS	I/M/O
26	32	55	50	M
APPLICABLE MODEL:				
HONDA HONDA V-EC EG9 91UP PRELUDE BA4 BA5 87-89 Accord 90 6 Ram INTEGRA DA6 89 UP NEW Civic				




HO-82024				
A	F	O	ABS	I/M/O
23	27	45		M
APPLICABLE MODEL:				
HONDA (HDK HO-25) CITY-PRO VF 100 ER 83-87				




HO-82025				
A	F	O	ABS	I/M/O
26	30	55		M
APPLICABLE MODEL:				
HONDA HONDA Eg891 UP NEW CIVIC 16V 92-94DXE 1.5L VX SOHC VTEC ABS CAN BE INSTALLED 50 TEETH				




HO-82031A(50T)				
A	F	O	ABS	I/M/O
26	32	49	50	M
APPLICABLE MODEL:				
HONDA ENGLAND				




HO-82025A(50T)				
A	F	O	ABS	I/M/O
26	30	55	50	M
APPLICABLE MODEL:				
HONDA HONDA Eg891 UP NEW CIVIC 16V 92-94DXE 1.5L VX SOHC VTEC ABS CAN BE INSTALLED 50 TEETH				




HO-82033				
A	F	O	ABS	I/M/O
28	32	60		M
APPLICABLE MODEL:				
HONDA HONDA PRELUDE 92-96 VTECH W/ABS				




HO-82027				
A	F	O	ABS	I/M/O
26	23	49		M
APPLICABLE MODEL:				
HONDA 86 HO808*CA 85-89 CIVIC WAGON 4*4				




HO-82033A(50T)				
A	F	O	ABS	I/M/O
28	32	60	50	M
APPLICABLE MODEL:				
HONDA HONDA PRELUDE 92-96 VTECH W/ABS				




HO-82028				
A	F	O	ABS	I/M/O
30	36	64		M
APPLICABLE MODEL:				
HONDA HONDA ACURA 440 14-SPO-COO LEGEND 3.2L 91-95 V6 W/ABS				




HO-82033F2				
A	F	O	ABS	I/M/O
28	32	60		M
APPLICABLE MODEL:				
HONDA PERLUDE I ALL MODELS-ALL MODELS 19/92-19/96				




HO-82028A(50T)				
A	F	O	ABS	I/M/O
30	36	64	50	M
APPLICABLE MODEL:				
HONDA HONDA ACURA 440 14-SPO-COO LEGEND 3.2L 91-95 V6 W/ABS				




HO-82033F2A(50T)				
A	F	O	ABS	I/M/O
28	32	60	50	M
APPLICABLE MODEL:				
HONDA ACURA TLALL MODELS ABS -ALL MODELS ABS 19/92-19/96				




HO-82031				
A	F	O	ABS	I/M/O
26	32	49		M
APPLICABLE MODEL:				
HONDA ENGLAND				




HO-82038				
A	F	O	ABS	I/M/O
28	32	64		M
APPLICABLE MODEL:				
HONDA Acra TL 2.5L 95-98 Legend RL 3.5L 98- Odyssey 2.2L 95-97				




HO-82038A(50T)				
A	F	O	ABS	I/M/O
28	32	64	50	M
APPLICABLE MODEL:				
HONDA ACURA TL 2.5L 95-97 LEGEND RL 3.5L 98 ODYSSEY 2.2L 95-97				




HO-82047				
A	F	O	ABS	I/M/O
23	19	55		M
APPLICABLE MODEL:				
HONDA CRV 2.0L 4X4 RWD TW				




HO-82040				
A	F	O	ABS	I/M/O
26	30	55		M
APPLICABLE MODEL:				
HONDA CRV 97-99 Fwd				




HO-82054				
A	F	O	ABS	I/M/O
26	22	55		I
APPLICABLE MODEL:				
HONDA				




HO-82043				
A	F	O	ABS	I/M/O
26	30	55		M
APPLICABLE MODEL:				
HONDA HONDA CIVIC 93-98				




HO-82802				
A	F	O	ABS	I/M/O
26	28	55		M
APPLICABLE MODEL:				
HONDA CIVIC FERIO 1.3 EK2-1.5 EK3 09/95-09/00 DOMANI 1.5 MB3-1.6 MB401/97-/ INTEGRA 1.5 EK3-1.5 EK3 02/96-02/01 PARTNER 1.3 EY 6-1.5 EY702/96-/ 02/96-02/01				




HO-82043A(50T)				
A	F	O	ABS	I/M/O
26	30	55	50	M
APPLICABLE MODEL:				
HONDA HONDA CIVIC 93-98				




HO-82802A(50T)				
A	F	O	ABS	I/M/O
26	28	55	50	M
APPLICABLE MODEL:				
HONDA DOMANI 1.5 MB 3-1.6 MB401/97-/ INTEGRA 1.5 EK3-1.5 EK3 02/96-02/01				




HO-82046				
A	F	O	ABS	I/M/O
26	28	55		M
APPLICABLE MODEL:				
HONDA CIVIC VTI 97 UP W/ABS EK3				




HO-82804				
A	F	O	ABS	I/M/O
26	22	55		I
APPLICABLE MODEL:				
HONDA				




HO-82046A(50T)				
A	F	O	ABS	I/M/O
26	28	55	50	M
APPLICABLE MODEL:				
HONDA CIVIC VTI 97 UP W/ABS EK3				




HO-82805				
A	F	D	H	I/M/O
19	80	24.3		
APPLICABLE MODEL:				
HONDA				




HO-82813				
A	F	O	ABS	I/M/O
28	32	60		M
APPLICABLE MODEL:				
HONDA				




HO-82820				
A	F	O	ABS	I/M/O
28	32	60		M
APPLICABLE MODEL:				
HONDA				




HO-82814				
A	F	O	ABS	I/M/O
17	33	53		I
APPLICABLE MODEL:				
HONDA				




HO-82820A(50T)				
A	F	O	ABS	I/M/O
28	32	60		M
APPLICABLE MODEL:				
HONDA				




HO-82815				
A	F	O	ABS	I/M/O
26	30	63		M
APPLICABLE MODEL:				
HONDA				




HO-82823				
A	F	O	ABS	I/M/O
28	32	64		M
APPLICABLE MODEL:				
HONDA				




HO-82816				
A	F	O	ABS	I/M/O
26	30	52		M
APPLICABLE MODEL:				
HONDA				




HO-82824				
A	F	O	ABS	I/M/O
26	30	60		M
APPLICABLE MODEL:				
HONDA				




HO-82817				
A	F	O	ABS	I/M/O
26	30	63		M
APPLICABLE MODEL:				
HONDA				




HO-82824A(50T)				
A	F	O	ABS	I/M/O
26	30	60	50	M
APPLICABLE MODEL:				
HONDA				




HO-82819				
A	F	O	ABS	I/M/O
26	28	52		M
APPLICABLE MODEL:				
HONDA				




HO-82825				
A	F	O	ABS	I/M/O
28	32	63		M
APPLICABLE MODEL:				
HONDA				




HO-82208				
A	F	O	ABS	I/M/O
26	32	49		M
APPLICABLE MODEL:				
HONDA				




HO-82213				
A	F	D	H	I/M/O
	21	95	31.8	I
APPLICABLE MODEL:				
HONDA				




HO-82209				
A	F	O	ABS	I/M/O
26	30	49		M
APPLICABLE MODEL:				
HONDA				




HO-82215				
A	F	O	ABS	I/M/O
26	22	52		M
APPLICABLE MODEL:				
HONDA				




HO-82211				
A	F	O	ABS	I/M/O
26	30	55		M
APPLICABLE MODEL:				
HONDA				




HO-82216				
A	F	O	ABS	I/M/O
28	25	60		I
APPLICABLE MODEL:				
HONDA				




HO-82211A(50T)				
A	F	O	ABS	I/M/O
26	30	55	50	M
APPLICABLE MODEL:				
HONDA				




HO-82217				
A	F	O	ABS	I/M/O
28	32	64		I
APPLICABLE MODEL:				
HONDA				




HO-82212				
A	F	O	ABS	I/M/O
26	30	55		M
APPLICABLE MODEL:				
HONDA				




HO-82217A(50T)				
A	F	O	ABS	I/M/O
28	32	64	50	I
APPLICABLE MODEL:				
HONDA				




HO-82212A(50T)				
A	F	O	ABS	I/M/O
26	30	55	50	M
APPLICABLE MODEL:				
HONDA				




HO-82218				
A	F	O	ABS	I/M/O
24	22	47		M
APPLICABLE MODEL:				
HONDA				




HO-82219				
A	F	O	ABS	I/M/O
26	30	60		M
APPLICABLE MODEL:				
HONDA				




HO-82224				
A	F	O	ABS	I/M/O
23	25	55		I
APPLICABLE MODEL:				
HONDA				




HO-82219A(50T)				
A	F	O	ABS	I/M/O
26	30	60	50	M
APPLICABLE MODEL:				
HONDA				




HO-82225				
A	F	O	ABS	I/M/O
26	22	60		M
APPLICABLE MODEL:				
HONDA				




HO-82220				
A	F	O	ABS	I/M/O
26	22	55		M
APPLICABLE MODEL:				
HONDA				




HO-82227				
A	F	O	ABS	I/M/O
26	32	60		M
APPLICABLE MODEL:				
HONDA				




HO-82221				
A	F	O	ABS	I/M/O
28	34	63		M
APPLICABLE MODEL:				
HONDA				




HO-82227A(50T)				
A	F	O	ABS	I/M/O
26	32	60		M
APPLICABLE MODEL:				
HONDA				




HO-82222				
A	F	O	ABS	I/M/O
23	20	55		M
APPLICABLE MODEL:				
HONDA				




HO-82228				
A	F	O	ABS	I/M/O
26	28	52		M
APPLICABLE MODEL:				
HONDA				




HO-82223				
A	F	O	ABS	I/M/O
28	32	64		M
APPLICABLE MODEL:				
HONDA				




HY-82100				
A	F	O	ABS	I/M/O
25	22	50		M
APPLICABLE MODEL:				
HYUNDAI ACCENT 1.3-ACCENT 01/96-/ CHAMP All Models-All Models 01/78-12/92 COLT 1.4,1.6-1.4,1.6 01/79-12/84 COLT All Models-All Models(NO TURBO) 01/79 12/86 EXCEL 1.3-82AC 10/85-12/94				




HY-82802A(47T)				
A	F	O	ABS	I/M/O
27	23	60	47	M
APPLICABLE MODEL:				
HYUNDAI				




HY-82100F2				
A	F	O	ABS	I/M/O
25	22	50		I
APPLICABLE MODEL:				
HYUNDAI				




HY-82803				
A	F	O	ABS	I/M/O
27	26	60		M
APPLICABLE MODEL:				
HYUNDAI				




HY-82100F4				
A	F	O	ABS	I/M/O
25	22	50		I
APPLICABLE MODEL:				
HYUNDAI HYUNDAI EXCEL				




HY-82803A(47T)				
A	F	O	ABS	I/M/O
27	26	60	47	M
APPLICABLE MODEL:				
HYUNDAI				




HY-82801				
A	F	O	ABS	I/M/O
25	19	50		M
APPLICABLE MODEL:				
HYUNDAI ATOZ 1.0-1.0				




HY-82804				
A	F	O	ABS	I/M/O
27	26	60		M
APPLICABLE MODEL:				
HYUNDAI				




HY-82801A(38T)				
A	F	O	ABS	I/M/O
25	19	50	38	M
APPLICABLE MODEL:				
HYUNDAI ATOZ 1.0 12V ABS (M.T.)-1.0 12V ABS (M.T.)02/98-/				




HY-82804A(47T)				
A	F	O	ABS	I/M/O
27	26	60	47	M
APPLICABLE MODEL:				
HYUNDAI				




HY-82802				
A	F	O	ABS	I/M/O
27	23	60		M
APPLICABLE MODEL:				
HYUNDAI				




HY-82805				
A	F	O	ABS	I/M/O
27	25	60		M
APPLICABLE MODEL:				
HYUNDAI				




HY-82805A(47T)				
A	F	O	ABS	I/M/O
27	25	60	47	M
APPLICABLE MODEL:				
HYUNDAI				




HY-82201				
A	F	O	ABS	I/M/O
25	22	50		M
APPLICABLE MODEL:				
HYUNDAI				




HY-82806				
A	F	O	ABS	I/M/O
25	20	50		I
APPLICABLE MODEL:				
HYUNDAI				




HY-82202				
A	F	O	ABS	I/M/O
25	20	50		M
APPLICABLE MODEL:				
HYUNDAI				




HY-82807				
A	F	O	ABS	I/M/O
27	23	60		M
APPLICABLE MODEL:				
HYUNDAI				




HY-82202A(38T)				
A	F	O	ABS	I/M/O
25	20	50	38	M
APPLICABLE MODEL:				
HYUNDAI				




HY-82807A(44T)				
A	F	O	ABS	I/M/O
27	23	60	44	M
APPLICABLE MODEL:				
HYUNDAI				




HY-82203				
A	F	O	ABS	I/M/O
25	22	50		I
APPLICABLE MODEL:				
HYUNDAI				




HY-82809				
A	F	O	ABS	I/M/O
27	30	60		M
APPLICABLE MODEL:				
HYUNDAI				




HY-82204				
A	F	O	ABS	I/M/O
27	25	62		M
APPLICABLE MODEL:				
HYUNDAI				



HY-82809A(44T)				
A	F	O	ABS	I/M/O
27	30	60	44	M
APPLICABLE MODEL:				
HYUNDAI				



HY-82205				
A	F	O	ABS	I/M/O
27	30	60		M
APPLICABLE MODEL:				
HYUNDAI				




KA-82100				
A	F	O	ABS	I/M/O
26	23	56		M
APPLICABLE MODEL:				
KIA SEPHIA1.8-1.819/95-19/98				

KA-82100A(44T)				
A	F	O	ABS	I/M/O
26	23	56	44	M
APPLICABLE MODEL:				
KIA SEPHIA1.8-1.819/95-19/98				


KA-82103				
A	F	O	ABS	I/M/O
26	22	56		M
APPLICABLE MODEL:				
KIA SEPHIA1.5 16V-1.8 16V01/95-/ TIMOR1.5 16V-1.8 16V01/95-/				

KA-82103A(44T)				
A	F	O	ABS	I/M/O
26	22	56	44	M
APPLICABLE MODEL:				
KIA SEPHIA1.5 16V-1.8 16V01/95-/ TIMOR1.5 16V-1.8 16V01/95-/				


ME-82809					
A	F	O	ABS	I/M/O	
30	27	72		I	
APPLICABLE MODEL:					
MERCEDES					




ME-82810					
A	F	O	ABS	I/M/O	
27	28	58		O	
APPLICABLE MODEL:					
MERCEDES					




ME-82201					
A	F	O	ABS	I/M/O	
24	28	57		I	
APPLICABLE MODEL:					
MERCEDES					




ME-82201A(48T)					
A	F	O	ABS	I/M/O	
24	28	57	48	I	
APPLICABLE MODEL:					
MERCEDES					




MI-82002				
A	F	O	ABS	I/M/O
25	22	50		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI PONY 85-88 TREDIA 83 EXCEL 86-93 CORDIA 83 SCOUPE 90-93 Champ 80-83 Lancer 83-86 SUMMIT 89-92 1.5L ALL Mirage 85-92 Colt 1200/1400 78-81 PRECIS 87-89 Mirage 78-83				




MI-82004F3A(44T)				
A	F	O	ABS	I/M/O
25	25	50	44	M
APPLICABLE MODEL:				
MITSUBISHI MAGNA(AUSTRALIA) TM TN TP ABS-44T-TM TN TP ABS-44T 19/95-19/92				




MI-82002F2				
A	F	O	ABS	I/M/O
25	22	50		M
APPLICABLE MODEL:				
MITSUBISHI CHARIOT 1.8 A2 13-1.8 A213 01/84-01/87CHARIOT SPACE WAGON 1.6 D02W-1.8 D03W 01/83-08/86 COLT,LANCER,MIRAGE 1.6 A212-1.8 E12 A 02/84-04/89MIRAGE LANCER VAN/ WAGON 1.3C11V-1.8 C14V W 01/85-03/92				




MI-82004F3A(47T)				
A	F	O	ABS	I/M/O
25	25	50	47	M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82003				
A	F	O	ABS	I/M/O
25	23	50		M
APPLICABLE MODEL:				
MITSUBISHI Cordos with Turbo 82-84 D09W C53 C63 M/T A/T R 87-91 SUMMIT 1.6L 89-90 Colt 1.6 84-90 Champ 83-86 Mirage 85-88				




MI-82005				
A	F	O	ABS	I/M/O
25	23	50		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI ELANTRA 93-95 GL GLS COLT TUBRO 81-82 Galant 85-88 4CYL 92AC Snaia 2.0 LH 88-91 4CYL 15ALH 84-86 D09W G63B 84-91 4D65 84-86				




MI-82004				
A	F	O	ABS	I/M/O
25	25	50		M
APPLICABLE MODEL:				
MITSUBISHI COLT Vista 85-87 4WD 95 AC CORDIA 84-88 95 AC TREDIA 84-88 95 AC Vista 85-87 GALANT 3.0L V6 85-87 Sonata 2.0 RH 88-91 4CYL CORDIA W/Turbo A213A 213G				




MI-82005A(47T)				
A	F	O	ABS	I/M/O
25	23	50	47	M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI ELANTRA 93-95 GL GLS COLT TUBRO 81-82 Galant 85-88 4CYL 92AC Snaia 2.0 LH 88-91 4CYL 15ALH 84-86 D09W G63B 84-91 4D65 84-86				




MI-82004F2				
A	F	O	ABS	I/M/O
25	25	50		M
APPLICABLE MODEL:				
MITSUBISHI CHARIOT 1.8 D03W-2.0 D08W 4WD 01/84-08/86 GALANT ETERNA 2.0 E15A-2.0 E15A 05/84-11/90 TREDIA 1.8 A213-1.8 A21301/84-01/85				




MI-82006				
A	F	O	ABS	I/M/O
25	23	50		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI COLT 82-90 TUBRO GTS MIRAGE TUBRO 85-88 87AC Crodia 82-88 Tredia 84-88 Coit vista 84-90 2WD 87AC SUMMIT 89-90 1.6L 87AC				




MI-82004F3				
A	F	O	ABS	I/M/O
25	25	50		M
APPLICABLE MODEL:				
MITSUBISHI MAGNA(AUSTRALIA) TM TN TP-TM TN TP 19/85-19/92				




MI-82006A(29T)				
A	F	O	ABS	I/M/O
25	23	50	29	M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82008				
A	F	O	ABS	I/M/O
28	27	56		I
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI Pajero MONTERO 2.0L1 83-86 L041 L046 L0048				




MI-82016F2				
A	F	O	ABS	I/M/O
25	30	54		M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82010				
A	F	O	ABS	I/M/O
25	27	54		I
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI GALANT V6 89 up 104AC Sales 88 Services N2 3.0 Sigma 89-90				




MI-82017				
A	F	O	ABS	I/M/O
25	22	54		I
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI Lancer 1.3 Colt 93-95 1.5 W/O ABS Mirage 93-95L Summit 1.5L 93-95				




MI-82012				
A	F	O	ABS	I/M/O
25	23	54		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI GALANT 89-92 SOHC LASER 92-94 1.8L SUPER SALON GCX 2000 E35AE35AE33A Galant 1.8				




MI-82018				
A	F	O	ABS	I/M/O
25	22	54		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI SUPER SALON GSCX 2000E32A 4G37 88UP				




MI-82013				
A	F	O	ABS	I/M/O
25	30	50		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI Lancer C63 90-94 C53 C63A/T 87-91 Eclipse 1.8L90-94				




MI-82019				
A	F	O	ABS	I/M/O
25	23	54		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI TAL ON 90-94 2.0L FWD TUBRO W/O ABS Galant E 15A/E 16A 89-93 92LAC E33A E3.5A 88UP D22A D27A 89UP				




MI-82016				
A	F	O	ABS	I/M/O
25	30	54		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI Galant 90-92 AWD ECLIPSE 89-94 1.8M/T AWD E37A E39A 88 UP E37 (4WD) LASER 90-92 2WD TALON 90-94 AWD/2WD M/T 1.8L				




MI-82019F2				
A	F	O	ABS	I/M/O
25	23	54		M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82016A(43T)				
A	F	O	ABS	I/M/O
25	30	54	43	M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI Galant 90-92 AWD ECLIPSE 89-94 1.8M/T AWD E37A E39A 88 UP E37 (4WD) LASER 90-92 2WD TALON 90-94 AWD/2WD M/T 1.8L				




MI-82019F2A(43T)				
A	F	O	ABS	I/M/O
25	23	54	43	M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82021				
A	F	O	ABS	I/M/O
27	26	60		I
APPLICABLE MODEL:				
MITSUBISHI 3000GT DOHC FWD M/T 91-92 DODGE STEALTH Forward				




MI-82026				
A	F	O	ABS	I/M/O
25	30	54		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI Proton Wira				




MI-82021A(47T)				
A	F	O	ABS	I/M/O
27	26	60	47	I
APPLICABLE MODEL:				
MITSUBISHI 3000GT DOHC FWD M/T 91-92 DODGE STEALTH Forward				




MI-82027				
A	F	O	ABS	I/M/O
25	30	50		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI Colt 1.6 85-86 Champ 83-86, Mirage 86-88				




MI-82021F2				
A	F	O	ABS	I/M/O
27	26	60		I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82027A(29T)				
A	F	O	ABS	I/M/O
25	30	50	29	M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI Colt 1.6 85-86 Champ 83-86, Mirage 86-88				




MI-82021F3				
A	F	O	ABS	I/M/O
27	26	60		M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82028				
A	F	O	ABS	I/M/O
25	25	54		M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82023				
A	F	O	ABS	I/M/O
28	25	56		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI PAJERO 1986-92 L041 L046 L049 L144 DELICA 4WD P32 P25				




MI-82031				
A	F	O	ABS	I/M/O
27	27	60		I
APPLICABLE MODEL:				
MITSUBISHI GALANT V6 3.0 94 up SIGMA V6 3.0 94 up				




MI-82025				
A	F	O	ABS	I/M/O
25	23	54		I
APPLICABLE MODEL:				
MITSUBISHI LANCER 1.6GLXI CB4M/SNJERV 92.08				




MI-82031F2				
A	F	O	ABS	I/M/O
27	27	60		I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82031F3				
A	F	O	ABS	I/M/O
27	27	60		M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82037				
A	F	O	ABS	I/M/O
25	24	54		M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI VERADA 3.0L V6 94-97 GALANT 4CTL 94-97				




MI-82032				
A	F	O	ABS	I/M/O
25	23	54		I
APPLICABLE MODEL:				
MITSUBISHI SPACE WAGON 1.8L 82-96 GALANT 2.0L				




MI-82037A(43T)				
A	F	O	ABS	I/M/O
25	24	54	43	M
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI VERADA 3.0L V6 94-97 GALANT 4CTL 94-97				




MI-82032A(43T)				
A	F	O	ABS	I/M/O
25	23	54	43	I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82038				
A	F	O	ABS	I/M/O
25	25	54		I
APPLICABLE MODEL:				
MITSUBISHI ECLIPSE 2.5L 96* GALANT 2.4L SOHC 94-96 W/ABS				




MI-82033				
A	F	O	ABS	I/M/O
28	25	56		M
APPLICABLE MODEL:				
MITSUBISHI Pajero Diesel 90-96				




MI-82038A(43T)				
A	F	O	ABS	I/M/O
25	25	54	43	I
APPLICABLE MODEL:				
MITSUBISHI ECLIPSE 2.5L 96* GALANT 2.4L SOHC 94-96 W/ABS				




MI-82033F2				
A	F	O	ABS	I/M/O
28	25	56		M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82040				
A	F	O	ABS	I/M/O
25	26	50		M
APPLICABLE MODEL:				
MITSUBISHI SONANTA 3.0L V6 92-94 W/O ABS W/ABS				




MI-82036				
A	F	O	ABS	I/M/O
25	26	54		I
APPLICABLE MODEL:				
MITSUBISHI MITSUBISHI VERADA 3.0L V6 91-98 SIGMA 3.0L				




MI-82040A(47T)				
A	F	O	ABS	I/M/O
25	26	50	47	M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82807				
A	F	O	ABS	I/M/O
25	23	54		M
APPLICABLE MODEL:				
MITSUBISHI COLT, LANCER, MIRAGE CB7A-CB7A 08/91-/ ECLIPSE 1.8 FWD-1.8 FWD 01/90-12/94 GALANT 1.8-2.001/87-/ GLANT, ECLIPSE 1.8-2.001/88-/ LASER 1.8-2.001/90-12/93				




MI-82812				
A	F	O	ABS	I/M/O
25	26	50		M
APPLICABLE MODEL:				
MITSUBISHI DEBONAIR 2.0 S11A-3.0 S12A 07/86-07/92 EMERAUDE GALANT ETERNA 3.0E 18A-3.0E 18A 05/89-11/90 GALANT ETERNA 2.0E 17A-2.0E 17A 10/86-12/90				




MI-82808				
A	F	O	ABS	I/M/O
25	30	53.8		I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82813				
A	F	O	ABS	I/M/O
28	25	56		M
APPLICABLE MODEL:				
MITSUBISHI DELICA VAN/WAGON 2.0 P23 4WD-2.5 P45 4WD 04/86-06/94 PAJERO 2.5 L044 L144-3.0 L141/6 01/87-01/91				




MI-82808A(29T)				
A	F	O	ABS	I/M/O
25	30	53.8	29	I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82814				
A	F	O	ABS	I/M/O
25	23	54		M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82809				
A	F	O	ABS	I/M/O
25	23	54		I
APPLICABLE MODEL:				
MITSUBISHI GALANT 2003				




MI-82814A(43T)				
A	F	O	ABS	I/M/O
25	23	54	43	M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82810				
A	F	O	ABS	I/M/O
25	20	50		M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82815				
A	F	O	ABS	I/M/O
23	29	54		I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82811				
A	F	O	ABS	I/M/O
27	25	60		M
APPLICABLE MODEL:				
MITSUBISHI DIAMANTE 2.5 F25A 4WD-3.0 F27A 4WD 05/90-01/95 SIGMA 2.5 F25A 4WD-3.0 F27A 4WD 09/90-09/93				




MI-82816				
A	F	O	ABS	I/M/O
30	36	66		I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82816A(50T)				
A	F	O	ABS	I/M/O
30	36	66	50	I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82820A(44T)				
A	F	O	ABS	I/M/O
25	30	50	44	M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82817				
A	F	O	ABS	I/M/O
25	24	54		I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82821				
A	F	O	ABS	I/M/O
25	22	52.5		M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82818				
A	F	O	ABS	I/M/O
28	35	56		I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82821A(44T)				
A	F	O	ABS	I/M/O
25	22	52.5	44	M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82819				
A	F	O	ABS	I/M/O
25	22	57		I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82822				
A	F	O	ABS	I/M/O
25	32	54		M
APPLICABLE MODEL:				
MITSUBISHI				




MI-82819A(43T)				
A	F	O	ABS	I/M/O
25	22	57	43	I
APPLICABLE MODEL:				
MITSUBISHI				




MI-82824				
A	F	O	ABS	I/M/O
28	25	55.5		O
APPLICABLE MODEL:				
MITSUBISHI				



MI-82820				
A	F	O	ABS	I/M/O
25	30	50		M
APPLICABLE MODEL:				
MITSUBISHI Colt,Lancar,Mirage C53,C63,C66 87-93 Eclipse 1.8L 90-94				



MI-82825				
A	F	O	ABS	I/M/O
25	23	50		M
APPLICABLE MODEL:				
MITSUBISHI				



MI-82206				
A	F	O	ABS	I/M/O
27	19	43		M
APPLICABLE MODEL:				
MITSUBISHI				

Technical drawing of MI-82206 CV joint assembly. Dimensions: 106, 72.5, 42.5, 50, 106, 50. Part labels: TBETH-27, TBETH-19, M18x1.5, 0.71, 0.43, 0.74.5, M.

MI-82207				
A	F	O	ABS	I/M/O
25	30	57		I
APPLICABLE MODEL:				
MITSUBISHI				

Technical drawing of MI-82207 CV joint assembly. Dimensions: 95.5, 66, 10.5, 60, 95.5, 60. Part labels: TBETH-25, TBETH-30, M22x1.5, 0.57, 0.82, I.

MI-82208				
A	F	O	ABS	I/M/O
25	22	50		M
APPLICABLE MODEL:				
MITSUBISHI				

Technical drawing of MI-82208 CV joint assembly. Dimensions: 95.5, 67.5, 58, 95.5, 58. Part labels: TBETH-25, TBETH-22, M22x1.5, 0.70, 0.50, 0.79.5, M, L.


MI-82209				
A	F	O	ABS	I/M/O
25	23	50		M
APPLICABLE MODEL:				
MITSUBISHI				

Technical drawing of MI-82209 CV joint assembly. Dimensions: 94.5, 65, 61, 94.5, 61. Part labels: TBETH-25, TBETH-23, M22x1.5, 0.72, 0.50, 0.81, M.


MI-82210				
A	F	O	ABS	I/M/O
25	23	54		M
APPLICABLE MODEL:				
MITSUBISHI				

Technical drawing of MI-82210 CV joint assembly. Dimensions: 95.5, 63.5, 10.5, 60, 95.5, 60. Part labels: TBETH-25, TBETH-23, M22x1.5, 0.74, 0.54, 0.82, I.


MZ-82001				
A	F	O	ABS	I/M/O
24	22	52		M
APPLICABLE MODEL:				
MAZDA MAZDA E-BD 1031 80-85 E-BD 1051 80-85 323GLC 1.5 81-85 Tracer 88-90 82AC before 3P BF 84-87 Laser 81-85				




MZ-82006				
A	F	O	ABS	I/M/O
26	23	56		M
APPLICABLE MODEL:				
MAZDA 626 1.8 88-92 GLX4CYL Probe 88up GD6P GD8P GD8S 87-91				




MZ-82002				
A	F	O	ABS	I/M/O
26	25	52		M
APPLICABLE MODEL:				
MAZDA MAZDA 626 2.0 83-87 4CYLA/T GCEPGCFP82-87 Mx6 Telstar83 2.0L M/T				




MZ-82006F2				
A	F	O	ABS	I/M/O
26	23	56		M
APPLICABLE MODEL:				
MAZDA 323, FAMILIA 1.9 16V (A.T./M.T.) -1.9 16V (A.T./M.T.) 04/91-07/94 6261.6(A.T.)-2.0 DIESEL 01/987-12/92 626, CAPELLA, MX-61.6-1.809/87-12/92 TELSTAR 1.6-1.809/87-03/90				




MZ-82003				
A	F	O	ABS	I/M/O
26	23	52		M
APPLICABLE MODEL:				
MAZDA MAZDA CAPELLA GC6P GC8P 82-87 626 1.8 83-87 4CYLA/T M/T CAPELLA82-86				




MZ-82007				
A	F	O	ABS	I/M/O
26	22	56		M
APPLICABLE MODEL:				
MAZDA MIATA92-93 4CYLA/T Mx3 90-93 MIAT89-92 RWD 323 1.6 90-93 BG5P BG5S BG6P BG6S With DOHC 89 up				




MZ-82004				
A	F	O	ABS	I/M/O
24	21	52		M
APPLICABLE MODEL:				
MAZDA MAZDA REVUE 121 DB3PA DB3P DB5P 90UP BF 3P BF TP BF 3V 323 1.6/1.8L 82-86 1-3/1.5 68-89				




MZ-82007A(44T)				
A	F	O	ABS	I/M/O
26	22	56	44	M
APPLICABLE MODEL:				
MAZDA MIATA92-93 4CYLA/T Mx3 90-93 MIAT89-92 RWD 323 1.6 90-93 BG5P BG5S BG6P BG6S With DOHC89 up				




MZ-82004A(44T)				
A	F	O	ABS	I/M/O
24	21	52	44	M
APPLICABLE MODEL:				
MAZDA				




MZ-82008				
A	F	O	ABS	I/M/O
26	22	56		I
APPLICABLE MODEL:				
MAZDA MIATA92-93 4CYLA/T Mx3 90-93 MIATA89-92 RWD 323 1.6 90-93 BG5P BG5S BG6P BG6S With DOHC 89 up				




MZ-82004F2				
A	F	O	ABS	I/M/O
24	21	52		M
APPLICABLE MODEL:				
MAZDA				




MZ-82008A(44T)				
A	F	O	ABS	I/M/O
26	22	56	44	I
APPLICABLE MODEL:				
MAZDA MIATA92-93 4CYLA/T MX3 90-93 MIATA89-92 RWD 323 1.6 90-93 BG5P BG5S BG6P BG6S With DOHC 89 up				




MZ-82009				
A	F	O	ABS	I/M/O
26	21	56		M
APPLICABLE MODEL:				
MAZDA 323 1.3 91-94 4CYL BG3P BG3S BG5P BG5S DOCH ALL BG7P 89up				




MZ-82011A(90T)				
A	F	O	ABS	I/M/O
28	26	56	90	I
APPLICABLE MODEL:				
MAZDA FROD Probe 3.0L A/T V6 TURBO 626 Mx6 88-92 2.2L A/T M/T W/ABS MX6GDEP GDES GDEA GDEP 87-91 A/T MX6GDEP GDES GDEA GDEP 87-914 M/T				




MZ-82010				
A	F	O	ABS	I/M/O
26	30	56		I
APPLICABLE MODEL:				
MAZDA NEW 626 1.8 92-93 MX36C YL92-93 PROT G 90-94 A/T M/T DOCH				




MZ-82011F2				
A	F	O	ABS	I/M/O
28	26	56		M
APPLICABLE MODEL:				
MAZDA 626, CAPELLA, MX-6 2.5-TURBO 19/88-19/92				




MZ-82010F2				
A	F	O	ABS	I/M/O
26	30	56		I
APPLICABLE MODEL:				
MAZDA MX-3 1.8 FOR USA-1.8 FOR USA 19/92-19/95 PROTEGE 1.8 M/T-DOCH 19/90-19/94				




MZ-82011F2A(90T)				
A	F	O	ABS	I/M/O
28	26	56	90	M
APPLICABLE MODEL:				
MAZDA 626, CAPELLA, MX-6 TURBO ABS-TURBO ABS 19/88-19/92				




MZ-82010F2A(44T)				
A	F	O	ABS	I/M/O
26	30	56	44	I
APPLICABLE MODEL:				
MAZDA MX-3 1.8 FOR USA-1.8 FOR USA 19/92-19/95 PROTEGE 1.8 M/T-DOCH 19/90-19/94				




MZ-82011F3				
A	F	O	ABS	I/M/O
28	26	56		M
APPLICABLE MODEL:				
MAZDA				




MZ-82011				
A	F	O	ABS	I/M/O
28	26	56		I
APPLICABLE MODEL:				
MAZDA FROD Probe 3.0L A/T V6 TURBO 626 Mx6 88-92 2.2L A/T M/T W/ABS MX6GDEP GDES GDEA GDEP 87-91 A/T MX6GDEP GDES GDEA GDEP 87-914 M/T				




MZ-82012				
A	F	O	ABS	I/M/O
24	19	52		M
APPLICABLE MODEL:				
MAZDA FESTIVA 88-93 AT 75AC				




MZ-82011A(44T)				
A	F	O	ABS	I/M/O
28	26	56	44	I
APPLICABLE MODEL:				
MAZDA FROD Probe 3.0L A/T V6 TURBO 626 MX6 88-92 2.2L A/T M/T W/ABS MX6GDEP GDES GDEA GDEP 87-91 A/T MX6GDEP GDES GDEA GDEP 87-914 M/T				




MZ-82014				
A	F	O	ABS	I/M/O
26	25	56		M
APPLICABLE MODEL:				
MAZDA 626 MX6 90-92 W/ABS Probe 4CYL 90-92 202L W/ABS 95LAC MX-6 GDEP GDES GDEA 87-91 A/T				




MZ-82014A(44T)				
A	F	O	ABS	I/M/O
26	25	56	44	M
APPLICABLE MODEL:				
MAZDA 626 MX6 90-92 W/ABS Probe 4CYL 90-92 202L W/ABS 95LAC MX-6 GDEP GDES GDEA 87-91A/T				




MZ-82017				
A	F	O	ABS	I/M/O
26	24	56		M
APPLICABLE MODEL:				
MAZDA MAZDA FORD TELSTAR AT.AV 87-89 2.0				




MZ-82014A(90T)				
A	F	O	ABS	I/M/O
26	25	56	90	M
APPLICABLE MODEL:				
MAZDA MAZDA 626 MX6 90-92 W/ABS Probe 4CYL 90-92 202L W/ABS 95LAC MX-6 GDEP GDES GDEA 87-91A/T				




MZ-82017A(44T)				
A	F	O	ABS	I/M/O
26	24	56	44	M
APPLICABLE MODEL:				
MAZDA MAZDA FORD TELSTAR AT.AV 87-89 2.0				




MZ-82015				
A	F	O	ABS	I/M/O
26	23	56		M
APPLICABLE MODEL:				
MAZDA PROTEGE 90-94 SOHC1.8L 626 GD6P GD8P 87-91 GV6V 8up				




MZ-82018				
A	F	O	ABS	I/M/O
26	30	56		M
APPLICABLE MODEL:				
MAZDA 626 1.8 88 PROBE 88UP				




MZ-82015A(44T)				
A	F	O	ABS	I/M/O
26	23	56	44	M
APPLICABLE MODEL:				
MAZDA PROTEGE 90-94 SOHC1.8L 626 GD6P GD8P 87-91 GV6V 8up				




MZ-82019				
A	F	O	ABS	I/M/O
26	22	56		M
APPLICABLE MODEL:				
MAZDA Taxi Laser '92				




MZ-82016				
A	F	O	ABS	I/M/O
28	23	56		I
APPLICABLE MODEL:				
MAZDA MAZDA NEW 626 1.8/2.0L 93 Telstar 626 MX6L GL92-94 4CYL M/T A/T PROBE 93-95 2.0L W/ABS				




MZ-82019A(44T)				
A	F	O	ABS	I/M/O
26	22	56	44	M
APPLICABLE MODEL:				
MAZDA Taxi Laser '92				




MZ-82016A(44T)				
A	F	O	ABS	I/M/O
28	23	56	44	I
APPLICABLE MODEL:				
MAZDA MAZDA NEW 626 1.8/2.0L 93 Telstar 626 MX6L GL92-94 4CYL M/T A/T PROBE 93-95 2.0L W/ABS				




MZ-82020				
A	F	O	ABS	I/M/O
26	25	65		M
APPLICABLE MODEL:				
MAZDA 4*4 Pickup B 2600 4*4 87-92				




MZ-82036A(44T)				
A	F	O	ABS	I/M/O
26	28	56	44	I
APPLICABLE MODEL:				
MAZDA				




MZ-82802A(46T)				
A	F	O	ABS	I/M/O
28	24	56	46	M
APPLICABLE MODEL:				
MAZDA CLARUS 2.0 M/T-2.0M/T 19/96-/				




MZ-82037				
A	F	O	ABS	I/M/O
26	29	56		I
APPLICABLE MODEL:				
MAZDA PROTEGE 1.8L 99-TW				




MZ-82803				
A	F	O	ABS	I/M/O
28	30	56		I
APPLICABLE MODEL:				
MAZDA ASTINA 1.8 94-98				




MZ-82037A(44T)				
A	F	O	ABS	I/M/O
26	29	56	44	I
APPLICABLE MODEL:				
MAZDA				




MZ-82804				
A	F	O	ABS	I/M/O
28	23	56		M
APPLICABLE MODEL:				
MAZDA 626IV-1.8 91-97 W/ABS				




MZ-82038				
A	F	O	ABS	I/M/O
26	30	56		M
APPLICABLE MODEL:				
MAZDA PROTEGE 1.8L 95-98				




MZ-82804A(44T)				
A	F	O	ABS	I/M/O
28	23	56	44	M
APPLICABLE MODEL:				
MAZDA 626IV-1.8 91-97 W/ABS				




MZ-82801				
A	F	O	ABS	I/M/O
24	22	52		M
APPLICABLE MODEL:				
MAZDA 323FAMILIA GLC 82-85				




MZ-82805				
A	F	O	ABS	I/M/O
28	30	56		I
APPLICABLE MODEL:				
MAZDA ASTINA 1.81 16V93UP 323 1.8 16V 93UP				




MZ-82802				
A	F	O	ABS	I/M/O
28	24	56		M
APPLICABLE MODEL:				
MAZDA CLARUS 2.0 M/T-2.0M/T 19/96-/				




MZ-82805A(44T)				
A	F	O	ABS	I/M/O
28	30	56	44	I
APPLICABLE MODEL:				
MAZDA ASTINA 1.81 16V93UP 323 1.8 16V 93UP				




MZ-82816				
A	F	O	ABS	I/M/O
24	21	52		I
APPLICABLE MODEL:				
MAZDA MITSUBISHI PAJERO NEW MODEL				




MZ-82820				
A	F	O	ABS	I/M/O
24	22	52		M
APPLICABLE MODEL:				
MAZDA				




MZ-82816A(44T)				
A	F	O	ABS	I/M/O
24	21	52	44	I
APPLICABLE MODEL:				
MAZDA MITSUBISHI PAJERO NEW MODEL				




MZ-82820A(44T)				
A	F	O	ABS	I/M/O
24	22	52	44	M
APPLICABLE MODEL:				
MAZDA				




MZ-82817				
A	F	O	ABS	I/M/O
28	22	56		I
APPLICABLE MODEL:				
MAZDA MITSUBISHI GALANT				




MZ-82821				
A	F	O	ABS	I/M/O
28	22	56		M
APPLICABLE MODEL:				
MAZDA				




MZ-82817A(44T)				
A	F	O	ABS	I/M/O
28	22	56	44	I
APPLICABLE MODEL:				
MAZDA				




MZ-82822				
A	F	O	ABS	I/M/O
26	25	56		M
APPLICABLE MODEL:				
MAZDA CAPELLA 626 TELSTER2.0 GDEPS-2.0 GDFF 07/07-10/91 CAPELLA TELSTER CARGO/WAGON1.8 G V8W-0.2 GVFW05/89-10/94 EUNOS3002.0 MAEPE-2.0 MAEPE 11/89-01/92				




MZ-82818				
A	F	O	ABS	I/M/O
28	23	58		I
APPLICABLE MODEL:				
MAZDA				




MZ-82823				
A	F	O	ABS	I/M/O
28	26	56		M
APPLICABLE MODEL:				
MAZDA CAPELLA 626 TELSTER2.5 GE5PF-2.5 GE5PF 04/92-01/96 CLIFF2.5 GE5SP-2.5 GE5PA04/92-04/96 EUNOS8002.5 TA5-2.5 TA509/93-04/96 MS-82.5 MB5A-2.5 MB5A01/92-05/94 MX-6(M.T.)2.5 GE5SB-2.5 GE5SB11/91-01/96 PROBE2.2 PT22L-2.2 PT22L11/89-09/92				




MZ-82819				
A	F	O	ABS	I/M/O
28	24	56		M
APPLICABLE MODEL:				
MAZDA				




MZ-82824				
A	F	O	ABS	I/M/O
28	23	56		M
APPLICABLE MODEL:				
MAZDA				




MZ-82825					
A	F	O	ABS	I/M/O	
28	32	56		I	
APPLICABLE MODEL:					
MAZDAMPV					




MZ-82831					
A	F	O	ABS	I/M/O	
28	24	56		M	
APPLICABLE MODEL:					
MAZDA					




MZ-82826					
A	F	O	ABS	I/M/O	
28	23	56		M	
APPLICABLE MODEL:					
MAZDA EUNOS5001.8 CAPP-2.0 CAEP02/94-12/95 MS-61.8/1.8 GE8P-2.0 GEEP10/91-07/94 MS-82.0 MBEP-2.0 MBEP01/92-05/94 MX-6 (M.T.)2.0 GEESB-2.0 GEESB11/91-01/96					




MZ-82831A(44T)					
A	F	O	ABS	I/M/O	
28	24	56	44	M	
APPLICABLE MODEL:					
MAZDA					




MZ-82827					
A	F	O	ABS	I/M/O	
28	24	56		M	
APPLICABLE MODEL:					
MAZDA					




MZ-82832					
A	F	O	ABS	I/M/O	
28	22	56		I	
APPLICABLE MODEL:					
MAZDA					




MZ-82828					
A	F	O	ABS	I/M/O	
27	34	66.8		I	
APPLICABLE MODEL:					
MAZDA					




MZ-82835					
A	F	O	ABS	I/M/O	
26	25	61		M	
APPLICABLE MODEL:					
MAZDA					




MZ-82829					
A	F	O	ABS	I/M/O	
26	25	56		M	
APPLICABLE MODEL:					
MAZDA					




MZ-82835A(44T)					
A	F	O	ABS	I/M/O	
26	25	61	44	I	
APPLICABLE MODEL:					
MAZDA					




MZ-82830					
A	F	O	ABS	I/M/O	
28	23	56		M	
APPLICABLE MODEL:					
MAZDA					




MZ-82836					
A	F	O	ABS	I/M/O	
36	22	55.2		I	
APPLICABLE MODEL:					
MAZDA					




MZ-82837				
A	F	O	ABS	I/M/O
31	35	56		I
APPLICABLE MODEL:				
MAZDA				




MZ-82204				
A	F	O	ABS	I/M/O
26	23	56		M
APPLICABLE MODEL:				
MAZDA				




MZ-82838				
A	F	O	ABS	I/M/O
26	23	56		M
APPLICABLE MODEL:				
MAZDA				




MZ-82205				
A	F	O	ABS	I/M/O
28	26	55.98		M
APPLICABLE MODEL:				
MAZDA				




MZ-82838A(44T)				
A	F	O	ABS	I/M/O
26	23	56	44	M
APPLICABLE MODEL:				
MAZDA				




MZ-82205A(90T)				
A	F	O	ABS	I/M/O
28	26	55.98	90	M
APPLICABLE MODEL:				
MAZDA				




MZ-82201				
A	F	O	ABS	I/M/O
24	21	52		M
APPLICABLE MODEL:				
MAZDA				




MZ-82208				
A	F	O	ABS	I/M/O
26	24	56		M
APPLICABLE MODEL:				
MAZDA				




MZ-82202				
A	F	O	ABS	I/M/O
24	22	52		M
APPLICABLE MODEL:				
MAZDA				




MZ-82209				
A	F	O	ABS	I/M/O
28	22	56		I
APPLICABLE MODEL:				
MAZDA				




MZ-82203				
A	F	O	ABS	I/M/O
26	22	56		M
APPLICABLE MODEL:				
MAZDA				




MZ-82210				
A	F	O	ABS	I/M/O
26	29	56		I
APPLICABLE MODEL:				
MAZDA				




MZ-82210A(44T)				
A	F	O	ABS	I/M/O
26	29	56		I
APPLICABLE MODEL:				
MAZDA				




MZ-82211				
A	F	O	ABS	I/M/O
26	26	52		M
APPLICABLE MODEL:				
MAZDA				




NI-82032				
A	F	O	ABS	I/M/O
25	24	55		I
APPLICABLE MODEL:				
NISSAN NISSAN Sentra93				




NI-82036				
A	F	O	ABS	I/M/O
24	23	52		I
APPLICABLE MODEL:				
NISSAN NISSAN Sunny1.3 92'- Bm 10 PM 10 85-89				




NI-82033				
A	F	O	ABS	I/M/O
23	22	48		I
APPLICABLE MODEL:				
NISSAN				




NI-82038				
A	F	O	ABS	I/M/O
27	27	50		I
APPLICABLE MODEL:				
NISSAN NISSAN Terrano Pathfinder 4WD D21 Pick up				




NI-82033A(42T)				
A	F	O	ABS	I/M/O
23	22	48	42	I
APPLICABLE MODEL:				
NISSAN				




NI-82039				
A	F	O	ABS	I/M/O
25	25	55		I
APPLICABLE MODEL:				
NISSAN Sentra 2.0L90-93 W/O ABS				




NI-82034				
A	F	O	ABS	I/M/O
29	27	55.5		I
APPLICABLE MODEL:				
NISSAN Truck AWD				




NI-82039A(42T)				
A	F	O	ABS	I/M/O
25	25	55	42	I
APPLICABLE MODEL:				
NISSAN Sentra 2.0L90-93 W/OABS				




NI-82034F2				
A	F	O	ABS	I/M/O
29	27	55.5		I
APPLICABLE MODEL:				
NISSAN				




NI-82040				
A	F	O	ABS	I/M/O
27	22	56		M
APPLICABLE MODEL:				
NISSAN PRIMERA				




NI-82035				
A	F	O	ABS	I/M/O
26	27	50		M
APPLICABLE MODEL:				
NISSAN Wd21 85-89 D21 85-89 PICK UP 4WD				




NI-82041				
A	F	O	ABS	I/M/O
29	25	56		I
APPLICABLE MODEL:				
NISSAN CEFIRO 2.0L 96-99 W/ABS				




NI-82049				
A	F	O	ABS	I/M/O
23	19	48		M
APPLICABLE MODEL:				
NISSAN MARCH 1.0				




NI-82051A(46T)				
A	F	O	ABS	I/M/O
29	27	56	46	I
APPLICABLE MODEL:				
NISSAN NISSAN Cefiro3.0L 96-99				




NI-82049A(42T)				
A	F	O	ABS	I/M/O
23	19	48	42	M
APPLICABLE MODEL:				
NISSAN MARCH 1.0				




NI-82052				
A	F	O	ABS	I/M/O
25	32	55		I
APPLICABLE MODEL:				
NISSAN NISSAN SENTRA2.0L				




NI-82050				
A	F	O	ABS	I/M/O
27	26	56		I
APPLICABLE MODEL:				
NISSAN ALTIMA 2.4L 93-96				




NI-82052A(42T)				
A	F	O	ABS	I/M/O
25	32	55	42	I
APPLICABLE MODEL:				
NISSAN NISSAN SENTRA2.0L				




NI-82050A(44T)				
A	F	O	ABS	I/M/O
27	26	56	44	I
APPLICABLE MODEL:				
NISSAN ALTIMA 2.4L 93-96				




NI-82054				
A	F	O	ABS	I/M/O
27	23	56		M
APPLICABLE MODEL:				
NISSAN				




NI-82051				
A	F	O	ABS	I/M/O
29	27	56		I
APPLICABLE MODEL:				
NISSAN NISSAN Cefiro3.0L 96-99				




NI-82801				
A	F	O	ABS	I/M/O
27	32	50		I
APPLICABLE MODEL:				
NISSAN NISSAN PRIMERA90-96				




NI-82051A(44T)				
A	F	O	ABS	I/M/O
29	27	56	44	I
APPLICABLE MODEL:				
NISSAN NISSAN Cefiro3.0L 96-99				




NI-82802				
A	F	O	ABS	I/M/O
27	25	56		M
APPLICABLE MODEL:				
NISSAN				




NI-82811A(44T)				
A	F	O	ABS	I/M/O
27	22	56	44	I
APPLICABLE MODEL:				
NISSAN PRAIRIE 1.6 16V (66-75KW) ABS44T-1.6 16V(66-75KW) ABS44T06/96-/				




NI-82816A(46T)				
A	F	O	ABS	I/M/O
27	25	56	46	I
APPLICABLE MODEL:				
NISSAN MAXIMA ABS 46T -ABS 46T 19/89-19/94 STANZA ABS 46T -ABS 46T 19/89-19/94				




NI-82812				
A	F	O	ABS	I/M/O
29	34	56		I
APPLICABLE MODEL:				
NISSAN				




NI-82817				
A	F	O	ABS	I/M/O
25	23	55		I
APPLICABLE MODEL:				
NISSAN N15 2.0L LAC92				




NI-82813				
A	F	O	ABS	I/M/O
	26	85		I
APPLICABLE MODEL:				
NISSAN				




NI-82818				
A	F	O	ABS	I/M/O
25	25	52.2		I
APPLICABLE MODEL:				
NISSAN				




NI-82814				
A	F	O	ABS	I/M/O
23	19	48		I
APPLICABLE MODEL:				
NISSAN MARCH 1.0 M.T-1.0 M.T1 9/88-/				




NI-82819				
A	F	O	ABS	I/M/O
25	23	55		I
APPLICABLE MODEL:				
NISSAN CALIFORNIA 1.5 Y10-1.5 Y10 4WD 10/90-05/96 PULSAR ALMERA 2.0 SN15-2.0 SNN15 4WD 01/95-/ PULSAR LUCINO ALMERA 1.5 FNN14 4WD-1.8 HN 15 08/90-01/95 RASHEEN 1.5 RFNB14-1.5 RFNB1412/94-01/97 SUNNY 1.5 B14-2.0 SB1401/90-10/98 WINGROAD 1 WFY10-1.8 WHNY10 4WD 05/96-09/96				




NI-82815				
A	F	O	ABS	I/M/O
24	23	56		M
APPLICABLE MODEL:				
NISSAN STANZA 1.6 T11 AT/MT-1.8 FT11,KT11; AT/MT 19/81-19/82				




NI-82820				
A	F	O	ABS	I/M/O
27	25	56		M
APPLICABLE MODEL:				
NISSAN AUSTER STANZA 1.8PT12-1.8PT1201/88-12/89 AVENIR 2.0 PW10 4WD-2.0 PW10 4WD 10/90-08/95 BLUEBIRD 1.8 RU 12-1.8 RU1209/87-10/89 BLUEBIRD VAN/WAGON 1.8 WU11-1.8 WU11 10/87-05/90 MAXIMA 3.0 J30-3.0 J3001/88-08/91 PRAIRIE 2.0 HNM10 4WD-2.0 HNM10 4WD 01/85-01/88				




NI-82816				
A	F	O	ABS	I/M/O
27	25	56		I
APPLICABLE MODEL:				
NISSAN MAXIMA ABS 46T -ABS 46T 19/89-19/94 STANZA ABS 46T -ABS 46T 19/89-19/94				




NI-82821				
A	F	O	ABS	I/M/O
29	27	56		M
APPLICABLE MODEL:				
NISSAN CERIFO 2.0 A32-3.0 Ha32 08/94-12/98				




NI-82832				
A	F	O	ABS	I/M/O
24	22	52		M
APPLICABLE MODEL:				
NISSAN				




NI-82843				
A	F	O	ABS	I/M/O
27	23	56		I
APPLICABLE MODEL:				
NISSAN				




NI-82833				
A	F	O	ABS	I/M/O
25	22	55		M
APPLICABLE MODEL:				
NISSAN				




NI-82847				
A	F	O	ABS	I/M/O
29	27	56		I
APPLICABLE MODEL:				
NISSAN				




NI-82833A(42T)				
A	F	O	ABS	I/M/O
25	25	55	42	M
APPLICABLE MODEL:				
NISSAN				




NI-82847A(44T)				
A	F	O	ABS	I/M/O
29	27	56	44	I
APPLICABLE MODEL:				
NISSAN				




NI-82834				
A	F	O	ABS	I/M/O
27	23	56		I
APPLICABLE MODEL:				
NISSAN				




NI-82847A(46T)				
A	F	O	ABS	I/M/O
29	27	56	46	I
APPLICABLE MODEL:				
NISSAN				




NI-82834A(44T)				
A	F	O	ABS	I/M/O
27	23	56	44	I
APPLICABLE MODEL:				
NISSAN				




NI-82201				
A	F	O	ABS	I/M/O
32	27	62		M
APPLICABLE MODEL:				
NISSAN				




NI-82838				
A	F	O	ABS	I/M/O
25	23	55		M
APPLICABLE MODEL:				
NISSAN				




NI-82202				
A	F	O	ABS	I/M/O
27	27	56		M
APPLICABLE MODEL:				
NISSAN				




NI-82203				
A	F	O	ABS	I/M/O
29	27	56		M
APPLICABLE MODEL:				
NISSAN				




NI-82208				
A	F	O	ABS	I/M/O
25	24	55		I
APPLICABLE MODEL:				
NISSAN				




NI-82204				
A	F	O	ABS	I/M/O
25	25	52.2		M
APPLICABLE MODEL:				
NISSAN				




NI-82209				
A	F	O	ABS	I/M/O
21	19	46		I
APPLICABLE MODEL:				
NISSAN				




NI-82205				
A	F	O	ABS	I/M/O
27	25	56		M
APPLICABLE MODEL:				
NISSAN				




NI-82210				
A	F	O	ABS	I/M/O
25	23	55		M
APPLICABLE MODEL:				
NISSAN				




NI-82205A(46T)				
A	F	O	ABS	I/M/O
27	25	56	46	M
APPLICABLE MODEL:				
NISSAN				




NI-82211				
A	F	O	ABS	I/M/O
25	23	55		M
APPLICABLE MODEL:				
NISSAN				




NI-82206				
A	F	O	ABS	I/M/O
27	25	56		I
APPLICABLE MODEL:				
NISSAN				




NI-82212				
A	F	O	ABS	I/M/O
25	24	52		M
APPLICABLE MODEL:				
NISSAN				



NI-82206A(46T)				
A	F	O	ABS	I/M/O
27	25	56	46	I
APPLICABLE MODEL:				
NISSAN				



NI-82213				
A	F	O	ABS	I/M/O
27	25	56		I
APPLICABLE MODEL:				
NISSAN				



NI-82214					
A	F	O	ABS	I/M/O	
25	32	55		I	
APPLICABLE MODEL:					
NISSAN					

NI-82222					
A	F	O	ABS	I/M/O	
27	35	56		I	
APPLICABLE MODEL:					
NISSAN					

NI-82215					
A	F	O	ABS	I/M/O	
23	21	49		M	
APPLICABLE MODEL:					
NISSAN					

NI-82222A(44T)					
A	F	O	ABS	I/M/O	
27	35	56		I	
APPLICABLE MODEL:					
NISSAN					

NI-82216					
A	F	O	ABS	I/M/O	
23	22	49		M	
APPLICABLE MODEL:					
NISSAN					


NI-82223					
A	F	O	ABS	I/M/O	
27	23	56		I	
APPLICABLE MODEL:					
NISSAN					

NI-82217					
A	F	O	ABS	I/M/O	
25	23	55		M	
APPLICABLE MODEL:					
NISSAN					


NI-82217A(44T)					
A	F	O	ABS	I/M/O	
25	23	55		M	
APPLICABLE MODEL:					
NISSAN					

NI-82219					
A	F	O	ABS	I/M/O	
27	23	56		M	
APPLICABLE MODEL:					
NISSAN					


OP-82001				
A	F	O	ABS	I/M/O
22	22	52		O
APPLICABLE MODEL:				
OPEL OPEL kadett				




OP-82001F3M				
A	F	O	ABS	I/M/O
22	22	52		O
APPLICABLE MODEL:				
OPEL				




OP-82001A(29T)				
A	F	O	ABS	I/M/O
22	22	52	29	O
APPLICABLE MODEL:				
OPEL OPEL kadett W/ABS				




OP-82001M				
A	F	O	ABS	I/M/O
22	22	52		O
APPLICABLE MODEL:				
OPEL				




OP-82001A(43T)				
A	F	O	ABS	I/M/O
22	22	52	43	O
APPLICABLE MODEL:				
OPEL OPEL kadett W/ABS				




OP-82002				
A	F	O	ABS	I/M/O
22	22	52.2		O
APPLICABLE MODEL:				
OPEL OPEL kadett				




OP-82001F2				
A	F	O	ABS	I/M/O
22	22	56.17		I
APPLICABLE MODEL:				
OPEL				




OP-82002F2				
A	F	O	ABS	I/M/O
22	22	52		O
APPLICABLE MODEL:				
OPEL ASCONA 1.3-1.608/81-10/88 ASTRA 1.4-1.6/-09/98 ASTRA (A.T.) 1.3-1.608/84-12/91 ASTRA (M.T.) 1.0-1.601/81-09/98 BELMONT 1.0-1.609/84-12/91 CAVALIER (M.T.) 1.3-1.608/81-10/88 KADETTD 1.0-1.601/81-07/84 KADETTE (A.T.) 1.3-1.608/84-12/91				




OP-82001F3				
A	F	O	ABS	I/M/O
22	22	52		O
APPLICABLE MODEL:				
OPEL				




OP-82002F3				
A	F	O	ABS	I/M/O
22	22	52.2		M
APPLICABLE MODEL:				
OPEL				




OP-82001F3A(43T)				
A	F	O	ABS	I/M/O
22	22	52	43	O
APPLICABLE MODEL:				
OPEL CAVALIER (A.T.) 1.4 ABS 43T-1.4 ABS 43T10/88-07/91 CAVALIER (M.T.) 1.4 ABS 43T-1.6 ABS 43T10/88-07/91 VECTRA (A.T.) 1.6 ABS 43T-1.6 ABS 43T10/88-07/91 VECTRA (M.T.) 1.4 ABS 43T-1.6 ABS 43T10/88-07/91 VECTRAA 1.4 ABS 43T (M.T.)-1.6i.S ABS 43T. (M.T.)10/88-07/91				




OP-82003				
A	F	O	ABS	I/M/O
33	25	52		O
APPLICABLE MODEL:				
OPEL Ascona 81-Diesel Kadett 81-Diesel				




OP-82805				
A	F	O	ABS	I/M/O
22	22	52		I
APPLICABLE MODEL:				
OPEL CIELO 4 SPEED(A.T.)-4 SPEED (A.T.)				




OP-82810				
A	F	O	ABS	I/M/O
33	22	52		O
APPLICABLE MODEL:				
OPEL ASTRA G 1.4-1.7 TURBO DIESEL 09/98-12/02 ASTRA G CABROLET 1.6-1.6 09/98-12/02 ASTRA G COUPE` 1.6-1.609/98-12/02 ASTRA G VAN 1.4-1.7 DIESEL 09/98-12/02				




OP-82806				
A	F	O	ABS	I/M/O
33	22	52		I
APPLICABLE MODEL:				
OPEL OPEL NUBIRA W/ABS				




OP-82810A(29T)				
A	F	O	ABS	I/M/O
33	22	52	29	O
APPLICABLE MODEL:				
OPEL ASTRA G 1.4-1.7 TURBO DIESEL 09/98-12/02 ASTRA G CABROLET 1.6-1.6 09/98-12/02 ASTRA G COUPE` 1.6-1.609/98-12/02 ASTRA G VAN 1.4-1.7 DIESEL 09/98-12/02				




OP-82806A(47T)				
A	F	O	ABS	I/M/O
33	22	52	47	I
APPLICABLE MODEL:				
OPEL OPEL NUBIRA W/ABS				




OP-82810M				
A	F	O	ABS	I/M/O
33	22	52		O
APPLICABLE MODEL:				
OPEL				




OP-82807				
A	F	O	ABS	I/M/O
28	35	53		O
APPLICABLE MODEL:				
OPEL				




OP-82811				
A	F	O	ABS	I/M/O
22	28	52		I
APPLICABLE MODEL:				
OPEL				




OP-82808				
A	F	O	ABS	I/M/O
22	22	52		O
APPLICABLE MODEL:				
OPEL				




OP-82812				
A	F	O	ABS	I/M/O
33	35	55		I
APPLICABLE MODEL:				
OPEL				




OP-82809				
A	F	O	ABS	I/M/O
33	32	52		O
APPLICABLE MODEL:				
OPEL				




OP-82813				
A	F	O	ABS	I/M/O
29	33	68		O
APPLICABLE MODEL:				
OPEL				




OP-82814				
A	F	O	ABS	I/M/O
33	25	52		O
APPLICABLE MODEL:				
OPEL				




OP-82821				
A	F	O	ABS	I/M/O
22	30	52.2		O
APPLICABLE MODEL:				
OPEL				




OP-82814A(29T)				
A	F	O	ABS	I/M/O
33	25	52	29	O
APPLICABLE MODEL:				
OPEL				




OP-82823				
A	F	O	ABS	I/M/O
33	30	52		O
APPLICABLE MODEL:				
OPEL				




OP-82816				
A	F	O	ABS	I/M/O
33	28	52		O
APPLICABLE MODEL:				
OPEL				




OP-82823A(29T)				
A	F	O	ABS	I/M/O
33	30	52	29	O
APPLICABLE MODEL:				
OPEL				




OP-82817				
A	F	O	ABS	I/M/O
33	22	52		O
APPLICABLE MODEL:				
OPEL				




OP-82201				
A	F	O	ABS	I/M/O
33	29	51.8		O
APPLICABLE MODEL:				
OPEL				




OP-82818				
A	F	O	ABS	I/M/O
33	24	52		O
APPLICABLE MODEL:				
OPEL				




OP-82202				
A	F	O	ABS	I/M/O
22	30	52		I
APPLICABLE MODEL:				
OPEL				



OP-82819				
A	F	O	ABS	I/M/O
22	29	52		O
APPLICABLE MODEL:				
OPEL				



OP-82202A(29T)				
A	F	O	ABS	I/M/O
22	30	52	29	I
APPLICABLE MODEL:				
OPEL				



OP-82203					
A	F	O	ABS	I/M/O	
33	25	52		O	
APPLICABLE MODEL:					
OPEL					

Technical drawing of OP-82203 CV joint assembly. Dimensions: 103, 60, 61, 11, 0.52, 0.52, 0.84. Tooth counts: TEETH-33, TEETH-25. Material: M20X1.6.

OP-82204					
A	F	O	ABS	I/M/O	
22	28	52		O	
APPLICABLE MODEL:					
OPEL					

Technical drawing of OP-82204 CV joint assembly. Dimensions: 97.7, 56, 54.3, 35.5, 0.56, 0.52, 0.81. Tooth counts: TEETH-22, TEETH-28. Material: M20X1.

OP-82205					
A	F	O	ABS	I/M/O	
33	22	52		O	
APPLICABLE MODEL:					
OPEL					

Technical drawing of OP-82205 CV joint assembly. Dimensions: 95.5, 55, 53, 17, 0.52, 0.78. Tooth counts: TEETH-33, TEETH-22. Material: M22X1.5.


OP-82206					
A	F	O	ABS	I/M/O	
22	22	51.8		O	
APPLICABLE MODEL:					
OPEL					

Technical drawing of OP-82206 CV joint assembly. Dimensions: 97.5, 58.5, 54.5, 6.5, 0.78, 0.51.8, 0.81. Tooth counts: TEETH-22, TEETH-22. Material: M20X1.


OP-82207					
A	F	O	ABS	I/M/O	
22	22	52		O	
APPLICABLE MODEL:					
OPEL					

Technical drawing of OP-82207 CV joint assembly. Dimensions: 95.5, 59.5, 53.5, 8, 0.52, 0.79. Tooth counts: TEETH-22, TEETH-22. Material: M20X1.5.


RF-82874				
A	F	O	ABS	I/M/O
25	30	59		I
APPLICABLE MODEL:				
RF				




RF-82874A(29T)				
A	F	O	ABS	I/M/O
25	30	59	29	I
APPLICABLE MODEL:				
RF				




RN-82811				
A	F	O	ABS	I/M/O
21	22	51.5		I
APPLICABLE MODEL:				
RENAULT KANGOO/CLIO/MEGANE1.6L-1.9 D-2.0I-1.6L-1.9D-2.0I				




RN-82816				
A	F	O	ABS	I/M/O
20	22	48		I
APPLICABLE MODEL:				
RENAULT				




RN-82811A(44T)				
A	F	O	ABS	I/M/O
21	22	51.5	44	I
APPLICABLE MODEL:				
RENAULT CLIO/MEGANE1.6 ABS 44T-1.6 ABS 44T MEGANE1.4 ABS-2.0 Berl,Class, Coach(Exc.16V) ABS01/96-/				




RN-82817				
A	F	O	ABS	I/M/O
23	24	56.3		I
APPLICABLE MODEL:				
RENAULT R 21-NEVADA 1.4-2.219/88-06/94				




RN-82812				
A	F	O	ABS	I/M/O
23	30	36.3		O
APPLICABLE MODEL:				
RENAULT R 4,R6 ALL MODELS-ALL MODELS				




RN-82818				
A	F	O	ABS	I/M/O
32	27	65		I
APPLICABLE MODEL:				
RENAULT				




RN-82813				
A	F	O	ABS	I/M/O
23	29	55.3		O
APPLICABLE MODEL:				
RENAULT R 21 ALL MODELS-ALL MODELS				




RN-82819				
A	F	O	ABS	I/M/O
21	30	57		M
APPLICABLE MODEL:				
RENAULT				




RN-82814				
A	F	O	ABS	I/M/O
21	25	46.3		O
APPLICABLE MODEL:				
RENAULT CLIO1.6-1.6 EXPRESS ALL MODELS-ALL MODELSR 191.6-1.6				




RN-82819A(26T)				
A	F	O	ABS	I/M/O
21	30	57	26	M
APPLICABLE MODEL:				
RENAULT				




RN-82815				
A	F	O	ABS	I/M/O
21	30	49.8		O
APPLICABLE MODEL:				
RENAULT				




RN-82819A(38T)				
A	F	O	ABS	I/M/O
21	30	57	38	M
APPLICABLE MODEL:				
RENAULT				




RN-82826				
A	F	O	ABS	I/M/O
21	20	46.3		O
APPLICABLE MODEL:				
RENAULT SUPER51.1-1.6D08/84-/				




RN-82830				
A	F	O	ABS	I/M/O
23	25	56.3		O
APPLICABLE MODEL:				
RENAULT				




RN-82827				
A	F	O	ABS	I/M/O
23	25	56		O
APPLICABLE MODEL:				
RENAULT LAGUNA3.0 V6-3.0 V6 05/98-12/00 R 202.0 TS. TX.2.0 TS TX01/77-10/80 R30TS, TX-TS, TX-/ TRAFIC All Models BZ& DIESEL-All Models BZ& DIESEL 01/81-10/84				




RN-82831				
A	F	O	ABS	I/M/O
21	28	52.3		I
APPLICABLE MODEL:				
RENAULT KANGOO				




RN-82828				
A	F	O	ABS	I/M/O
21	21	55		M
APPLICABLE MODEL:				
RENAULT				




RN-82831A(26T)				
A	F	O	ABS	I/M/O
21	28	52.3	26	I
APPLICABLE MODEL:				
RENAULT KANGOO				




RN-82828A(26T)				
A	F	O	ABS	I/M/O
21	21	55	26	M
APPLICABLE MODEL:				
RENAULT				




RN-82832				
A	F	O	ABS	I/M/O
20	22	48		O
APPLICABLE MODEL:				
RENAULT R 12 1.6 NTS-1.6 NTS				




RN-82829				
A	F	O	ABS	I/M/O
23	25	56.2		O
APPLICABLE MODEL:				
RENAULT LAGUNA2.2, TURBO DIESEL 12V, ABS44T-3.0 V6 AUTO ABS 44T04/94-05/98				




RN-82833				
A	F	O	ABS	I/M/O
21	30			O
APPLICABLE MODEL:				
RENAULT				




RN-82829A(44T)				
A	F	O	ABS	I/M/O
23	25	56.2	44	O
APPLICABLE MODEL:				
RENAULT LAGUNA2.2, TURBO DIESEL 12V, ABS44T-3.0 V6 AUTO ABS 44T04/94-05/98				




RN-82834				
A	F	O	ABS	I/M/O
23	27	56.3		I
APPLICABLE MODEL:				
RENAULT				




RN-82835				
A	F	O	ABS	I/M/O
25	27	56.3		I
APPLICABLE MODEL:				
RENAULT				




RN-82840				
A	F	O	ABS	I/M/O
23	23	57		M
APPLICABLE MODEL:				
RENAULT				




RN-82836				
A	F	O	ABS	I/M/O
23	25	56.3		O
APPLICABLE MODEL:				
RENAULT				




RN-82841				
A	F	O	ABS	I/M/O
27	25	64		O
APPLICABLE MODEL:				
RENAULT				




RN-82837				
A	F	O	ABS	I/M/O
23	30	57.5		I
APPLICABLE MODEL:				
RENAULT				




RN-82841A(44T)				
A	F	O	ABS	I/M/O
27	25	64		O
APPLICABLE MODEL:				
RENAULT				




RN-82837A(44T)				
A	F	O	ABS	I/M/O
23	30	57.5	44	I
APPLICABLE MODEL:				
RENAULT				




RN-82850				
A	F	O	ABS	I/M/O
25	20	54		M
APPLICABLE MODEL:				
RENAULT				




RN-82838				
A	F	O	ABS	I/M/O
21	30	51.5		I
APPLICABLE MODEL:				
RENAULT				




RN-82861				
A	F	O	ABS	I/M/O
23	23	58.8		I
APPLICABLE MODEL:				
RENAULT				




RN-82839				
A	F	O	ABS	I/M/O
20	20	45.4		O
APPLICABLE MODEL:				
RENAULT				




RN-82861A(44T)				
A	F	O	ABS	I/M/O
23	23	58.8		O
APPLICABLE MODEL:				
RENAULT				




RN-82201				
A	F	O	ABS	I/M/O
23	20	36.3		M
APPLICABLE MODEL:				
RENAULT				




RN-82206A(51T)				
A	F	O	ABS	I/M/O
28	33	67.1	51	I
APPLICABLE MODEL:				
RENAULT				




RN-82202				
A	F	O	ABS	I/M/O
21	23	46.3		I
APPLICABLE MODEL:				
RENAULT				




RN-82207				
A	F	O	ABS	I/M/O
23	25	53		O
APPLICABLE MODEL:				
RENAULT				




RN-82203				
A	F	O	ABS	I/M/O
21	22	50		O
APPLICABLE MODEL:				
RENAULT				




RN-82208				
A	F	O	ABS	I/M/O
21	22	46.4		I
APPLICABLE MODEL:				
RENAULT				




RN-82204				
A	F	O	ABS	I/M/O
21	20	57		M
APPLICABLE MODEL:				
RENAULT				




RN-82209				
A	F	O	ABS	I/M/O
21	22	46.3		M
APPLICABLE MODEL:				
RENAULT				




RN-82205				
A	F	O	ABS	I/M/O
23	20	36.3		O
APPLICABLE MODEL:				
RENAULT				




RN-82209A(38T)				
A	F	O	ABS	I/M/O
21	22	46.3	38	M
APPLICABLE MODEL:				
RENAULT				




RN-82206				
A	F	O	ABS	I/M/O
28	33	67.1		I
APPLICABLE MODEL:				
RENAULT				




RN-82210				
A	F	O	ABS	I/M/O
23	21	59		I
APPLICABLE MODEL:				
RENAULT				




RN-82210A(44T)				
A	F	O	ABS	I/M/O
23	21	59	44	I
APPLICABLE MODEL:				
RENAULT				




RN-82214				
A	F	O	ABS	I/M/O
23	21	56.3		M
APPLICABLE MODEL:				
RENAULT				




RN-82211				
A	F	O	ABS	I/M/O
23	27	64		I
APPLICABLE MODEL:				
RENAULT				




RN-82211A(30T)				
A	F	O	ABS	I/M/O
23	27	64		I
APPLICABLE MODEL:				
RENAULT				




RN-82212				
A	F	O	ABS	I/M/O
23	30	49		I
APPLICABLE MODEL:				
RENAULT				




RN-82213				
A	F	O	ABS	I/M/O
21	23	52.3		M
APPLICABLE MODEL:				
RENAULT				




RN-82213A(44T)				
A	F	O	ABS	I/M/O
21	23	52.3		M
APPLICABLE MODEL:				
RENAULT				




RV-82001				
A	F	O	ABS	I/M/O
28	32			I
APPLICABLE MODEL:				
ROVER ROVER 820 90UP				




RV-82004				
A	F	O	ABS	I/M/O
24	32	67	60	I
APPLICABLE MODEL:				
ROVER W/ABS				




RV-82001A(60T)				
A	F	O	ABS	I/M/O
28	32		60	I
APPLICABLE MODEL:				
ROVER ROVER 820 90UP W/ABS				




RV-82005				
A	F	O	ABS	I/M/O
24	32	67	60	I
APPLICABLE MODEL:				
ROVER W/ABS				




RV-82001F2				
A	F	O	ABS	I/M/O
28	32			I
APPLICABLE MODEL:				
ROVER				




RV-82005F2				
A	F	O	ABS	I/M/O
24	32	67		I
APPLICABLE MODEL:				
ROVER				




RV-82001F2A(45T)				
A	F	O	ABS	I/M/O
28	32		45	I
APPLICABLE MODEL:				
ROVER 800 820 2.0 16VI, SI, SE ABS(A.T./M.T.) -825 2.5 SI, STERLING 10/86-/-				




RV-82006				
A	F	O	ABS	I/M/O
24	27	66.7		I
APPLICABLE MODEL:				
ROVER				




RV-82002				
A	F	O	ABS	I/M/O
24	32	44.3		I
APPLICABLE MODEL:				
ROVER				




RV-82801				
A	F	O	ABS	I/M/O
26	23	49		I
APPLICABLE MODEL:				
ROVER ROVER 216 145 89 ROVER 200 216 93-95 W/ABS 200 COUPLE 216 1.6(M.T.)-216 1.6GT(M.T.)01/93-12/95 400 416 1.6 GTI(M.T.)-416 1.6(M.T.) 01/93-12/95				




RV-82003				
A	F	O	ABS	I/M/O
10	32	66.6		I
APPLICABLE MODEL:				
ROVER				




RV-82801A(50T)				
A	F	O	ABS	I/M/O
26	23	49	50	I
APPLICABLE MODEL:				
ROVER 200 COUPLE 216 1.6(M.T.)-216 1.6GT(M.T.) 01/93-12/95 400 416 1.6 GTI(M.T.)-416 1.6(M.T.) 01/93-12/95				




RV-82802				
A	F	O	ABS	I/M/O
28	32	60		I
APPLICABLE MODEL:				
ROVER 600 620 2.0 ABS-ALL MODELS ABS 05/94-02/99				




RV-82803				
A	F	O	ABS	I/M/O
26	22	49		I
APPLICABLE MODEL:				
ROVER 200 214 89-95 ROVER 4000 414 2002 14 1.4I, SI, GSI(M.T.)-214 1.4I, SI, GSI(M.T.)10/89-12/95 4004 14 SLL MODELS-414 ALL MODELS 01/89-/ /				




RV-82802A(45T)				
A	F	O	ABS	I/M/O
28	32	60	45	I
APPLICABLE MODEL:				
ROVER 600 620 2.0 ABS-ALL MODELS ABS 05/94-02/99				




RV-82803A(27T)				
A	F	O	ABS	I/M/O
26	22	49	27	I
APPLICABLE MODEL:				
ROVER 200 2 11 1.1 ABS 43T-218 1.8 VI ABS 43T 01/89-/ 25 1.4 16V ABS 43T-1.6 16V ABS 43T 10/99-/ 400 414 1.4 ABS 50T-411 1.4 ABS 50T 01/89-/ /				




RV-82802A(50T)				
A	F	O	ABS	I/M/O
28	32	60	50	I
APPLICABLE MODEL:				
ROVER 600 620 2.0 ABS-ALL MODELS ABS 05/94-02/99				




RV-82803A(43T)				
A	F	O	ABS	I/M/O
26	22	49	43	I
APPLICABLE MODEL:				
ROVER 200 2 11 1.1 ABS 43T-218 1.8 VI ABS 43T 01/89-/ 25 1.4 16V ABS 43T-1.6 16V ABS 43T 10/99-/ 400 414 1.4 ABS 50T-411 1.4 ABS 50T 01/89-/ /				




RV-82802F2				
A	F	O	ABS	I/M/O
28	32	60		I
APPLICABLE MODEL:				
ROVER 600 620 2.0 ABS-ALL MODELS ABS 05/94-02/99				




RV-82804				
A	F	O	ABS	I/M/O
26	22	55		I
APPLICABLE MODEL:				
ROVER ROVER 400 414 95UP ROVER 146 95UP W/ABS 400 414 1.4 SI-416 1.6 SI ABS 05/95-/ /				




RV-82802F2A(45T)				
A	F	O	ABS	I/M/O
28	32	60	45	I
APPLICABLE MODEL:				
ROVER 600 620 2.0 ABS-ALL MODELS ABS 05/94-02/99				




RV-82804A(43T)				
A	F	O	ABS	I/M/O
26	22	55	43	I
APPLICABLE MODEL:				
ROVER ROVER 400 414 95UP ROVER 146 95UP W/ABS 400 414 1.4 SI-416 1.6 SI ABS 05/95-/ /				




RV-82802F2A(50T)				
A	F	O	ABS	I/M/O
28	32	60	50	I
APPLICABLE MODEL:				
ROVER 600 620 2.0 ABS-ALL MODELS ABS 05/94-02/99				




RV-82805				
A	F	O	ABS	I/M/O
26	32	49		I
APPLICABLE MODEL:				
ROVER ROVER 200 218 SLD GSD 418 91-95 W/ABS				




RV-82805A(27T)				
A	F	O	ABS	I/M/O
26	32	49	27	I
APPLICABLE MODEL:				
ROVER ROVER 200 218 SLD GSD 41891-95 W/ABS 200 218 DIESEL ABS 27T-220 GTI 09/91-95/95 4004 18 SLD, GLD-420 2.0GSI, GTI, ABS 27(M.T.) 09/91-95/95				




RV-82808				
A	F	O	ABS	I/M/O
23	22	49		I
APPLICABLE MODEL:				
ROVER 2002 13 1.3(A.T./M.T.)-216 1.6(A.T./M.T.) 07/84-11/89				




RV-82805A(43T)				
A	F	O	ABS	I/M/O
26	32	49	43	I
APPLICABLE MODEL:				
ROVER ROVER 200 218 SLD GSD 41891-95 W/ABS 200 218 DIESEL ABS 27T-220 GTI 09/91-95/95 4004 18 SLD, GLD-420 2.0GSI, GTI, ABS 27(M.T.) 09/91-95/95				




RV-82806				
A	F	O	ABS	I/M/O
26	32	55		I
APPLICABLE MODEL:				
ROVER ROVER 218 416 W/ABS				




RV-82806A(43T)				
A	F	O	ABS	I/M/O
26	32	55	43	I
APPLICABLE MODEL:				
ROVER ROVER 218 416 W/ABS 200 220 2.0 SDI ABS-220 2.0 SDI ABS 01/97- / 25 2.0IDT ABS-2.0IDT ABS-/ 400 420 2.0 D, DI, ABS(M.T.)-420 2.0 D, DI, ABS(M.T.) 01/95-12/00 45 2.0IDT ABS (M.T.)-2.0IDT ABS(M.T.) 01/00- /				



RV-82807				
A	F	O	ABS	I/M/O
26	32	55		I
APPLICABLE MODEL:				
ROVER ROVER 218 416 W/ABS				



RV-82807A(50T)				
A	F	O	ABS	I/M/O
26	32	55	50	I
APPLICABLE MODEL:				
ROVER 400 THIN GAPS ABS 50T-THIN GAPS ABS 50T				



SA-82004				
A	F	O	ABS	I/M/O
26	25	56		O
APPLICABLE MODEL:				
SAAB 9000				


SA-82004A(46T)				
A	F	O	ABS	I/M/O
26	25	56	46	O
APPLICABLE MODEL:				
SAAB 9000				

SA-82004A(94T)				
A	F	O	ABS	I/M/O
25	25	56	94	O
APPLICABLE MODEL:				
SAAB 9000				


SA-82007				
A	F	O	ABS	I/M/O
25	25	56.5		O
APPLICABLE MODEL:				
SAAB				

SA-82801				
A	F	O	ABS	I/M/O
25	33	53		I
APPLICABLE MODEL:				
SAAB				


SB-82001					
A	F	O	ABS	I/M/O	
30	22	52		M	
APPLICABLE MODEL:					
SUBARU SUBARU Leone 2WD 79-84 1.3/1.6/1.8LA3A33A62A65AF1 AF2ABAAM1AMZ477-84					




SB-82010					
A	F	O	ABS	I/M/O	
27	30	56		M	
APPLICABLE MODEL:					
SUBARU Legacy 1.8L 89-90 BC3 BF3 89M/T BC2 M/T A/T Bc5 BF5 BFA89~					




SB-82002					
A	F	O	ABS	I/M/O	
30	23	52		M	
APPLICABLE MODEL:					
SUBARU ALL ROAD 4WD Leone 4WD 79-84 AF3AM3AF5/ABSAM5AJ579-84					




SB-82012					
A	F	O	ABS	I/M/O	
27	22	56		M	
APPLICABLE MODEL:					
SUBARU SUBARU Legacy 1.6 91-95 4WD Bc3 Bf3 89A/T SVX84-92 AWD					




SB-82003					
A	F	O	ABS	I/M/O	
30	22	58		M	
APPLICABLE MODEL:					
SUBARU LOYALE86-92 2WD SEDAN 86-90 2WD SUBARU COUPE 86-92WD Leone 2WD 1800 Kombi1800 85 xt 86-91 W/O TURBO 4CYLAAA2Ap2Aa4 84 WAGON 86-90 2WD					




SB-82014					
A	F	O	ABS	I/M/O	
24	19	50		M	
APPLICABLE MODEL:					
SUBARU SUBARU J10					




SB-82004					
A	F	O	ABS	I/M/O	
30	23	58		M	
APPLICABLE MODEL:					
SUBARU SUBARU LOYALE86-93 TURBO SEDAN86-93 4WD W/O TURBO SUBARU COUPE 86-92 WD Leone 4WD 85 AA3 AL3 AA5 AL5 84GL WAGON 86-93 4WD HATCHBACK 85-89 4WD					




SB-82016					
A	F	O	ABS	I/M/O	
27	21	50		M	
APPLICABLE MODEL:					
SUBARU J12 4WD J usty89-93 KA84WD 88					




SB-82005					
A	F	O	ABS	I/M/O	
30	25	58		M	
APPLICABLE MODEL:					
SUBARU LOYALE 85-90 TURBO SEDAN 85-90 TURBO SUBARU COUPE 85-90 TURBO LEONE 2WD 1800 KOMBI 1800 TURBO85 XT 86-87 TURBO A/T M/T ALL					




SB-82017					
A	F	O	ABS	I/M/O	
24	18	50		M	
APPLICABLE MODEL:					
SUBARU					




SB-82008					
A	F	O	ABS	I/M/O	
27	25	56		M	
APPLICABLE MODEL:					
SUBARU Legacy J95.90-93 2WD Bc4 Ej89~					




SB-82018					
A	F	O	ABS	I/M/O	
27	19	50		M	
APPLICABLE MODEL:					
SUBARU					




SB-82022				
A	F	O	ABS	I/M/O
27	30	56		I
APPLICABLE MODEL:				
SUBARU IMPERZA 2.0L W/TURBO AWD FWD				




SB-82803				
A	F	O	ABS	I/M/O
27	22	56		I
APPLICABLE MODEL:				
SUBARU				




SB-82024				
A	F	O	ABS	I/M/O
24	22	50		I
APPLICABLE MODEL:				
SUBARU IMPERZA 2.0L W/TURBO RWD				




SB-82803A(44T)				
A	F	O	ABS	I/M/O
27	22	56		I
APPLICABLE MODEL:				
SUBARU				




SB-82027				
A	F	O	ABS	I/M/O
24	18	50		M
APPLICABLE MODEL:				
SUBARU VIVIO A/T				




SB-82804				
A	F	O	ABS	I/M/O
27	30	56		I
APPLICABLE MODEL:				
SUBARU				




SB-82801				
A	F	O	ABS	I/M/O
27	23	56		I
APPLICABLE MODEL:				
SUBARU				




SB-82806				
A	F	O	ABS	I/M/O
30	22	52		M
APPLICABLE MODEL:				
SUBARU				




SB-82802				
A	F	O	ABS	I/M/O
27	30	56		I
APPLICABLE MODEL:				
SUBARU				




SB-82201				
A	F	O	ABS	I/M/O
30	22	58		M
APPLICABLE MODEL:				
SUBARU				




SB-82802A(44T)				
A	F	O	ABS	I/M/O
27	30	56	44	I
APPLICABLE MODEL:				
SUBARU				




SB-82202				
A	F	O	ABS	I/M/O
30	22	58		M
APPLICABLE MODEL:				
SUBARU				




SK-82022				
A	F	O	ABS	I/M/O
23	19	44		M
APPLICABLE MODEL:				
SUZUKI IREFLY85-88 SUZUKI FORSA SS88 SS30 SS40 SA310 ALTO 81-86. 1281-88 SA410 AA33 53 SA310 Sa413 SPRINT 85-88 3-CYL				




SK-82030				
A	F	O	ABS	I/M/O
23	22	49		M
APPLICABLE MODEL:				
SUZUKI 1.6L SWIFT				




SK-82023				
A	F	O	ABS	I/M/O
23	19	44		M
APPLICABLE MODEL:				
SUZUKI SS80				




SK-82801				
A	F	O	ABS	I/M/O
25	21	49		M
APPLICABLE MODEL:				
SUZUKI BALENO1.6-GT101/90-/				




SK-82024				
A	F	O	ABS	I/M/O
23	19	49		M
APPLICABLE MODEL:				
SUZUKI CULTUS1.3 1.0 89.UP A/T M/T DOHC AA34 AA44 AB44 88up Swift89.09-93(EXC GT GTI) internal groove GEO:METRO89-93(EXC Hatch back)				




SK-82802				
A	F	O	ABS	I/M/O
25	20	49		M
APPLICABLE MODEL:				
SUZUKI BALENO1.6-1.601/98-/				




SK-82025				
A	F	O	ABS	I/M/O
26	22	48		M
APPLICABLE MODEL:				
SUZUKI ESCUCO1.6 89-93 SIDEKICK89-95 GEO:TRACKER89-95				




SK-82803				
A	F	O	ABS	I/M/O
25	20	49		M
APPLICABLE MODEL:				
SUZUKI SUZUKI ESTEEM 1.6 MON-ABS 95-98				




SK-82026				
A	F	O	ABS	I/M/O
23	18	44		M
APPLICABLE MODEL:				
SUZUKI ALTO 800				




SK-82804				
A	F	O	ABS	I/M/O
23	20	49		O
APPLICABLE MODEL:				
SUZUKI				




SK-82027				
A	F	O	ABS	I/M/O
25	22	49		M
APPLICABLE MODEL:				
SUZUKI Plusa(E16) 1.6 Swift 88-93 DOHC A/T M/T GT/GTI				




SK-82806				
A	F	O	ABS	I/M/O
18	18	42		O
APPLICABLE MODEL:				
SUZUKI				




SK-82204				
A	F	O	ABS	I/M/O
25	28	51.8		O
APPLICABLE MODEL:				
SUZUKI				




SK-82209				
A	F	O	ABS	I/M/O
23	19	46		I
APPLICABLE MODEL:				
SUZUKI GEO: METRO SOHC1.3L 95-ABS SWIFT 1.3-1.3 19/95-/				




SK-82205				
A	F	O	ABS	I/M/O
25	21	49		I
APPLICABLE MODEL:				
SUZUKI				




SK-82209A(42T)				
A	F	O	ABS	I/M/O
23	19	46	42	I
APPLICABLE MODEL:				
SUZUKI GEO: METRO SOHC1.3L 95-ABS SWIFT 1.3 ABS 42T-1.3 ABS 42T 19/95-/				




SK-82206				
A	F	O	ABS	I/M/O
23	20	49		I
APPLICABLE MODEL:				
SUZUKI BLEND01.3L 95up				




SK-82220				
A	F	O	ABS	I/M/O
23	19	49		M
APPLICABLE MODEL:				
SUZUKI				




SK-82207				
A	F	O	ABS	I/M/O
25	19	49		I
APPLICABLE MODEL:				
SUZUKI				




SK-82221				
A	F	O	ABS	I/M/O
23	20	49		I
APPLICABLE MODEL:				
SUZUKI				




SK-82208				
A	F	O	ABS	I/M/O
23	20	49		M
APPLICABLE MODEL:				
SUZUKI SUZUKI SWIFT (NEW MODEL)				




SK-82208F2				
A	F	O	ABS	I/M/O
23	20	49		O
APPLICABLE MODEL:				
SUZUKI ALTO III 1-1 01/96-/ SWIFT 1.0-1.3 02/94-/ SWIFT III 1.0-1.0(A.T.) 01/89-12/99				




SO-82001				
A	F	O	ABS	I/M/O
22	22	45		I
APPLICABLE MODEL:				
SKODA FAVORIT 1.3-1.3 08/87-/ FELICIA 1.3(M.T.)-1.9 DIESEL(M.T.) 01/95-02/98 FORMAN 1.3-1.3 08/87-				




TO-82001				
A	F	O	ABS	I/M/O
26	23	56		I
APPLICABLE MODEL:				
TOYOTA COUPE 88-91 SR5V DX MR2 86-88 A/T RWD Corolla 84-92 PASEO 92-93 ALL TERCEL 87-90 Corona 1.6LA/T 171				




TO-82003				
A	F	O	ABS	I/M/O
30	27	33.46		I
APPLICABLE MODEL:				
TOYOTA				




TO-82001A(48T)				
A	F	O	ABS	I/M/O
26	23	56	48	I
APPLICABLE MODEL:				
TOYOTA COUPE 88-91 SR5V DX MR2 86-88 A/T RWD Corolla 84-92 PASEO 92-93 ALL TERCEL 87-90 Corona 1.6LA/T 171				




TO-82003F2				
A	F	O	ABS	I/M/O
30	27	33.46		I
APPLICABLE MODEL:				
TOYOTA HILUX2.0 YN60 4WD-2.8LN 106 4WD01/83-01/88 LAND CRUISER/HI-LUX/104.0FJ62 4WD-08/87- RUNNER LAND CRUISER/HI-LUX/162.4LJ71 4WD-2.4LJ71 4WD 10/85-04/90 RUNNER LAND CRUISER/HI-LUX/173.4BJ70 4WD-3.4BJ70 4WD 11/85-08/87 RUNNER LAND CRUISER/HI-LUX/84.0FJ60 4WD-4.0FJ60 4WD 08/87- RUNNER LAND CRUISER/HI-LUX/94.0HJ61 4WD-4.0HJ61 4WD 08/87- RUNNER				




TO-82002				
A	F	O	ABS	I/M/O
26	24	56		I
APPLICABLE MODEL:				
TOYOTA GEO: CELICA86-89 GT ST PRIZM90-91 ESI Corlla1.3 1.6L 88-92 4WD Corlla84-87D Corlla1300/1600 Camry83-87				




TO-82003F3				
A	F	O	ABS	I/M/O
30	27	33.46		M
APPLICABLE MODEL:				
TOYOTA				




TO-82002A(48T)				
A	F	O	ABS	I/M/O
26	24	56	48	I
APPLICABLE MODEL:				
TOYOTA GEO: CELICA86-89 GT ST PRIZM90-91 ESI Corlla1.3 1.6L 88-92 4WD Corlla84-87D Corlla1300/1600 Camry83-87				




TO-82003F4				
A	F	O	ABS	I/M/O
30	27	33.46		I
APPLICABLE MODEL:				
TOYOTA				




TO-82002F3				
A	F	O	ABS	I/M/O
26	24	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82004				
A	F	O	ABS	I/M/O
23	22	51		O
APPLICABLE MODEL:				
TOYOTA Tercel 80-82				




TO-82002F3A(48T)				
A	F	O	ABS	I/M/O
26	24	56	48	I
APPLICABLE MODEL:				
TOYOTA				




TO-82005				
A	F	O	ABS	I/M/O
23	22	51		O
APPLICABLE MODEL:				
TOYOTA Tercel 83-87				




TO-82006				
A	F	O	ABS	I/M/O
24	23	44.3		I
APPLICABLE MODEL:				
TOYOTA ROVER				




TO-82008F3				
A	F	O	ABS	I/M/O
26	25	56		M
APPLICABLE MODEL:				
TOYOTA CAMRY VISTA2.0 SV21-2.0 SV21 08/86-06/90 CAREN2.0 ST206-2.0 ST206 01/94-07-98 CELICA2.0 ST162-2.0 ST182 08/85-08/93 CORONA2.0 ST162-2.0 SV21 09/23-08/95				




TO-82007				
A	F	O	ABS	I/M/O
23	23	56		I
APPLICABLE MODEL:				
TOYOTA CORONA CARINA EP 70 EP 71 EP 76 V M/T Starlet 1.0 L ALL 83-88 NP 70(A/T)				




TO-82009				
A	F	O	ABS	I/M/O
26	24	56		M
APPLICABLE MODEL:				
TOYOTA CORONA 1.6L EE-100				




TO-82007A(48T)				
A	F	O	ABS	I/M/O
23	23	56	48	I
APPLICABLE MODEL:				
TOYOTA CORONA CARINA EP 70 EP 71 EP 76 V M/T Starlet 1.0L ALL 83-88 NP 70(A/T)				




TO-82009A(48T)				
A	F	O	ABS	I/M/O
26	24	56	48	M
APPLICABLE MODEL:				
TOYOTA CORONA 1.6L EE-100				




TO-82008				
A	F	O	ABS	I/M/O
26	25	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82010				
A	F	O	ABS	I/M/O
26	30	56		I
APPLICABLE MODEL:				
TOYOTA CAMRY88/91 4CYLACI A/T Corona 2.0 CD AT171 88-90 AT171 88-90 ST171 88				




TO-82008F2				
A	F	O	ABS	I/M/O
26	25	56		I
APPLICABLE MODEL:				
TOYOTA CARINA II 2.0 TURBO DIESEL-2.0 TURBO DIESEL01/88-12/92 CARINAII, SW(T17) 2.0(A.T./M.T.)-2.0(A.T./M.T.) 12/87-02/92				




TO-82010A(48T)				
A	F	O	ABS	I/M/O
26	30	56	48	I
APPLICABLE MODEL:				
TOYOTA CAMRY88/91 4CYLACI A/T Corona 2.0 CD AT171 88-90 AT171 88-90 ST171 88				




TO-82008F2A(48T)				
A	F	O	ABS	I/M/O
26	25	56	48	I
APPLICABLE MODEL:				
TOYOTA CARINAII2.0 TURBO DIESEL ABS48T -2.0 TURBO DIESEL ABS 48T01/88-12/92 CARINAII, SW(T17)2.0(A.T./M.T.) ABS 48T -2.0(A.T./M.T.) ABS 48T 12/87-02/92 CELICA2.0 ABS 48T-2.0 ABS 48T 01/86-12/89 CORONA2.0 ABS 48T-2.0 ABS 48T 01/87-12/92				




TO-82010F3				
A	F	O	ABS	I/M/O
26	30	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82031F2				
A	F	O	ABS	I/M/O
30	26	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82041A(48T)				
A	F	O	ABS	I/M/O
26	27	56	48	I
APPLICABLE MODEL:				
TOYOTA 91-97 PREVIA VAN W/ABS ESTIMA 96UP				




TO-82031F2A(48T)				
A	F	O	ABS	I/M/O
30	26	56	48	M
APPLICABLE MODEL:				
TOYOTA				




TO-82802				
A	F	O	ABS	I/M/O
30	24	59		I
APPLICABLE MODEL:				
TOYOTA LAND CRUISER4.5 24V V6-4.5 24V V601/94-/				




TO-82032				
A	F	O	ABS	I/M/O
26	26	56		M
APPLICABLE MODEL:				
TOYOTA LEVIN Super charge				




TO-82804				
A	F	O	ABS	I/M/O
30	24	59		I
APPLICABLE MODEL:				
TOYOTA HILUX HDJ80 HZJ80-HDJ80 HZJ80 05/90-/				




TO-82034				
A	F	O	ABS	I/M/O
26	34	69		I
APPLICABLE MODEL:				
TOYOTA Tacoma 4*4 W/manual Locking Hub 95-98				




TO-82804A(48T)				
A	F	O	ABS	I/M/O
30	24	59	48	I
APPLICABLE MODEL:				
TOYOTA HILUX HDJ80 HZJ80-HDJ80 HZJ80 05/90-/				




TO-82035				
A	F	O	ABS	I/M/O
30	34	69		I
APPLICABLE MODEL:				
TOYOTA Tacoma 4*4 W/manual Locking Hub 95-98				




TO-82805				
A	F	O	ABS	I/M/O
26	24	56		I
APPLICABLE MODEL:				
TOYOTA CALDINA 1.8 ST190G-2.0 ST195G 4WD 11/92-09/97 CAMRY VISTA 1.8 SV40-1.8 SV4007/94-06/98 COROLLA(SOUTH AFRICA)180 I GSE ABS 48T-RX I ABS 48T01/96-/				




TO-82041				
A	F	O	ABS	I/M/O
26	27	56		I
APPLICABLE MODEL:				
TOYOTA 91-97 PREVIA VAN W/ABS ESTIMA 96UP				




TO-82805A(48T)				
A	F	O	ABS	I/M/O
26	24	56	48	I
APPLICABLE MODEL:				
TOYOTA CALDINA 1.8 ST190G-2.0 ST195G 4WD 11/92-09/97 CAMRY VISTA 1.8 SV40-1.8 SV4007/94-06/98 COROLLA(SOUTH AFRICA)180 I GSE ABS 48T-RX I ABS 48T01/96-/				




TO-82822				
A	F	O	ABS	I/M/O
26	22	56		M
APPLICABLE MODEL:				
TOYOTA TERCEL 1.3-ALL MODELS ABS 01/91-12/94				




TO-82826				
A	F	O	ABS	I/M/O
26	23	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82822A(48T)				
A	F	O	ABS	I/M/O
26	22	56	48	M
APPLICABLE MODEL:				
TOYOTA TERCEL 1.3-ALL MODELS ABS 01/91-12/94				




TO-82827				
A	F	O	ABS	I/M/O
30	24	59		I
APPLICABLE MODEL:				
TOYOTA LAND CRUISER/HI-LUX/114.0 J80G 10/89-08/92 RUNNER LAND CRUISER/HI-LUX/124.2 J80G 4 WD-4.2 J80 4WD 01/90-/ RUNNER LAND CRUISER/HI-LUX/144.5 J80G 4WD-4.5 J80G 4WD 08/92-01/98 RUNNER				




TO-82823				
A	F	O	ABS	I/M/O
24	22	56		I
APPLICABLE MODEL:				
TOYOTA PLATZ ECHO 1.3 NCP10ABS-1.3 NCP10ABS 01/99-/ 1.3 NCP10ABS				




TO-82828				
A	F	O	ABS	I/M/O
30	24	59		I
APPLICABLE MODEL:				
TOYOTA LAND CRUISER/HI-LUX/134.5 J80 G 4 WD-4.5 J80G 4WD08/92-01/98 RUNNER LAND CRUISER/HI-LUX/144.0 J80 G-4.0 J80 G 10/89-08/92 RUNNER LAND CRUISER/HI-LUX/54.2 J80 4 WD-4.2 J80 4WD04/94-/ 134.5 J80 G 4				




TO-82823A(48T)				
A	F	O	ABS	I/M/O
24	22	56	48	I
APPLICABLE MODEL:				
TOYOTA PLATZ ECHO 1.3 NCP10ABS-1.3 NCP10ABS 01/99-/ 1.3 NCP10ABS				




TO-82829				
A	F	O	ABS	I/M/O
26	25	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82824				
A	F	O	ABS	I/M/O
26	33	58		I
APPLICABLE MODEL:				
TOYOTA				




TO-82829A(48T)				
A	F	O	ABS	I/M/O
26	25	56	48	M
APPLICABLE MODEL:				
TOYOTA				




TO-82825				
A	F	O	ABS	I/M/O
26	32	56		M
APPLICABLE MODEL:				
TOYOTA SCEPTER 2.2 SXV10-2.2 SXV10 11/92-08/96				




TO-82830				
A	F	O	ABS	I/M/O
26	22	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82839				
A	F	O	ABS	I/M/O
26	23	58		M
APPLICABLE MODEL:				
TOYOTA				




TO-82844				
A	F	O	ABS	I/M/O
30	28	63		I
APPLICABLE MODEL:				
TOYOTA				




TO-82839A(48T)				
A	F	O	ABS	I/M/O
26	23	58	48	M
APPLICABLE MODEL:				
TOYOTA				




TO-82845				
A	F	O	ABS	I/M/O
26	24	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82840				
A	F	O	ABS	I/M/O
24	23	58		I
APPLICABLE MODEL:				
TOYOTA				




TO-82846				
A	F	O	ABS	I/M/O
26	24	58		I
APPLICABLE MODEL:				
TOYOTA				




TO-82841				
A	F	O	ABS	I/M/O
23	23	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82847				
A	F	O	ABS	I/M/O
30	24	63		I
APPLICABLE MODEL:				
TOYOTA				




TO-82842				
A	F	O	ABS	I/M/O
26	27	69		I
APPLICABLE MODEL:				
TOYOTA				




TO-82848				
A	F	O	ABS	I/M/O
30	30	70		I
APPLICABLE MODEL:				
TOYOTA				




TO-82843				
A	F	O	ABS	I/M/O
26	24	61		M
APPLICABLE MODEL:				
TOYOTA				




TO-82849				
A	F	O	ABS	I/M/O
24	21	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82850				
A	F	O	ABS	I/M/O
24	21	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82855				
A	F	O	ABS	I/M/O
30	24	59		I
APPLICABLE MODEL:				
TOYOTA				




TO-82851				
A	F	O	ABS	I/M/O
26	24	61		M
APPLICABLE MODEL:				
TOYOTA				




TO-82855A(48T)				
A	F	O	ABS	I/M/O
30	24	59	48	I
APPLICABLE MODEL:				
TOYOTA				




TO-82852				
A	F	O	ABS	I/M/O
30	26	61		M
APPLICABLE MODEL:				
TOYOTA				




TO-82856				
A	F	O	ABS	I/M/O
26	25	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82852A(48T)				
A	F	O	ABS	I/M/O
30	26	61	48	M
APPLICABLE MODEL:				
TOYOTA				




TO-82856A(48T)				
A	F	O	ABS	I/M/O
26	25	56	48	I
APPLICABLE MODEL:				
TOYOTA				




TO-82853				
A	F	O	ABS	I/M/O
23	23	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82872				
A	F	O	ABS	I/M/O
30	26	61		M
APPLICABLE MODEL:				
TOYOTA				




TO-82853A(48T)				
A	F	O	ABS	I/M/O
23	23	56	48	I
APPLICABLE MODEL:				
TOYOTA				




TO-82872A(48T)				
A	F	O	ABS	I/M/O
30	26	61	48	M
APPLICABLE MODEL:				
TOYOTA				




TO-82877				
A	F	O	ABS	I/M/O
26	29	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82201A(48T)				
A	F	O	ABS	I/M/O
26	23	56	48	I
APPLICABLE MODEL:				
TOYOTA				




TO-82880				
A	F	O	ABS	I/M/O
26	29	72.5		M
APPLICABLE MODEL:				
TOYOTA				




TO-82202				
A	F	O	ABS	I/M/O
26	23	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82895				
A	F	O	ABS	I/M/O
26	24	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82202A(48T)				
A	F	O	ABS	I/M/O
26	23	56	48	I
APPLICABLE MODEL:				
TOYOTA				




TO-82899				
A	F	O	ABS	I/M/O
30	26	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82203				
A	F	O	ABS	I/M/O
26	25	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82899A(48T)				
A	F	O	ABS	I/M/O
30	26	56	48	M
APPLICABLE MODEL:				
TOYOTA				




TO-82204				
A	F	O	ABS	I/M/O
26	24	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82201				
A	F	O	ABS	I/M/O
26	23	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82205				
A	F	O	ABS	I/M/O
26	23	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82206				
A	F	O	ABS	I/M/O
30	27	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82212				
A	F	O	ABS	I/M/O
26	32	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82207				
A	F	O	ABS	I/M/O
26	23	56		I
APPLICABLE MODEL:				
TOYOTA				




TO-82212A(48T)				
A	F	O	ABS	I/M/O
26	32	56	48	I
APPLICABLE MODEL:				
TOYOTA				




TO-82208				
A	F	O	ABS	I/M/O
26	26	61		M
APPLICABLE MODEL:				
TOYOTA				




TO-82213				
A	F	O	ABS	I/M/O
26	24	58		I
APPLICABLE MODEL:				
TOYOTA				




TO-82209				
A	F	O	ABS	I/M/O
26	26	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82213A(48T)				
A	F	O	ABS	I/M/O
26	24	58		I
APPLICABLE MODEL:				
TOYOTA				




TO-82210				
A	F	O	ABS	I/M/O
26	24	56		M
APPLICABLE MODEL:				
TOYOTA				




TO-82215				
A	F	O	ABS	I/M/O
30	27	61		M
APPLICABLE MODEL:				
TOYOTA				



TO-82211				
A	F	O	ABS	I/M/O
26	23	56		I
APPLICABLE MODEL:				
TOYOTA				



TO-82215A(48T)				
A	F	O	ABS	I/M/O
30	27	61	48	M
APPLICABLE MODEL:				
TOYOTA				



TO-82223					
A	F	O	ABS	I/M/O	
26	23	56		I	
APPLICABLE MODEL:					
TOYOTA					

Technical drawing of CV joint assembly TO-82223. Dimensions include: M23x1.5, TBETH-26, TBETH-23, 60.5, 96.5, 55, 15, 56, 70, 82, and I.

TO-82224					
A	F	O	ABS	I/M/O	
26	24	61		M	
APPLICABLE MODEL:					
TOYOTA					

Technical drawing of CV joint assembly TO-82224. Dimensions include: M23x1.5, TBETH-26, TBETH-24, 61, 99.5, 67, 9, 61, 84.4, and M.

TO-82224A(48T)					
A	F	O	ABS	I/M/O	
26	24	61	48	M	
APPLICABLE MODEL:					
TOYOTA					

Technical drawing of CV joint assembly TO-82224A(48T). Dimensions include: M23x1.5, TBETH-26, TBETH-48, TBETH-24, 61, 99.5, 67, 12, 61, 80, 84.4, and M.

TO-82225					
A	F	O	ABS	I/M/O	
26	26	56		M	
APPLICABLE MODEL:					
TOYOTA					

Technical drawing of CV joint assembly TO-82225. Dimensions include: M23x1.5, TBETH-26, TBETH-26, 60, 99.5, 66.5, 15, 92, 56, 81.3, and M.


TO-82228					
A	F	O	ABS	I/M/O	
26	32	56		I	
APPLICABLE MODEL:					
TOYOTA					

Technical drawing of CV joint assembly TO-82228. Dimensions include: M23x1.5, TBETH-26, TBETH-32, 63, 97.5, 67, 15.5, 92, 56, 87, and I.


TO-82229					
A	F	O	ABS	I/M/O	
26	22	56		I	
APPLICABLE MODEL:					
TOYOTA					

Technical drawing of CV joint assembly TO-82229. Dimensions include: M23x1.5, TBETH-26, TBETH-22, 60.5, 95, 51, 14.5, 84, 56, 80, and I.


VO-82001				
A	F	O	ABS	I/M/O
26	25	56.5		O
APPLICABLE MODEL:				
VOLVO Volvo 850				




VO-82003A(43T)				
A	F	O	ABS	I/M/O
25	25	54	43	O
APPLICABLE MODEL:				
VOLVO				




VO-82001A(48T)				
A	F	O	ABS	I/M/O
26	25	56.5	48	O
APPLICABLE MODEL:				
VOLVO				




VO-82801				
A	F	O	ABS	I/M/O
22	25	50		O
APPLICABLE MODEL:				
VOLVO 460 1.7 TURBO ABS-1.9 TDIABS 01/88-12/96 480 E 1.7 TURBO ABS-1.7 TURBOABS 01/88-12/96				




VO-82001F2				
A	F	O	ABS	I/M/O
26	25	56.5		O
APPLICABLE MODEL:				
VOLVO				




VO-82801A(44T)				
A	F	O	ABS	I/M/O
22	25	50	44	O
APPLICABLE MODEL:				
VOLVO 460 1.7 TURBO ABS-1.9 TDIABS 01/98-12/96 480 E 1.7 TURBOABS-1.7 TURBOABS 01/88-12/96				




VO-82002				
A	F	O	ABS	I/M/O
26	28	56.5		O
APPLICABLE MODEL:				
VOLVO VOLVO850 95-97 W/ABS				




VO-82802				
A	F	O	ABS	I/M/O
22	22	50		O
APPLICABLE MODEL:				
VOLVO				




VO-82002A(48T)				
A	F	O	ABS	I/M/O
26	28	56.5	48	O
APPLICABLE MODEL:				
VOLVO VOLVO 850 95-97 W/ABS				




VO-82802A(44T)				
A	F	O	ABS	I/M/O
22	22	50	44	O
APPLICABLE MODEL:				
VOLVO 4401.7 ABS(M.T.)-2.0 ABS(M.T.) 08/88-07/96 4601.7 ABS(M.T.)-1.7 ABS(M.T.) 09/88-07/92 4801.7 ABS-1.7 ABS01/86-/ 480 E1.7 ABS 44T(M.T.)-1.7 ABS 44T(M.T.) 04/86-07/90				



VO-82003				
A	F	O	ABS	I/M/O
25	25	54		O
APPLICABLE MODEL:				
VOLVO				



VO-82803				
A	F	O	ABS	I/M/O
25	33	54		M
APPLICABLE MODEL:				
VOLVO				



VO-82803A(43T)					
A	F	O	ABS	I/M/O	
25	33	54	43	M	
APPLICABLE MODEL:					
VOLVO					

VO-82201A(43T)					
A	F	O	ABS	I/M/O	
26	33	54	43	M	
APPLICABLE MODEL:					
VOLVO					

VO-82804					
A	F	O	ABS	I/M/O	
36	27	56.5		M	
APPLICABLE MODEL:					
VOLVO					


VO-82804A(48T)					
A	F	O	ABS	I/M/O	
36	27	56.5	48	M	
APPLICABLE MODEL:					
VOLVO					

VO-82805					
A	F	O	ABS	I/M/O	
36	33	56.5		M	
APPLICABLE MODEL:					
VOLVO					


VO-82805A(48T)					
A	F	O	ABS	I/M/O	
36	33	56.5	48	M	
APPLICABLE MODEL:					
VOLVO					

VO-82201					
A	F	O	ABS	I/M/O	
26	33	54		M	
APPLICABLE MODEL:					
VOLVO					


VW-82001				
A	F	O	ABS	I/M/O
22	30	50		O
APPLICABLE MODEL:				
VOLKSWAGEN Pick up 74-80 Golf KARMANN GHIA68-79 Jetta80-81 Rabbit74-80 Scirocc74-80				




VW-82011F3				
A	F	O	ABS	I/M/O
22	30	51		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82002				
A	F	O	ABS	I/M/O
22	30	50		I
APPLICABLE MODEL:				
VOLKSWAGEN GOLR85-92 Jeta1.8 81-91 PICK up 81-84 Scirocco 81-84				




VW-82013				
A	F	O	ABS	I/M/O
22	25	51		O
APPLICABLE MODEL:				
VOLKSWAGEN VW Passat 5 CY				




VW-82005				
A	F	O	ABS	I/M/O
22	30	50		I
APPLICABLE MODEL:				
VOLKSWAGEN AUDI: 4000 4YCL 79-80 FOX 72-79 Scirocco86UP SANTANA82-83 CABRIOLET8V 85-87 DASNER73-81 M/T				




VW-82016				
A	F	O	ABS	I/M/O
22	30	50		I
APPLICABLE MODEL:				
VOLKSWAGEN GOLT 85 JETTA 1.8				




VW-82005F2				
A	F	O	ABS	I/M/O
22	30	50		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82017				
A	F	O	ABS	I/M/O
20	30	45.5		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82010				
A	F	O	ABS	I/M/O
22	30	51		O
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82018				
A	F	O	ABS	I/M/O
38	33	60.2		I
APPLICABLE MODEL:				
VOLKSWAGEN T4 2.0				




VW-82011F2				
A	F	O	ABS	I/M/O
22	30	51		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82018A(48T)				
A	F	O	ABS	I/M/O
38	33	60.2	48	I
APPLICABLE MODEL:				
VOLKSWAGEN T4 2.0				




VW-82020				
A	F	O	ABS	I/M/O
22	30	53.2		I
APPLICABLE MODEL:				
VOLKSWAGEN VW GOLF 93-95 JETTA 4 CYL GTI A/T W/OAIR BAG				




VW-82803				
A	F	O	ABS	I/M/O
22	32	53.2		O
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82027				
A	F	O	ABS	I/M/O
22	30	53		I
APPLICABLE MODEL:				
VOLKSWAGEN SEAT: TOLEDO 1.6L				




VW-82804				
A	F	O	ABS	I/M/O
36	30	53		I
APPLICABLE MODEL:				
VOLKSWAGEN A2 1.6(M.T.)-1.6(M.T.)12/96-/				




VW-82028				
A	F	O	ABS	I/M/O
38	27	60.2		I
APPLICABLE MODEL:				
VOLKSWAGEN T4-2500C.C				




VW-82805				
A	F	O	ABS	I/M/O
22	30	51		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82028A(48T)				
A	F	O	ABS	I/M/O
38	27	60.2	48	I
APPLICABLE MODEL:				
VOLKSWAGEN T4-2500C.C				




VW-82805A(43T)				
A	F	O	ABS	I/M/O
22	30	51	43	I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82029				
A	F	O	ABS	I/M/O
36	30	53.2		I
APPLICABLE MODEL:				
VOLKSWAGEN Corrado 2.8L 92-96 Passat 2.8L V6 92-97 Golf/Jetta 2.8L VR 6 95-96				




VW-82805A(96T)				
A	F	O	ABS	I/M/O
22	30	51	96	I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82802				
A	F	O	ABS	I/M/O
22	30	51		I
APPLICABLE MODEL:				
VOLKSWAGEN 4000(A.T.) 5 CYL COUPE -5 CYL COUPE 01/83-12/87 4000(M.T.) 5 CYL COUP-5 CYL COUPE 01/83-12/87 4000 QUATTRO 2.3 FWD-2.3 FWD 01/83-12/87 80-80 AVANT-90(A.T.) 1.9-2.3 08/81-07/88 80-80 AVANT QUATTRO-90 QUATTRO FWD (M.T.) 1.8, 1.8 QUATTRO-All Models 08/82-09/91				




VW-82806				
A	F	O	ABS	I/M/O
22	30	53		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82807				
A	F	O	ABS	I/M/O
26	25	65		O
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82814				
A	F	O	ABS	I/M/O
22	28	51		O
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82808				
A	F	O	ABS	I/M/O
36	27	53		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82815				
A	F	O	ABS	I/M/O
22	30	51		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82809				
A	F	O	ABS	I/M/O
22	30	53		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82816				
A	F	O	ABS	I/M/O
22	30	53		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82811				
A	F	O	ABS	I/M/O
22	30	53		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82201				
A	F	O	ABS	I/M/O
22	30	53		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82812				
A	F	O	ABS	I/M/O
36	30	52		I
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-82202				
A	F	O	ABS	I/M/O
22	25	53		M
APPLICABLE MODEL:				
VOLKSWAGEN				



VW-82813				
A	F	O	ABS	I/M/O
22	30	51.5		I
APPLICABLE MODEL:				
VOLKSWAGEN				



VW-82203				
A	F	O	ABS	I/M/O
22	30	50.6		M
APPLICABLE MODEL:				
VOLKSWAGEN				



VW-82205					
A	F	O	ABS	I/M/O	
22	28	51		M	
APPLICABLE MODEL:					
VOLKSWAGEN					


VW-82206					
A	F	O	ABS	I/M/O	
22	30	52		I	
APPLICABLE MODEL:					
VOLKSWAGEN					

VW-82207					
A	F	O	ABS	I/M/O	
22	30	53		I	
APPLICABLE MODEL:					
VOLKSWAGEN					


VW-82208					
A	F	O	ABS	I/M/O	
36	27	59.5		I	
APPLICABLE MODEL:					
VOLKSWAGEN					

VW-82209					
A	F	O	ABS	I/M/O	
20	30	45.5		I	
APPLICABLE MODEL:					
VOLKSWAGEN					


AD-62502				
A	F	D	H	I/M/O
	28	108	40	
APPLICABLE MODEL:				
AUDI				




AF-62701				
A	F	D	H	I/M/O
	24	94	32	
APPLICABLE MODEL:				
ALFA				




CH-62502				
A	F	O	ABS	I/M/O
23	23	40		
APPLICABLE MODEL:				
CHRYSLER				




CH-62513				
A	F	O	ABS	I/M/O
25	32	40		
APPLICABLE MODEL:				
CHRYSLER 91- 3000C 3300C.C				




CH-62507				
A	F	O	ABS	I/M/O
25	30	40		
APPLICABLE MODEL:				
CHRYSLER				




CH-62514				
A	F	O	ABS	I/M/O
25	32	28		
APPLICABLE MODEL:				
CHRYSLER 91- 3000cc 3300cc				




CH-62508				
A	F	O	ABS	I/M/O
23	30	40		
APPLICABLE MODEL:				
CHRYSLER				




CH-62515				
A	F	O	ABS	I/M/O
25	25	28		
APPLICABLE MODEL:				
CHRYSLER 87-90				




CH-62509				
A	F	O	ABS	I/M/O
25	25	40		
APPLICABLE MODEL:				
CHRYSLER 89-90				




CH-62517				
A	F	O	ABS	I/M/O
23	23	28		
APPLICABLE MODEL:				
CHRYSLER 84-86 DODGE CARAVAN DODEE RAM VAN PLYMOUTH VOYAGAR				




CH-62511				
A	F	O	ABS	I/M/O
25	28	40		
APPLICABLE MODEL:				
CHRYSLER NEON 2000 95- DODGE/Plymouth D/S				




CH-62519				
A	F	O	ABS	I/M/O
27	32	39.8		
APPLICABLE MODEL:				
CHRYSLER Concorde 93-95 B/S LHS B/S EAGLE VISION 93-95 B/S				




CH-62512				
A	F	O	ABS	I/M/O
25	28	28		
APPLICABLE MODEL:				
CHRYSLER NEON 2000 95- DODGE/Plymouth P/S				




CH-62520				
A	F	O	ABS	I/M/O
25	32	40		
APPLICABLE MODEL:				
CHRYSLER DODGE STRATUS 95-97 PLYMOUTH BREEZE 96-97				




CH-62521				
A	F	D	H	I/M/O
34	142.8	104		
APPLICABLE MODEL:				
CHRYSLER DODGE DAKOTA 91-93 4*4				




CH-62703				
A	F	O	ABS	I/M/O
25	23	40		
APPLICABLE MODEL:				
CHRYSLER TOWNAND ALL 2WD W/O ABS T96-99-96-99 DODGE CARAVAN. ALL 4WD W/O ABS FRONT96-99-96-99 ALL 2WD W/O ABS96-99-96-99 PLYMOUTH				




CH-62523				
A	F	O	ABS	I/M/O
23	30	28		
APPLICABLE MODEL:				
CHRYSLER PLYMOUTH TURISMO 1.6L 2.2L A/T W/O TURBO				




CH-62704				
A	F	O	ABS	I/M/O
25	28	40		
APPLICABLE MODEL:				
CHRYSLER DODGE NEON AT W/O ABS95-99-95-99 MT W/O ABS95-99-95-99 PLYMOUTH NEON AT W/O ABS95-99-95-99 MT W/O ABS95-99-95-99				




CH-62526				
A	F	O	ABS	I/M/O
25	32	40		
APPLICABLE MODEL:				
CHRYSLER TOWN& COUNTRY FWD 96-97				




CH-62707				
A	F	O	ABS	I/M/O
37	30	40.2		
APPLICABLE MODEL:				
CHRYSLER				




CH-62527				
A	F	O	ABS	I/M/O
25	32	28		
APPLICABLE MODEL:				
CHRYSLER DODGE CARVAN 3.0L FWD V6 96-97 PLYMOUTH VOYAGER 3.0L FWD V6				




CH-62708				
A	F	O	ABS	I/M/O
25	32	40		
APPLICABLE MODEL:				
CHRYSLER				




CH-62701				
A	F	O	ABS	I/M/O
25	30	40		
APPLICABLE MODEL:				
CHRYSLER TOWNAND 2WD W/O ABS W/INTER.SHAFT SYS90-95-90-95				




CH-62709				
A	F	O	ABS	I/M/O
25	32	28		
APPLICABLE MODEL:				
CHRYSLER				




CH-62702				
A	F	O	ABS	I/M/O
25	28	28		
APPLICABLE MODEL:				
CHRYSLER				




CH-62710				
A	F	O	ABS	I/M/O
23	32	25.7		
APPLICABLE MODEL:				
CHRYSLER				




CH-62711				
A	F	O	ABS	I/M/O
25	30	40		
APPLICABLE MODEL:				
CHRYSLER				




CH-62201				
A	F	O	ABS	I/M/O
25	24	40		
APPLICABLE MODEL:				
CHRYSLER				




CH-62712				
A	F	O	ABS	I/M/O
25	25	40		
APPLICABLE MODEL:				
CHRYSLER				




CH-62202				
A	F	O	ABS	I/M/O
27	35	35.9		
APPLICABLE MODEL:				
CHRYSLER				




CH-62713				
A	F	D	H	I/M/O
	34	143	110	
APPLICABLE MODEL:				
CHRYSLER				




CH-62203				
A	F	O	ABS	I/M/O
29	35	45		
APPLICABLE MODEL:				
CHRYSLER				




CH-62714				
A	F	O	ABS	I/M/O
25	32	28		
APPLICABLE MODEL:				
CHRYSLER				




CH-62204				
A	F	O	ABS	I/M/O
27	32	47		
APPLICABLE MODEL:				
CHRYSLER				




CH-62723				
A	F	O	ABS	I/M/O
29	35	45		
APPLICABLE MODEL:				
CHRYSLER				




CH-62724				
A	F	O	ABS	I/M/O
27	35	35.9		
APPLICABLE MODEL:				
CHRYSLER				




CT-62501				
A	F	O	ABS	I/M/O
24	34	40		
APPLICABLE MODEL:				
PEUGEOT				




CT-62509				
A	F	O	ABS	I/M/O
22	22	29.85		
APPLICABLE MODEL:				
PEUGEOT 205 1.4L M/T 86-95				




CT-62502				
A	F	O	ABS	I/M/O
24	34	29.8		
APPLICABLE MODEL:				
PEUGEOT				




CT-62509F2				
A	F	O	ABS	I/M/O
22	22	29.85		
APPLICABLE MODEL:				
CITROEN				




CT-62505				
A	F	O	ABS	I/M/O
30	30	57.3		
APPLICABLE MODEL:				
PEUGEOT				




CT-62510				
A	F	O	ABS	I/M/O
24	22	40		
APPLICABLE MODEL:				
PEUGEOT 305 309 405 TW				




CT-62506				
A	F	O	ABS	I/M/O
24	29	40		
APPLICABLE MODEL:				
PEUGEOT 405 89-91 W/ABS				




CT-62511				
A	F	O	ABS	I/M/O
24	22	29.8		
APPLICABLE MODEL:				
PEUGEOT 305 309 405 TW				




CT-62507				
A	F	O	ABS	I/M/O
24	29	29.8		
APPLICABLE MODEL:				
CITROEN 405 89-91 W/ABS				




CT-62702				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
CITROEN AX 1.3 SPORT-1.4 gear MA 07/91-07/91 10-11 Jantes 3 trous 14 Sprrt- Diesel 07/91-07/91 PEUGEOT 106 1.0-1.1 4CV XN-XR JANTES 3 TROUS MA				




CT-62508				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
PEUGEOT 205 1.4L M/T 86-95				




CT-62703				
A	F	O	ABS	I/M/O
22	22	40.4		
APPLICABLE MODEL:				
CITROEN AX1.3 SPORT-1.4 gear MA 07/91-07/91 10-11 Jantes 3 trous 14 Sport-Diesel 07/91-07/91 1.0-1.1 gear MA 09/86-09/86				




CT-62704				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
PEUGEOT 206 1.1L-1.4L MOTEUR TU MA 09/98-09/98				




CT-62710				
A	F	O	ABS	I/M/O
41	39	43		
APPLICABLE MODEL:				
CITROEN JUMPER 3T1 2.5 Diesel 2.5 Turbo Diesel 2.5 TDI1800 kgs MG5T02/94-02/94 PEUGEOT BOXER 3T1 2.5 Diesel 2.5 Turbo Diesel ME5T 02/94-02/94				




CT-62705				
A	F	O	ABS	I/M/O
22	22	29.85		
APPLICABLE MODEL:				
PEUGEOT 206 1.1L-1.4L MOTEUR TU MA 09/98-09/98				




CT-62711				
A	F	O	ABS	I/M/O
41	39	34.8		
APPLICABLE MODEL:				
CITROEN JUMPER 3T1 2.5 Diesel 2.5 Turbo Diesel 2.5 TDI1800 kgs MG5T 02/94-02/94				




CT-62706				
A	F	O	ABS	I/M/O
41	45	34.9		
APPLICABLE MODEL:				
CITROEN JUMPER 3T5 2.0 Essence 2.5 Diesel 2.5 Turbo Diesel 2.5 TDI 1800 kgs 02/94-02/94 2.5 TDI MG5T				




CT-62714				
A	F	O	ABS	I/M/O
37	37	32		
APPLICABLE MODEL:				
CITROEN XM Diesel- Turbo Diesel Moteur ZPJ/XUME5T 05/89-06/94-05/89-0 V6-V6 24 soupapes 2L Turbo C.T/3L Ess TD 12 soupapes 05/89-06/94-05/89-0 Automatique ZF6/94				




CT-62707				
A	F	O	ABS	I/M/O
41	45	43		
APPLICABLE MODEL:				
CITROEN JUMPER 3T5 2.0 Essence 2.5 Diesel 2.5 Turbo Diesel 2.5 TDI 1800 kgs 02/94-02/94 2.5 TDI MG5T				




CT-62715				
A	F	O	ABS	I/M/O
37	37	40		
APPLICABLE MODEL:				
CITROEN XM Diesel- Turbo Diesel Mdeur ZPJ/XUME5T 05/89-06/94-05/89-0 V6-V6 24 soupapes 2L Turbo C.T/3L Ess TD 12 soupapes 05/89-06/94-05/89-0 Automatique ZF6/94				




CT-62708				
A	F	O	ABS	I/M/O
25	37	28.2		
APPLICABLE MODEL:				
CITROEN C25 Essence/ Diesel Sauf Moteur XUD9 Voir Notice- PEUGEOT J5 Essence Diesel Sauf MOTEUR XUD9 81-81				




CT-62716				
A	F	O	ABS	I/M/O
37	39	40		
APPLICABLE MODEL:				
CITROEN JUMPER 2T7-3T1 2.0 Essence 1.9 Diesel- Turbo Diesel ME5T 02/94-02/94 PEUGEOT BOXER 2T7-3T1-2.0 Essence 1.9 Diesel-Turbo Diesel ME5T 02/94-02/94				




CT-62709				
A	F	O	ABS	I/M/O
25	37	28.2		
APPLICABLE MODEL:				
CITROEN C25 Essence/ Diesel Sauf Moteur XUD9 Voir Notice- PEUGEOT J5 Essence Diesel Sauf MOTEUR XUD9 81-81				




CT-62716F2				
A	F	O	ABS	I/M/O
37	39	40		
APPLICABLE MODEL:				
CITROEN EVASION 2.0 ISX Turbo CT 2.0 IVSX Turbo CT Captain Chairs Essence Moteur XU ME5K				




CT-62717				
A	F	O	ABS	I/M/O
37	39	31.9		
APPLICABLE MODEL:				
CITROEN JUMPER 2T7-3T1 2.0 Essence 1.9 Diesel-Turbo Diesel ME5T 02/94-02/94 PEUGEOT BOXER 2T7-3T1-2.0 Essence 1.9 Diesel-Turbo Diesel ME5T 02/94-02/94				




CT-62722				
A	F	O	ABS	I/M/O
25	27	28.2		
APPLICABLE MODEL:				
CITROEN				




CT-62717F2				
A	F	O	ABS	I/M/O
37	39	31.9		
APPLICABLE MODEL:				
CITROEN EVASION 2.0 ISX Turbo CT 2.0 IVSX Turbo CT Captain Chairs Essence 03/95-03/95 Moteur XU ME5K				




CT-62723				
A	F	O	ABS	I/M/O
24	21	29.7		
APPLICABLE MODEL:				
PEUGEOT 205 SUITE Automatique Diesel Turbo Diesel GRD-SLD-SRD Essence MOTEUR- TALBOT MOTEUR XU/ TALBOT 1.6 GTI BE1 Be3				




CT-62718				
A	F	O	ABS	I/M/O
24	29	40		
APPLICABLE MODEL:				
CITROEN XM 2.0 Ess-2.1 Diesel 12 soupapes Seduction-Ambiance 05/89-05/89 Harmonie moteur XU Be3 PEUGEOT 605 2.0 Essence 2.0 Diesel SL-SRI-SCI- SLI-SRD MOTEUR XUD BE389-89				




CT-62724				
A	F	O	ABS	I/M/O
22	19	40.4		
APPLICABLE MODEL:				
CITROEN AX 14-ESS/Diesel jantes 4 trous GTI 07/91-02/93-07/91-0 PEUGEOT				




CT-62719				
A	F	O	ABS	I/M/O
24	29	29.8		
APPLICABLE MODEL:				
CITROEN XM 2.0 Ess-2.1 Diesel 12 soupapes Seduction-Ambiance 05/89-05/89 Harmonie moteur XU Be3				




CT-62725				
A	F	O	ABS	I/M/O
22	19	40		
APPLICABLE MODEL:				
CITROEN AX 14-ESS/Diesel jantes 4 trous GTI 07/91-02/93-07/91-0 PEUGEOT 106 1.45CV-7CV XR-XT-XS1.4 \ 1-1.5 Diesel 1.4i XSI MOTEUR TU 07/91-09/99-07/91-0				




CT-62720				
A	F	O	ABS	I/M/O
24	34	40		
APPLICABLE MODEL:				
CITROEN EVASION 2.01X-2.01SX 2.01Prestige Moteur XU Be307/94-07/94 JUMPY 1.6 Essence+ 1.9 Diesel Moteur TU BE395-95				




CT-62726				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
CITROEN				




CT-62721				
A	F	O	ABS	I/M/O
25	27	28.2		
APPLICABLE MODEL:				
CITROEN				




CT-62727				
A	F	O	ABS	I/M/O
22	22	30		
APPLICABLE MODEL:				
CITROEN				




CT-62728				
A	F	O	ABS	I/M/O
24	30	40		
APPLICABLE MODEL:				
PEUGEOT 405 1.6-1.8-1.8D-1.9-1.9D gear BE 1/3 05/87-05/87				




CT-62734				
A	F	O	ABS	I/M/O
24	22	29.8		
APPLICABLE MODEL:				
CITROEN				




CT-62729				
A	F	O	ABS	I/M/O
24	24	40		
APPLICABLE MODEL:				
CITROEN				




CT-62735				
A	F	O	ABS	I/M/O
26	34	30.8		
APPLICABLE MODEL:				
CITROEN				




CT-62730				
A	F	D	ABS	I/M/O
	12	143		
APPLICABLE MODEL:				
CITROEN				




CT-62736				
A	F	O	ABS	I/M/O
26	34	28		
APPLICABLE MODEL:				
CITROEN				




CT-62731				
A	F	O	ABS	I/M/O
30	30	55		
APPLICABLE MODEL:				
CITROEN				




CT-62737				
A	F	O	ABS	I/M/O
23	22	40		
APPLICABLE MODEL:				
CITROEN				




CT-62732				
A	F	O	ABS	I/M/O
24	30	29.8		
APPLICABLE MODEL:				
CITROEN				




CT-62201				
A	F	O	ABS	I/M/O
24	22	40		
APPLICABLE MODEL:				
CITROEN				




CT-62733				
A	F	O	ABS	I/M/O
22	22	29.85		
APPLICABLE MODEL:				
CITROEN				




CT-62202				
A	F	O	ABS	I/M/O
24	22	29.8		
APPLICABLE MODEL:				
CITROEN				




CT-62203				
A	F	O	ABS	I/M/O
24	29	29.7		
APPLICABLE MODEL:				
CITROEN				




CT-62204				
A	F	O	ABS	I/M/O
22	20	29.85		
APPLICABLE MODEL:				
PEUGEOT				




CT-62205				
A	F	O	ABS	I/M/O
24	21	40		
APPLICABLE MODEL:				
CITROEN				




CT-62206				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
CITROEN				




CT-62207				
A	F	O	ABS	I/M/O
23	22	40		
APPLICABLE MODEL:				
CITROEN				




CT-62208				
A	F	O	ABS	I/M/O
24	24	29.9		
APPLICABLE MODEL:				
CITROEN				




DA-62502				
A	F	O	ABS	I/M/O
23	19	45		
APPLICABLE MODEL:				
DAIHATSU NEW G100 SOCIAL 1.3L 90-94 7100				




DA-62705				
A	F	O	ABS	I/M/O
22	22	35		
APPLICABLE MODEL:				
DAIHATSU				




DA-62505				
A	F	O	ABS	I/M/O
25	19	45		
APPLICABLE MODEL:				
DAIHATSU SOCIAL 90-941.3L 4CYL M/T				




DA-62706				
A	F	O	ABS	I/M/O
25	22	45		
APPLICABLE MODEL:				
DAIHATSU				




DA-62505F2				
A	F	O	ABS	I/M/O
25	19	45		
APPLICABLE MODEL:				
DAIHATSU				




DA-62707				
A	F	O	ABS	I/M/O
23	19	35		
APPLICABLE MODEL:				
DAIHATSU				




DA-62701				
A	F	O	ABS	I/M/O
23	20	39		
APPLICABLE MODEL:				
DAIHATSU				




DA-62708				
A	F	O	ABS	I/M/O
23	26	45		
APPLICABLE MODEL:				
DAIHATSU				




DA-62702				
A	F	O	ABS	I/M/O
23	20	45		
APPLICABLE MODEL:				
DAIHATSU				




DA-62709				
A	F	O	ABS	I/M/O
22	19	35		
APPLICABLE MODEL:				
DAIHATSU				




DA-62703				
A	F	O	ABS	I/M/O
23	22	34		
APPLICABLE MODEL:				
DAIHATSU				




DA-62710				
A	F	O	ABS	I/M/O
23	21	45		
APPLICABLE MODEL:				
DAIHATSU				




DA-62712				
A	F	O	ABS	I/M/O
23	29	45		
APPLICABLE MODEL:				
DAIHATSU				




DA-62201				
A	F	O	ABS	I/M/O
23	19	45		
APPLICABLE MODEL:				
DAIHATSU				




FD-62501				
A	F	O	ABS	I/M/O
35	30	42		
APPLICABLE MODEL:				
FORD SABLE TAURUS 3.0/3.8L V6 D/S EXC SHO A/T M/T 4CYL 86-93 P/S MERCURY: SABLE 2.5/3.0/3.8L GS LS 86-93 2.5L D/S				




FD-62517				
A	F	O	ABS	I/M/O
35	30	42		
APPLICABLE MODEL:				
FORD MERCURY 95-96 CONTOR 4CYL A/T				




FD-62502				
A	F	O	ABS	I/M/O
35	30	42		
APPLICABLE MODEL:				
FORD FORD TAURUS P/S 2.5/3.0L V6 (EXC SHO) SABLE 2.5/3.0/3.8L GS LS 86-93 2.5L D/S				




FD-62518				
A	F	O	ABS	I/M/O
35	30	42		
APPLICABLE MODEL:				
FORD MERCURY 95-96 PLS CONTOUR 4CYL A/T				




FD-62506				
A	F	O	ABS	I/M/O
23	23	42		
APPLICABLE MODEL:				
FORD ESSORT TEMPO MERCURY TOPAE LYNX 86-90 M/T				




FD-62522				
A	F	O	ABS	I/M/O
26	32	40		
APPLICABLE MODEL:				
FORD FORD D/S CONTOUR 6CYL M/T 95-98				




FD-62508				
A	F	O	ABS	I/M/O
25	28	42		
APPLICABLE MODEL:				
FORD FORD D/S TEMPO MERCURY TOPAZ 92-94 4CYL A/T				




FD-62523				
A	F	O	ABS	I/M/O
26	30	40		
APPLICABLE MODEL:				
FORD FORD D/S CONTOUR 4CYL M/T 95-98				




FD-62509				
A	F	O	ABS	I/M/O
25	28	42		
APPLICABLE MODEL:				
FORD TEMPO 4CYL A/T MERCURY TOPAZ M/T 92-94				




FD-62526				
A	F	O	ABS	I/M/O
35	32	42		
APPLICABLE MODEL:				
FORD FORD MONDEO				




FD-62510				
A	F	O	ABS	I/M/O
23	23	42		
APPLICABLE MODEL:				
FORD ESCORT/EXP 85-91 TEMPO 85-91 MERCURY LYNX/LN7 TOPAZ				




FD-62527				
A	F	O	ABS	I/M/O
35	32	42		
APPLICABLE MODEL:				
FORD FORD MONDEO				




FD-62528				
A	F	O	ABS	I/M/O
35	32	42		
APPLICABLE MODEL:				
FORD TAURUS V6 96-98 WIND STAR 95-97				




FD-62703				
A	F	O	ABS	I/M/O
26	25	40		
APPLICABLE MODEL:				
FORD				




FD62529				
A	F	O	ABS	I/M/O
35	32	42		
APPLICABLE MODEL:				
FORD TAURUS V6 96-98 WIND STAR 95-97				




FD-62704				
A	F	O	ABS	I/M/O
26	25	40		
APPLICABLE MODEL:				
FORD				




FD-62530				
A	F	O	ABS	I/M/O
27	34	35.55		
APPLICABLE MODEL:				
FORD FORD EXPLORER 95-97				




FD-62705				
A	F	O	ABS	I/M/O
25	30	42		
APPLICABLE MODEL:				
FORD				




FD-62531				
A	F	O	ABS	I/M/O
27	34	44		
APPLICABLE MODEL:				
FORD FORD EXPLORER 95-97				




FD-62706				
A	F	O	ABS	I/M/O
35	33	42		
APPLICABLE MODEL:				
FORD				




FD-62701				
A	F	O	ABS	I/M/O
24	28	35		
APPLICABLE MODEL:				
FORD				




FD-62707				
A	F	O	ABS	I/M/O
35	33	42		
APPLICABLE MODEL:				
FORD				




FD-62702				
A	F	D	H	I/M/O
	28	153.5	97.5	
APPLICABLE MODEL:				
FORD				




FD-62708				
A	F	O	ABS	I/M/O
26	23	40		
APPLICABLE MODEL:				
FORD				




FD-62709				
A	F	O	ABS	I/M/O
26	23	40		
APPLICABLE MODEL:				
FORD				




FD-62715				
A	F	O	ABS	I/M/O
26	26	31		
APPLICABLE MODEL:				
FORD				




FD-62710				
A	F	O	ABS	I/M/O
25	25	26.5		
APPLICABLE MODEL:				
FORD				




FD-62718				
A	F	O	ABS	I/M/O
25	25	28		
APPLICABLE MODEL:				
FORD				




FD-62711				
A	F	O	ABS	I/M/O
25	22	26.5		
APPLICABLE MODEL:				
FORD				




FD-62201				
A	F	O	ABS	I/M/O
23	22	40		
APPLICABLE MODEL:				
FORD				




FD-62712				
A	F	O	ABS	I/M/O
26	33	40		
APPLICABLE MODEL:				
FORD				




FD-62202				
A	F	O	ABS	I/M/O
22	22	38		
APPLICABLE MODEL:				
FORD				




FD-62713				
A	F	O	ABS	I/M/O
23	21	40		
APPLICABLE MODEL:				
FORD				




FD-62203				
A	F	O	ABS	I/M/O
23	22	40		
APPLICABLE MODEL:				
FORD				




FD-62714				
A	F	O	ABS	I/M/O
26	25	40		
APPLICABLE MODEL:				
FORD				




FI-62701				
A	F	O	ABS	I/M/O
22	20	36		
APPLICABLE MODEL:				
FIAT				




FI-62702				
A	F	D	H	I/M/O
	25	100	32	
APPLICABLE MODEL:				
FIAT				




GM-62501					
A	F	D	H	I/M/O	
35	149.8	92			
APPLICABLE MODEL:					
GM 4WD K 1500/K2500(7200 GVW) For Tuck 88-95					




GM-62516					
A	F	O	ABS	I/M/O	
35	32	35			
APPLICABLE MODEL:					
GM BUICK CENTURY 4SPD A/T 84-95					




GM-62503					
A	F	O	ABS	I/M/O	
34	29	35			
APPLICABLE MODEL:					
GM BUICK CENTURY A/T 3SPD 85-89 CHEVROLET CELEBRITY 85-89 OLDSMOBILE CIERA 85-87 PONTIAC 6000					




GM-62519					
A	F	O	ABS	I/M/O	
34	29	35			
APPLICABLE MODEL:					
GM SATURN 91-95					




GM-62504					
A	F	O	ABS	I/M/O	
34	29	35			
APPLICABLE MODEL:					
GM BUICK CENTURY A/T 3SPD 85-89 CHEVROLET CELEBRITY 85-89 OLDSMOBILE CIERA 85-87 PONTIAC 6000					




GM-62520					
A	F	O	ABS	I/M/O	
34	29	35			
APPLICABLE MODEL:					
GM SATURN 91-95					




GM-62505					
A	F	D	H	I/M/O	
34	142.8	90			
APPLICABLE MODEL:					
GM GM B/S GM GMC Syclone 91-92 S-15 4WD 83-96 Typhoon 92 S-10/Blazer 83-96					




GM-62521					
A	F	O	ABS	I/M/O	
34	32	35			
APPLICABLE MODEL:					
GM BUICK CENTURY 4SPD A.T 84-91					




GM-62509					
A	F	O	ABS	I/M/O	
34	32	35			
APPLICABLE MODEL:					
GM GM D/S BUICK 3SPD 83-93 CHEVROLET OLDSMOBILE HD DRIVELINE W/HEAVY DUTY BRAKES					




GM-62522					
A	F	O	ABS	I/M/O	
41	34	40.8			
APPLICABLE MODEL:					
GM CONCOURS 4.6L-94UP					




GM-62510					
A	F	O	ABS	I/M/O	
34	22	35			
APPLICABLE MODEL:					
GM GM D/S GEO STORM 1.6 SOHC 90-93 SUZUKI STYLUS 1.6 SOHC A/T & M/T					




GM-62524					
A	F	D	H	I/M/O	
29	159.8	92			
APPLICABLE MODEL:					
GM CHEVROLET 2500/3500 4*4 88-95					




GM-62527				
A	F	O	ABS	I/M/O
34	29	35		
APPLICABLE MODEL:				
GM BUICK L BODY				




GM-62703				
A	F	O	ABS	I/M/O
34	32	35		
APPLICABLE MODEL:				
GM				




GM-62533				
A	F	O	ABS	I/M/O
34	32	36.7		
APPLICABLE MODEL:				
GM CHEVROLET CAVALIER ALL 4 SPD AT95-00-95-00 PONTIAC SUNFIRE ALL 4 SPD AT95-00-95-00				




GM-62704				
A	F	O	ABS	I/M/O
34	32	35		
APPLICABLE MODEL:				
GM				




GM-62534				
A	F	O	ABS	I/M/O
26	34	40		
APPLICABLE MODEL:				
GM				




GM-62705				
A	F	O	ABS	I/M/O
34	34	35		
APPLICABLE MODEL:				
GM BUICK CENTURY (Lt.) ALL 82-95-82-85 ALL W/3 spd Trans 86-89-86-89 SKYHAWK AT 83-84-89 AT W/A C82-82AT W/O AC82-82				




GM-62535				
A	F	O	ABS	I/M/O
26	34	40		
APPLICABLE MODEL:				
GM CHEVROLET S10, S15, BLA ALL EXCEPT ZR2 PACKAGE 97-00-97-00 FORD TRUCK ENVOY ALL 98-00-98-00 S10, S15, SON ALL EXCEPT ZR2 PACKAGE 97-00-97-00				




GM-62706				
A	F	O	ABS	I/M/O
34	32	35		
APPLICABLE MODEL:				
GM CADILLAC ELDORADO, ALL W/27 SPLINE OUTBOARD JOINING AND HUB W/ABS 91-91				




GM-62701				
A	F	O	ABS	I/M/O
26	34	40		
APPLICABLE MODEL:				
GM				




GM-62707				
A	F	D	H	I/M/O
31	158.6	90		
APPLICABLE MODEL:				
GM CADILLAC ELDORADO, ALL 67-78-67-78 OLDSMOBILE TROFEO, TORO ALL 67-78-67-78				




GM-62702				
A	F	O	ABS	I/M/O
24	29	40		
APPLICABLE MODEL:				
GM				




GM-62708				
A	F	O	ABS	I/M/O
34	32	35		
APPLICABLE MODEL:				
GM				




GM-62709				
A	F	O	ABS	I/M/O
26	32			
APPLICABLE MODEL:				
GM				




GM-62715				
A	F	O	ABS	I/M/O
35	32	35		
APPLICABLE MODEL:				
GM				




GM-62710				
A	F	O	ABS	I/M/O
34	21	35		
APPLICABLE MODEL:				
GM ASUNA SUNFIRE 1.6 ALL AT SOHC90-93-90-93 CHEVROLET STORM SOHC AT90-93-90-93 ISUZU GSPBCDESCRIPTIONYEAR STYLUS SOHC AT90-93-90-93				




GM-62720				
A	F	O	ABS	I/M/O
34	24	36.7		
APPLICABLE MODEL:				
GM				




GM-62711				
A	F	O	ABS	I/M/O
39	32	35		
APPLICABLE MODEL:				
GM				




GM-62721				
A	F	D	H	I/M/O
	29	160	92	
APPLICABLE MODEL:				
GM				




GM-62712				
A	F	O	ABS	I/M/O
26	32	40		
APPLICABLE MODEL:				
GM CHEVROLET FORD TRUCK ENVOY ISUZU TRUCK HOMBRE BRAVADA				




GM-62201				
A	F	O	ABS	I/M/O
34	24	35		
APPLICABLE MODEL:				
GM				




GM-62713				
A	F	O	ABS	I/M/O
34	24	35		
APPLICABLE MODEL:				
GM				




GM-62202				
A	F	O	ABS	I/M/O
26	32	43		
APPLICABLE MODEL:				
GM				




GM-62714				
A	F	O	ABS	I/M/O
34	32	35		
APPLICABLE MODEL:				
GM				




GM-62203				
A	F	O	ABS	I/M/O
34	32	35		
APPLICABLE MODEL:				
GM				




HO-62501				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
HONDA Civic Accord 80-83 Prelude 80-81				




HO-62509				
A	F	O	ABS	I/M/O
25	30	35		
APPLICABLE MODEL:				
HONDA Civic 88-94 P/S CRX88-91 DX SI P/S				




HO-62503				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA Prelude 84-85 Accord 84-85 P/S ACURA INTEGRA 90-93 P/S				




HO-62510				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA PERLUDE 89-91 D/S ACURA INTEGRA 86-89 D/S				




HO-62504				
A	F	O	ABS	I/M/O
27	32	38		
APPLICABLE MODEL:				
HONDA 85LX-1 D/S Accord 84-85 SEI D/S 86-89 MT D/S 5sp Manual PRELUDE 85-87 M/T SI D/S				




HO-62513				
A	F	O	ABS	I/M/O
25	30	35		
APPLICABLE MODEL:				
HONDA Civic 88-90 16V New Civic				




HO-62505				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA ACURA INTEGRA 86-89 P/S HONDA 86-89 M/T P/S Accord 86-89 A/T B/S SEI P/S 84-85 SI PRELUDE 85-87 A/T B/S M/T P/S 88-89 P/S SI				




HO-62514				
A	F	O	ABS	I/M/O
25	30	35		
APPLICABLE MODEL:				
HONDA Civic 88-90 16V New Civic				




HO-62507				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA PERLUDE 90-91 D/S Accord 90-94 M/T D/S ACURA INTEGRA 90-93 D/S 94-95				




HO-62515				
A	F	O	ABS	I/M/O
29	34	40		
APPLICABLE MODEL:				
HONDA Legend 89-90 P/S 86-88 BOTH SIDE B/S				




HO-62508				
A	F	O	ABS	I/M/O
25	30	35		
APPLICABLE MODEL:				
HONDA HONDA Civic 88-94 D/S CRX 88-91 DX SI D/S				




HO-62516				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA Accord 90-94 M/T P/S A/T B/S PRELUDE 90-91 P/S				




HO-62517				
A	F	O	ABS	I/M/O
29	34	40		
APPLICABLE MODEL:				
HONDA Acura Legend 89-90 D/S				




HO-62530				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA D/S Prelude 92-96 2.2L VTEC 2.3L M/T				




HO-62521				
A	F	O	ABS	I/M/O
25	27	35		
APPLICABLE MODEL:				
HONDA Civic 88-91 CRX HF (HATCHBACK) 4-SPD 1.5 M/T P/S				




HO-62543				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA CRV 4WD FWD 98 up TW				




HO-62526				
A	F	O	ABS	I/M/O
31	36	42		
APPLICABLE MODEL:				
HONDA ACURA Legend W/ABS P/S				




HO-62548				
A	F	O	ABS	I/M/O
25	28	35		
APPLICABLE MODEL:				
HONDA CIVIC 1.6L W/ABS95-00-95-00				




HO-62527				
A	F	O	ABS	I/M/O
31	36	43		
APPLICABLE MODEL:				
HONDA ACURA Legend W/ABS D/S				




HO-62549				
A	F	O	ABS	I/M/O
25	28	35		
APPLICABLE MODEL:				
HONDA CIVIC 1.6L W/ABS95-00-95-00				




HO-62528				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA HONDA D/S ACURA integra 94-97				




HO-62701				
A	F	O	ABS	I/M/O
29	32	40		
APPLICABLE MODEL:				
HONDA ACURA 3.0 cl ALL 95-99-96-99 HONDA ACCORD 6 CYL ALL W/ABS94-97-94-97				




HO-62529				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA D/S Prelude 92-96 2.21 VTEC 2.3L M/T				




HO-62702				
A	F	O	ABS	I/M/O
27	30	38		
APPLICABLE MODEL:				
HONDA				




HO-62703				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA ACURA Integra 2.0L95-00-95-00 HONDA PRELUDE 2.0L95-00-95-00				




HO-62710				
A	F	O	ABS	I/M/O
25	30	38		
APPLICABLE MODEL:				
HONDA				




HO-62705				
A	F	O	ABS	I/M/O
27	30	40		
APPLICABLE MODEL:				
HONDA				




HO-62711				
A	F	O	ABS	I/M/O
27	32	40		
APPLICABLE MODEL:				
HONDA				




HO-62706				
A	F	O	ABS	I/M/O
25	28	35		
APPLICABLE MODEL:				
HONDA				




HO-62712				
A	F	O	ABS	I/M/O
27	30	35		
APPLICABLE MODEL:				
HONDA				




HO-62707				
A	F	O	ABS	I/M/O
25	27	35		
APPLICABLE MODEL:				
HONDA				




HO-62714				
A	F	O	ABS	I/M/O
25	28	35		
APPLICABLE MODEL:				
HONDA				




HO-62708				
A	F	O	ABS	I/M/O
29	34	40		
APPLICABLE MODEL:				
HONDA				




HO-62715				
A	F	O	ABS	I/M/O
31	32	43		
APPLICABLE MODEL:				
HONDA				




HO-62709				
A	F	O	ABS	I/M/O
29	34	42		
APPLICABLE MODEL:				
HONDA				




HO-62716				
A	F	O	ABS	I/M/O
31	32	42		
APPLICABLE MODEL:				
HONDA				




HO-62717				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
HONDA				




HO-62204				
A	F	O	ABS	I/M/O
27	24	40		
APPLICABLE MODEL:				
HONDA				




HO-62719				
A	F	O	ABS	I/M/O
27	30	40		
APPLICABLE MODEL:				
HONDA				




HO-62205				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
HONDA				




HO-62720				
A	F	O	ABS	I/M/O
29	32	42		
APPLICABLE MODEL:				
HONDA				




HO-62207				
A	F	O	ABS	I/M/O
27	30	40		
APPLICABLE MODEL:				
HONDA				




HO-62201				
A	F	O	ABS	I/M/O
27	24	40		
APPLICABLE MODEL:				
HONDA				




HO-62208				
A	F	O	ABS	I/M/O
27	30	40		
APPLICABLE MODEL:				
HONDA				




HO-62202				
A	F	O	ABS	I/M/O
25	24	35		
APPLICABLE MODEL:				
HONDA				




HO-62203				
A	F	O	ABS	I/M/O
25	24	35		
APPLICABLE MODEL:				
HONDA				




HY-62701				
A	F	O	ABS	I/M/O
27	25	41		
APPLICABLE MODEL:				
HYUNDAI SONATA 6CYL (BEIJING) OEM: 49500-38900 LHOEM: 49500-38950 RH				




IV-62701				
A	F	D	H	I/M/O
	30	122	36.2	
APPLICABLE MODEL:				
IV				




HY-62201				
A	F	O	ABS	I/M/O
27	25	41		
APPLICABLE MODEL:				
HYUNDAI				




HY-62202				
A	F	O	ABS	I/M/O
24	30	41		
APPLICABLE MODEL:				
HYUNDAI				




IZ-62541				
A	F	O	ABS	I/M/O
17	33	30		
APPLICABLE MODEL:				
ISUZU SONATA 6 CYL (BEIJING) OEM: 49500-38900 LHOEM:49500-38950 RH				




IZ-62704				
A	F	O	ABS	I/M/O
25	32	28		
APPLICABLE MODEL:				
ISUZU				




IZ-62542				
A	F	O	ABS	I/M/O
17	26	30		
APPLICABLE MODEL:				
ISUZU ISUZU TRUCK VOLKSWAGEN				




IZ-62705				
A	F	O	ABS	I/M/O
25	32	28		
APPLICABLE MODEL:				
ISUZU				




IZ-62543				
A	F	O	ABS	I/M/O
17	26	30		
APPLICABLE MODEL:				
ISUZU ISUZU TRUCK AMIGO ALL 89-94-89-94 PICKUP,PUP 4WD FRONT88-96-88-96 RODEO ALL 91-95-91-95 TROOPER GSP B C DESCRIPTION EARY ALL88-91-88-91				




IZ-62706				
A	F	O	ABS	I/M/O
34	30	35		
APPLICABLE MODEL:				
ISUZU				




IZ-62701				
A	F	O	ABS	I/M/O
17	33	30		
APPLICABLE MODEL:				
ISUZU ISUZU TRUCK RODEO ALL92-02-92-02				




IZ-62707				
A	F	O	ABS	I/M/O
25	32	28		
APPLICABLE MODEL:				
ISUZU				




IZ-62702				
A	F	O	ABS	I/M/O
23	23	28		
APPLICABLE MODEL:				
ISUZU				




IZ-62708				
A	F	O	ABS	I/M/O
25	32	28		
APPLICABLE MODEL:				
ISUZU				




IZ-62703				
A	F	O	ABS	I/M/O
23	23	28		
APPLICABLE MODEL:				
ISUZU				




IZ-62710				
A	F	O	ABS	I/M/O
34	30	35		
APPLICABLE MODEL:				
ISUZU				




KA-62701				
A	F	O	ABS	I/M/O
28	24	35		
APPLICABLE MODEL:				
KIA CLARUS 2.2 M/TOEM: OK9A4 25 600 LHOEM:OK9A4 25 500 RH96-96				




KA-62708				
A	F	O	ABS	I/M/O
24	22	35		
APPLICABLE MODEL:				
KIA				




KA-62702				
A	F	O	ABS	I/M/O
28	24	43		
APPLICABLE MODEL:				
KIA CLARUS 2.2 M/TOEM: OK9A4 25 600 LHOEM:OK9A4 25 500 RH96-96				




KA-62703				
A	F	O	ABS	I/M/O
24	23	35		
APPLICABLE MODEL:				
KIA				




KA-62705				
A	F	O	ABS	I/M/O
27	24	41		
APPLICABLE MODEL:				
KIA				




KA-62706				
A	F	O	ABS	I/M/O
22	19	35		
APPLICABLE MODEL:				
KIA				




KA-62707				
A	F	O	ABS	I/M/O
28	22	43		
APPLICABLE MODEL:				
KIA				




LD-62501				
A	F	O	ABS	I/M/O
24	22	35		
APPLICABLE MODEL:				
LADA MI-501 HYUNDAI Pony Excel 85				




LD-62705				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
LADA				




LD-62501F2				
A	F	O	ABS	I/M/O
24	22	35		
APPLICABLE MODEL:				
LADA ball tupe				




LD-62201				
A	F	O	ABS	I/M/O
24	22	35		
APPLICABLE MODEL:				
LADA				




LD-62701				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
LADA LADANIVA				




LD-62202				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
LADA				




LD-62702				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
LADA LADANIVA				




LD-62203				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
LADA				




LD-62703				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
LADA LADATAVRIA				




LD-62205				
A	F	O	ABS	I/M/O
20	19	35		
APPLICABLE MODEL:				
LADA				




LD-62704				
A	F	O	ABS	I/M/O
20	19	35		
APPLICABLE MODEL:				
LADA LADA OKA				




LD-62206				
A	F	O	ABS	I/M/O
24	22	40		
APPLICABLE MODEL:				
LADA				




ME-62701				
A	F	O	ABS	I/M/O
30	35	55		
APPLICABLE MODEL:				
MERCEDES				




ME-62201				
A	F	D	H	I/M/O
36	128	46		
APPLICABLE MODEL:				
MERCEDES				




ME-62702				
A	F	D	H	I/M/O
25	100	26		
APPLICABLE MODEL:				
MERCEDES				




ME-62202				
A	F	O	ABS	I/M/O
27	28	45		
APPLICABLE MODEL:				
MERCEDES				




ME-62703				
A	F	D	H	I/M/O
28	108	32		
APPLICABLE MODEL:				
MERCEDES				




ME-62203				
A	F	D	H	I/M/O
36	108	32		
APPLICABLE MODEL:				
MERCEDES				




ME-62704				
A	F	D	H	I/M/O
36	128	46		
APPLICABLE MODEL:				
MERCEDES				




ME-62204				
A	F	D	H	I/M/O
36	122	36.2		
APPLICABLE MODEL:				
MERCEDES				




ME-62707				
A	F	O	H	I/M/O
25	100	26		
APPLICABLE MODEL:				
MERCEDES				




ME-62205				
A	F	D	H	I/M/O
25	100	26		
APPLICABLE MODEL:				
MERCEDES				




ME-62709				
A	F	D	H	I/M/O
25	100	40		
APPLICABLE MODEL:				
MERCEDES				




MI-62501				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
MITSUBISHI PONY EXCEL 85				




MI-62509				
A	F	O	ABS	I/M/O
25	28	35		
APPLICABLE MODEL:				
MITSUBISHI LANCER GLI				




MI-62504				
A	F	O	ABS	I/M/O
25	23	35		
APPLICABLE MODEL:				
MITSUBISHI COLT 84-90 GTS TURBO P/S GTS TURBO P/S 2.0L B/S Cordia/Tredia 84-89 1.8L D/S Colt Vista 2WD 84-90 B/S				




MI-62511				
A	F	O	ABS	I/M/O
25	30	35		
APPLICABLE MODEL:				
MITSUBISHI Soace wagon 1.8L 82-96 Galant 2.0L 94-97				




MI-62505				
A	F	O	ABS	I/M/O
25	25	35		
APPLICABLE MODEL:				
MITSUBISHI Sonata GALANT 3.0L 85-87 M/T B/S CORDIA/TERDIA 1.8L P/S				




MI-62512				
A	F	O	ABS	I/M/O
28	25	34.7		
APPLICABLE MODEL:				
MITSUBISHI Pajero Diesel 90-96				




MI-62506				
A	F	O	ABS	I/M/O
25	23	35		
APPLICABLE MODEL:				
MITSUBISHI Cordia/Tredia Colt Vista				




MI-62513				
A	F	O	ABS	I/M/O
25	23	35		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62507				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
MITSUBISHI Ladncer/ Colt 1.3L 4G15, CA2A, CA1A, 1992~				




MI-62514				
A	F	O	ABS	I/M/O
26	26	42		
APPLICABLE MODEL:				
MITSUBISHI HYUNDAI SONATA 3.0 V6 89-94 D/S				




MI-62508				
A	F	O	ABS	I/M/O
25	23	35		
APPLICABLE MODEL:				
MITSUBISHI Lancer GLXI, CB4A, 1.6 4G92 SOHC M/T shijerv 92.8~				




MI-62519				
A	F	O	ABS	I/M/O
26	30	42		
APPLICABLE MODEL:				
MITSUBISHI NEW ECLIPSE 2.0L GST TURBO A/T 94-97				




MI-62521				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
MITSUBISHI COLT CHAMP MIRAGE 4SPD M/T 85-86				




MI-62546				
A	F	O	ABS	I/M/O
26	26	42		
APPLICABLE MODEL:				
MITSUBISHI DODGE STEALTH ALL MT FWD91-92-93-96 ALL AT FWD91-92-93-96 MITSUBISHI GT 3000 ALL AT FWD91-92-93-96 GSPBC DESCRIPTION YEAR ALL MTFWD91-92-93-96				




MI-62526				
A	F	O	ABS	I/M/O
26	25	42		
APPLICABLE MODEL:				
MITSUBISHI DODGE STEALTH AWD91-92 MITSUBISHI 3.0L GT AWD DOHC M/T for ard				




MI-62548				
A	F	O	ABS	I/M/O
25	23	41		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62539				
A	F	O	ABS	I/M/O
25	24	35		
APPLICABLE MODEL:				
MITSUBISHI GALANT 4CYL 94-97				




MI-62701				
A	F	O	ABS	I/M/O
27	26	37		
APPLICABLE MODEL:				
MITSUBISHI YEAR DESCRIPTION DIAMANTE ALL 6/92-96-91-5/92				




MI-62541				
A	F	O	ABS	I/M/O
25	25	32		
APPLICABLE MODEL:				
MITSUBISHI PAJERO 94-97 MONTERO 83-91 PICKUP 4*4 83-86 DODGED-50 82-93				




MI-62702				
A	F	O	ABS	I/M/O
26	26	42		
APPLICABLE MODEL:				
MITSUBISHI GSPBC DESCRIPTION YEAR DIAMANTE ALL 6/92-96-91-5/92				




MI-62542				
A	F	D	H	I/M/O
	25	132	71.5	
APPLICABLE MODEL:				
MITSUBISHI PAJERO 94-97 MONTERO 83-91 PICKUP 4*4 83-86 DODGED-50 82-93				




MI-62703				
A	F	O	ABS	I/M/O
27	25	41		
APPLICABLE MODEL:				
MITSUBISHI MAGNA TE,TF 4CYL & V64/96---4/96--				




MI-62542F2				
A	F	D	H	I/M/O
	25	132	71.5	
APPLICABLE MODEL:				
MITSUBISHI PAJERO NH,NJ 4CY&SOHC V6 A/T5/91-93-5/91-93				




MI-62704				
A	F	O	ABS	I/M/O
27	26	41		
APPLICABLE MODEL:				
MITSUBISHI MAGNA TE,TF 4CYL & 3.0L 4/96---4/96--				




MI-62705				
A	F	O	ABS	I/M/O
25	23	41		
APPLICABLE MODEL:				
MITSUBISHI EAGLE TALON ALL EXC 90-92 AWD TURBO W/MAN TRANS90-94-90-94 MITSUBISHI GALANT ALL SOHC W/2 WD89/92-89/92				




MI-62710F2				
A	F	O	ABS	I/M/O
25	28	35		
APPLICABLE MODEL:				
MITSUBISHI LANCER 1.3L C61A C62A 98-05-98-05 MAGNA 1.3L C61A C62A 98-05-98-05				




MI-62706				
A	F	O	ABS	I/M/O
25	25	35		
APPLICABLE MODEL:				
MITSUBISHI MAGNA TM4/85-3/87-4/85-3/87				




MI-62711				
A	F	O	ABS	I/M/O
25	28	41		
APPLICABLE MODEL:				
MITSUBISHI LANCER 1.3L C61A C62A 98-05-98-05 MAGNA 1.3L C61A C62A 98-05-98-05				




MI-62707				
A	F	O	ABS	I/M/O
26	25	43		
APPLICABLE MODEL:				
MITSUBISHI MAGNA TNT4/87-3/92-4/87-3/92				




MI-62712				
A	F	O	ABS	I/M/O
25	25	32		
APPLICABLE MODEL:				
MITSUBISHI TRITON ME-MJ 4CY 10/86-94-10/86-94				




MI-62708				
A	F	O	ABS	I/M/O
27	25	37		
APPLICABLE MODEL:				
MITSUBISHI MAGNA TR2.6L ELITE10/92-2/94-10/92-2/94 W/VIN A/T GLX, EXEC, SE 2.6L TS NO.TR45/92-2/94-5/92-2/94 TS A/T W/VIN NO.TS494-4/97-94-4/97				




MI-62713				
A	F	O	ABS	I/M/O
25	24	41		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62709				
A	F	O	ABS	I/M/O
28	26	42		
APPLICABLE MODEL:				
MITSUBISHI MAGNA TE, TF 4CYL&3.0L4/96--4/96--				




MI-62714				
A	F	O	ABS	I/M/O
25	32	40		
APPLICABLE MODEL:				
MITSUBISHI CHRYSLER SEBRING ALL 2.0 LITRE W/UTO TRANS AND ABS95-97-95-97 DODGEK				




MI-62710				
A	F	O	ABS	I/M/O
25	28	35		
APPLICABLE MODEL:				
MITSUBISHI MERCEDES VITO 2.2 108-110-112-CD 12.3 114 02/99-02/99				




MI-62715				
A	F	O	ABS	I/M/O
28	26	34.7		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62716				
A	F	O	ABS	I/M/O
28	33	34.7		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62722				
A	F	O	ABS	I/M/O
25	23	41		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62717				
A	F	D	H	I/M/O
33	132	71.5		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62723				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62718				
A	F	D	H	I/M/O
26	132	71.5		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62724				
A	F	O	ABS	I/M/O
25	23	41		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62719				
A	F	O	ABS	I/M/O
25	23	41		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62725				
A	F	O	ABS	I/M/O
25	23	41		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62720				
A	F	O	ABS	I/M/O
25	23	40		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62727				
A	F	O	ABS	I/M/O
25	29	41		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62721				
A	F	O	ABS	I/M/O
25	23	35		
APPLICABLE MODEL:				
MITSUBISHI HYUNDA ELANTRA ALL W/O ABS96-00-96-00 TIBURON ALL W/O ABS97-00-97-00				




MI-62728				
A	F	D	ABS	I/M/O
25	30	41		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62729				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62203				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62731				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62204				
A	F	O	ABS	I/M/O
25	25	34.7		
APPLICABLE MODEL:				
MITSUBISHI				




MI62732				
A	F	O	ABS	I/M/O
25	22	35		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62205				
A	F	D	H	I/M/O
25	132	71.5		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62733				
A	F	O	ABS	I/M/O
25	26	35		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62206				
A	F	O	ABS	I/M/O
26	23	42		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62201				
A	F	D	ABS	I/M/O
25	28	35		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62207				
A	F	O	ABS	I/M/O
25	22	34.5		
APPLICABLE MODEL:				
MITSUBISHI				



MI-62202				
A	F	O	ABS	I/M/O
25	28	35		
APPLICABLE MODEL:				
MITSUBISHI				



MI-62208				
A	F	O	ABS	I/M/O
25	30	41		
APPLICABLE MODEL:				
MITSUBISHI				




MI-62209				
A	F	O	ABS	I/M/O
27	30	41		
APPLICABLE MODEL:				
MITSUBISHI				

MI-62210				
A	F	O	ABS	I/M/O
25	22	41		
APPLICABLE MODEL:				
MITSUBISHI				


MI-62211				
A	F	O	ABS	I/M/O
27	26	41		
APPLICABLE MODEL:				
MITSUBISHI				

MI-62212				
A	F	O	ABS	I/M/O
26	26	42		
APPLICABLE MODEL:				
MITSUBISHI				


MO-62701				
A	F	D	H	I/M/O
25	100	32		
APPLICABLE MODEL:				
MOSKEWITZ				




MR-62701				
A	F	O	ABS	I/M/O
18	19	29		
APPLICABLE MODEL:				
MR				




MO-62201				
A	F	O	ABS	I/M/O
25	41			
APPLICABLE MODEL:				
MOSKEWITZ				




MZ-62501				
A	F	O	ABS	I/M/O
24	22	35		
APPLICABLE MODEL:				
MAZDA 323 GET Familia 1.5L 81-85 TRSCER87-90				




MZ-62507				
A	F	O	ABS	I/M/O
24	22	35		
APPLICABLE MODEL:				
MAZDA MAZDA GLC 81-85 323 1.6 86-93 B/S Mx3 92-94 1.6L Tracer 87-89				




MZ-62502				
A	F	O	ABS	I/M/O
24	21	35		
APPLICABLE MODEL:				
MAZDA 323 88-89 1.6L 1.8L 82-86				




MZ-62508				
A	F	O	ABS	I/M/O
28	23	42.75		
APPLICABLE MODEL:				
MAZDA 93 TELSTRA 1.8/2.0L				




MZ-62503				
A	F	O	ABS	I/M/O
26	25	42.3		
APPLICABLE MODEL:				
MAZDA 626 84-92 D/S 626 2.0L Mx6 88-92 4CYL D/S PROBE 88-92 D/S				




MZ-62509				
A	F	O	ABS	I/M/O
28	23	35		
APPLICABLE MODEL:				
MAZDA 93 TELSTRA 1.8/2.0L				




MZ-62504				
A	F	O	ABS	I/M/O
26	25	35		
APPLICABLE MODEL:				
MAZDA 626 84-92 D/S 626 2.0L Mx6 88-92 4CYL D/S PROBE 88-92 D/S				




MZ-62513				
A	F	O	ABS	I/M/O
22	20	35		
APPLICABLE MODEL:				
MAZDA FESTIVA KIA 90-93				




MZ-62505				
A	F	O	ABS	I/M/O
26	23	43		
APPLICABLE MODEL:				
MAZDA 626 1.8L				




MZ-62514				
A	F	O	ABS	I/M/O
22	19	35		
APPLICABLE MODEL:				
MAZDA FESTIVA KIA 94				




MZ-62506				
A	F	O	ABS	I/M/O
26	23	35		
APPLICABLE MODEL:				
MAZDA 626 1.8L				




MZ-62516				
A	F	O	ABS	I/M/O
24	23	35		
APPLICABLE MODEL:				
MAZDA PROTEGE 90-94				




MZ-62517				
A	F	O	ABS	I/M/O
26	30	35		
APPLICABLE MODEL:				
MAZDA PROTEGE 90-94DOHC M/T D/S				




MZ-62524				
A	F	O	ABS	I/M/O
24	30	35		
APPLICABLE MODEL:				
MAZDA MX-3 6YL/A/T 92-94 D/S PROTEGE DOHC/A/T 90-94 PROTEGE 1.8L 95-98 D/S				




MZ-62518				
A	F	O	ABS	I/M/O
26	30	43		
APPLICABLE MODEL:				
MAZDA PROTEGE 90-94DOHC A/T M/T P/S				




MZ-62529				
A	F	O	ABS	I/M/O
28	32	35		
APPLICABLE MODEL:				
MAZDA D/S MAZDA 626 2.5L 93-95/2.0L 93 MAZDA Mx6 2.5L 93-95/2.0L 93 FORD PROBE 2.5L 93-95/2.0L 93				




MZ-62519				
A	F	O	ABS	I/M/O
26	22	35		
APPLICABLE MODEL:				
MAZDA TIMOR				




MZ-62531				
A	F	O	ABS	I/M/O
26	25	40		
APPLICABLE MODEL:				
MAZDA B-2600 4*4 87-92 Pick up				




MZ-62520				
A	F	O	ABS	I/M/O
24	21	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62532				
A	F	O	ABS	I/M/O
26	25	35		
APPLICABLE MODEL:				
MAZDA B-2600 4*4 87-92 Pick up				




MZ-62522				
A	F	O	ABS	I/M/O
28	30	35		
APPLICABLE MODEL:				
MAZDA MX-3 6CYL M/T 92-94 D/S				




MZ-62537				
A	F	O	ABS	I/M/O
28	26	43		
APPLICABLE MODEL:				
MAZDA Mx6 626 PROBE 2.5L M/T				




MZ-62523				
A	F	O	ABS	I/M/O
28	30	43		
APPLICABLE MODEL:				
MAZDA MX-3 6CYL M/T 92-94 P/S				




MZ-62538				
A	F	O	ABS	I/M/O
28	26	35		
APPLICABLE MODEL:				
MAZDA Mx6 626 PROBE 2.5L M/T				




MZ-62539				
A	F	O	ABS	I/M/O
28	23	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62546				
A	F	O	ABS	I/M/O
26	22	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62540				
A	F	O	ABS	I/M/O
28	23	43		
APPLICABLE MODEL:				
MAZDA				




MZ-62701				
A	F	O	ABS	I/M/O
28	23	43		
APPLICABLE MODEL:				
MAZDA 626, ALL W/O ABS93-93 ALL MT 4CYL W/O ABS94--01-94--01 ALL 6 CYL W/O ABS94--01-94--01 ALL AT 4CYL W/O ABS 94--01-94--01				




MZ-62541				
A	F	O	ABS	I/M/O
28	23	43		
APPLICABLE MODEL:				
MAZDA				




MZ-62702				
A	F	O	ABS	I/M/O
26	25	35		
APPLICABLE MODEL:				
MAZDA				




MZ-86543				
A	F	O	ABS	I/M/O
28	22	43		
APPLICABLE MODEL:				
MAZDA				




MZ-62703				
A	F	O	ABS	I/M/O
26	25	43		
APPLICABLE MODEL:				
MAZDA FORD PROBE 4CYL ALL W/O ABS W/O TURBO88-92-88-92 MAZDA				




MZ-62544				
A	F	D	H	I/M/O
	23	132	71.5	
APPLICABLE MODEL:				
MAZDA				




MZ-62704				
A	F	O	ABS	I/M/O
22	22	45		
APPLICABLE MODEL:				
MAZDA				




MZ-62545				
A	F	O	ABS	I/M/O
22	21	45		
APPLICABLE MODEL:				
MAZDA FORD ASPIRE MT W/O ABS 94-97-94-97 FESTIVA WAM/T 10/91-3/94-10/91-3/94				




MZ-62705				
A	F	O	ABS	I/M/O
24	21	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62706				
A	F	O	ABS	I/M/O
24	24	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62714				
A	F	O	ABS	I/M/O
26	25	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62707				
A	F	O	ABS	I/M/O
28	32	43		
APPLICABLE MODEL:				
MAZDA				




MZ-62717				
A	F	O	ABS	I/M/O
28	29	43		
APPLICABLE MODEL:				
MAZDA				




MZ-62708				
A	F	O	ABS	I/M/O
24	28	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62718				
A	F	O	ABS	I/M/O
26	29	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62709				
A	F	O	ABS	I/M/O
28	25	42		
APPLICABLE MODEL:				
MAZDA				




MZ-62719				
A	F	O	ABS	I/M/O
28	23	43		
APPLICABLE MODEL:				
MAZDA				




MZ-62710				
A	F	O	ABS	I/M/O
28	26	43		
APPLICABLE MODEL:				
MAZDA				




MZ-62720				
A	F	O	ABS	I/M/O
26	23	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62713				
A	F	O	ABS	I/M/O
26	25	40		
APPLICABLE MODEL:				
MAZDA				




MZ-62721				
A	F	O	ABS	I/M/O
22	21	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62722				
A	F	O	ABS	I/M/O
26	25	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62733				
A	F	O	ABS	I/M/O
30	25	38		
APPLICABLE MODEL:				
MAZDA				




MZ-62725				
A	F	O	ABS	I/M/O
26	25	40		
APPLICABLE MODEL:				
MAZDA				




MZ-62736				
A	F	O	ABS	I/M/O
26	25	43		
APPLICABLE MODEL:				
MAZDA				




MZ-62728				
A	F	O	ABS	I/M/O
28	25	41		
APPLICABLE MODEL:				
MAZDA				




MZ-62201				
A	F	O	ABS	I/M/O
26	23	43		
APPLICABLE MODEL:				
MAZDA				




MZ-62729				
A	F	O	ABS	I/M/O
28	25	42		
APPLICABLE MODEL:				
MAZDA				




MZ-62202				
A	F	O	ABS	I/M/O
26	23	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62731				
A	F	O	ABS	I/M/O
24	22	35		
APPLICABLE MODEL:				
MAZDA				




MZ-62203				
A	F	O	ABS	I/M/O
26	25	42.3		
APPLICABLE MODEL:				
MAZDA				




MZ-62732				
A	F	O	ABS	I/M/O
28	25	43		
APPLICABLE MODEL:				
MAZDA				




NI-62508				
A	F	O	ABS	I/M/O
24	23	40		
APPLICABLE MODEL:				
NISSAN Sentra 1.6 87-90SOHC Pulsar 83-84				




NI-62520				
A	F	O	ABS	I/M/O
29	27	39		
APPLICABLE MODEL:				
NISSAN Maxima 89-94 W/ABS Altima 93-94				




NI-62509				
A	F	O	ABS	I/M/O
25	23	40		
APPLICABLE MODEL:				
NISSAN Bluebird 1.8L				




NI-62522				
A	F	O	ABS	I/M/O
29	27	46		
APPLICABLE MODEL:				
NISSAN Maxima DOHC92-94 A/T W/LOCKING DIFFERENTIAL				




NI-62510				
A	F	O	ABS	I/M/O
24	23	40		
APPLICABLE MODEL:				
NISSAN New SENTRA 1.3/1.4 Sentra Gas W/O F.INJ 2WD 82-90				




NI-62524				
A	F	O	ABS	I/M/O
27	27	33		
APPLICABLE MODEL:				
NISSAN Maxima 85-88 STANZA 87-88				




NI-62514				
A	F	O	ABS	I/M/O
25	25	40		
APPLICABLE MODEL:				
NISSAN				




NI-62525				
A	F	O	ABS	I/M/O
29	34	39		
APPLICABLE MODEL:				
NISSAN Quest 93-96				




NI-62516				
A	F	O	ABS	I/M/O
27	25	39		
APPLICABLE MODEL:				
NISSAN Bluebird 3.0L				




NI-62526				
A	F	O	ABS	I/M/O
29	34	33		
APPLICABLE MODEL:				
NISSAN Quest 93-96				




NI-62517				
A	F	O	ABS	I/M/O
27	25	33		
APPLICABLE MODEL:				
NISSAN U13 39100-OE500 MAXIMA 89-91 MAXIMA SOHC 92-94				




NI-62530				
A	F	O	ABS	I/M/O
27	27	46		
APPLICABLE MODEL:				
NISSAN				




NI-62531				
A	F	O	ABS	I/M/O
27	27	33		
APPLICABLE MODEL:				
NISSAN STANZA GXE SE XE 90-92				




NI-62547				
A	F	O	ABS	I/M/O
29	26	39		
APPLICABLE MODEL:				
NISSAN ALTIMA ATV93-97 W/O Limited Slip Differential				




NI-62536				
A	F	O	ABS	I/M/O
29	27	33		
APPLICABLE MODEL:				
NISSAN Altima 93-96				




NI-62548				
A	F	O	ABS	I/M/O
29	26	33		
APPLICABLE MODEL:				
NISSAN ALTIMA ATV93-97 W/O Limited Slip Differential				




NI-62540				
A	F	O	ABS	I/M/O
25	25	33		
APPLICABLE MODEL:				
NISSAN INFINITY G20 91-92 Primera2.0L W/O ABS				




NI-62554				
A	F	O	ABS	I/M/O
29	27	33		
APPLICABLE MODEL:				
NISSAN CEFIRO3.0L A/T 96-99 MAXIMA A/T 85-98				




NI-62542				
A	F	D	H	I/M/O
	27	126	81.2	
APPLICABLE MODEL:				
NISSAN HARDBODY (Pick up)4-CYL 90-93 PATHFINDER 87-89				




NI-62555				
A	F	O	ABS	I/M/O
27	26	39		
APPLICABLE MODEL:				
NISSAN ALTIMA ALL MT W/ABS98-99-98-9				




NI-62545				
A	F	O	ABS	I/M/O
25	24	40		
APPLICABLE MODEL:				
NISSAN NISSAN V-16				




NI-62561				
A	F	O	ABS	I/M/O
29	26	46		
APPLICABLE MODEL:				
NISSAN				




NI-62546				
A	F	O	ABS	I/M/O
24	24	40		
APPLICABLE MODEL:				
NISSAN NISSAN V-16				




NI-62562				
A	F	O	ABS	I/M/O
27	26	46		
APPLICABLE MODEL:				
NISSAN ALTIMA ALL MT W/O ABS W/LIMIT SLIP DIFFE93-97-93-97				




NI-62562F2				
A	F	O	ABS	I/M/O
27	26	46		
APPLICABLE MODEL:				
NISSAN				




NI-62705				
A	F	O	ABS	I/M/O
29	27	39		
APPLICABLE MODEL:				
NISSAN				




NI-62564				
A	F	O	ABS	I/M/O
27	26	33		
APPLICABLE MODEL:				
NISSAN				




NI-62706				
A	F	O	ABS	I/M/O
25	32	40		
APPLICABLE MODEL:				
NISSAN NISSAN PRIMERA-U 1.6A/T05/90-09/96-05/90-0 1.6M/T05/90-09/96-05/90-0 2A/T05/90-09/96-05/90-0				




NI-62566				
A	F	O	ABS	I/M/O
27	25	33		
APPLICABLE MODEL:				
NISSAN MAXIMA SOHC W/O ABS92-94-92-94 ALL W/O ABS89-91-89-91				




NI-62711				
A	F	O	ABS	I/M/O
25	25	42		
APPLICABLE MODEL:				
NISSAN				




NI-62701				
A	F	D	H	I/M/O
27	135.5	85		
APPLICABLE MODEL:				
NISSAN NISSAN PATHFINDE ALL90-95-90-95 PICK UP ALL 6 CYL90-93-90-93 ALL 6CYL94-95-94-95				




NI-62713				
A	F	O	ABS	I/M/O
25	25	33		
APPLICABLE MODEL:				
NISSAN				




NI-62703				
A	F	D	H	I/M/O
26	132	71.5		
APPLICABLE MODEL:				
NISSAN				




NI-62714				
A	F	O	ABS	I/M/O
25	27	32		
APPLICABLE MODEL:				
NISSAN				



NI-62704				
A	F	O	ABS	I/M/O
27	25	39		
APPLICABLE MODEL:				
NISSAN MAXIMA IMPORT85-88-85-88 PINTARA U1289-6/91-89-6/91				



NI-62715				
A	F	D	H	I/M/O
27	106	79		
APPLICABLE MODEL:				
NISSAN				



NI-62716				
A	F	O	ABS	I/M/O
29	27	58		
APPLICABLE MODEL:				
NISSAN				

NI-62722				
A	F	O	ABS	I/M/O
25	23	40		
APPLICABLE MODEL:				
NISSAN				


NI-62201				
A	F	O	ABS	I/M/O
24	23	40		
APPLICABLE MODEL:				
NISSAN				

NI-62202				
A	F	O	ABS	I/M/O
27	24	39		
APPLICABLE MODEL:				
NISSAN				


NI-62203				
A	F	O	ABS	I/M/O
25	23	40		
APPLICABLE MODEL:				
NISSAN				

NI-62204				
A	F	O	ABS	I/M/O
25	32	40		
APPLICABLE MODEL:				
NISSAN				


OP-62501				
A	F	O	ABS	I/M/O
22	19	35		
APPLICABLE MODEL:				
OPEL				




OP-62705				
A	F	O	ABS	I/M/O
22	28	34.95		
APPLICABLE MODEL:				
OPEL				




OP-62701				
A	F	O	ABS	I/M/O
34	22	35		
APPLICABLE MODEL:				
OPEL				




OP-62705F2				
A	F	O	ABS	I/M/O
22	28	34.95		
APPLICABLE MODEL:				
OPEL				




OP-62701F2				
A	F	O	ABS	I/M/O
34	22	35		
APPLICABLE MODEL:				
OPEL				




OP-62706				
A	F	O	ABS	I/M/O
34	29	35		
APPLICABLE MODEL:				
OPEL				




OP-62702				
A	F	D	H	I/M/O
	25	137.8	82.6	
APPLICABLE MODEL:				
OPEL DAEWOO CIELO GL SOHC 3 SPD A/T 10/95-4/98-10/95-4/				




OP-62707				
A	F	O	ABS	I/M/O
22	28	34.95		
APPLICABLE MODEL:				
OPEL				




OP-62703				
A	F	O	ABS	I/M/O
34	29	36.7		
APPLICABLE MODEL:				
OPEL				




OP-62708				
A	F	O	ABS	I/M/O
22	22	34.95		
APPLICABLE MODEL:				
OPEL				



OP-62704				
A	F	O	ABS	I/M/O
34	25	35		
APPLICABLE MODEL:				
OPEL				



OP-62710				
A	F	O	ABS	I/M/O
34	29	35		
APPLICABLE MODEL:				
OPEL				



OP-62711				
A	F	O	ABS	I/M/O
34	25	35		
APPLICABLE MODEL:				
OPEL				

OP-62712				
A	F	O	ABS	I/M/O
34	22	35		
APPLICABLE MODEL:				
OPEL				


OP-62716				
A	F	O	ABS	I/M/O
22	29	38		
APPLICABLE MODEL:				
OPEL				

OP-62201				
A	F	O	ABS	I/M/O
22	28	34.95		
APPLICABLE MODEL:				
OPEL				


OP-62202				
A	F	O	ABS	I/M/O
34	22	35		
APPLICABLE MODEL:				
OPEL				

OP-62203				
A	F	O	ABS	I/M/O
34	25	35		
APPLICABLE MODEL:				
OPEL				


RN-62501				
A	F	O	ABS	I/M/O
23	22	36.3		
APPLICABLE MODEL:				
RENAULT				




RN-62707				
A	F	O	ABS	I/M/O
27	30	42		
APPLICABLE MODEL:				
RENAULT				




RN-62701				
A	F	O	ABS	I/M/O
23	22	36.3		
APPLICABLE MODEL:				
RENAULT				




RN-62708				
A	F	O	ABS	I/M/O
23	30	36.3		
APPLICABLE MODEL:				
RENAULT				




RN-62702				
A	F	O	ABS	I/M/O
23	25	36.3		
APPLICABLE MODEL:				
RENAULT RENAOCT 2S POT				




RN-62709				
A	F	O	ABS	I/M/O
22	21	31.3		
APPLICABLE MODEL:				
RENAULT				




RN-62703				
A	F	O	ABS	I/M/O
23	25	35		
APPLICABLE MODEL:				
RENAULT				




RN-62710				
A	F	O	ABS	I/M/O
23	21	36.3		
APPLICABLE MODEL:				
RENAULT				




RN-62705				
A	F	O	ABS	I/M/O
23	29	36.3		
APPLICABLE MODEL:				
RENAULT TRIPOD CV MASTER				




RN-62711				
A	F	O	ABS	I/M/O
27	25	41.7		
APPLICABLE MODEL:				
RENAULT				




RN-62706				
A	F	O	ABS	I/M/O
39	27	30		
APPLICABLE MODEL:				
RENAULT				




RN-62712				
A	F	O	ABS	I/M/O
23	29	36.3		
APPLICABLE MODEL:				
RENAULT				




RN-62713				
A	F	O	ABS	I/M/O
22	21	36		
APPLICABLE MODEL:				
RENAULT				




RN-62720				
A	F	O	ABS	I/M/O
23	23	36.3		
APPLICABLE MODEL:				
RENAULT				




RN-62715				
A	F	O	ABS	I/M/O
23	24	36.3		
APPLICABLE MODEL:				
RENAULT				




RN-62721				
A	F	O	ABS	I/M/O
23	29	36.3		
APPLICABLE MODEL:				
RENAULT				




RN-62716				
A	F	O	ABS	I/M/O
27	27	42		
APPLICABLE MODEL:				
RENAULT				




RN-62722				
A	F	O	ABS	I/M/O
39	25	30		
APPLICABLE MODEL:				
RENAULT				




RN-62717				
A	F	O	ABS	I/M/O
23	21	36.4		
APPLICABLE MODEL:				
RENAULT				




RN-62724				
A	F	O	ABS	I/M/O
23	22	36.3		
APPLICABLE MODEL:				
RENAULT				




RN-62718				
A	F	O	ABS	I/M/O
39	25	30		
APPLICABLE MODEL:				
RENAULT				




RN-62726				
A	F	O	ABS	I/M/O
26	22	43.5		
APPLICABLE MODEL:				
RENAULT				



RN-62719				
A	F	O	ABS	I/M/O
39	27	30		
APPLICABLE MODEL:				
RENAULT				



RN-62727				
A	F	O	ABS	I/M/O
23	22	36.4		
APPLICABLE MODEL:				
RENAULT				



RN-62201				
A	F	O	ABS	I/M/O
23	27	36.3		
APPLICABLE MODEL:				
RENAULT				

RN-62202				
A	F	O	ABS	I/M/O
23	22	36.3		
APPLICABLE MODEL:				
RENAULT				


RN-62203				
A	F	O	ABS	I/M/O
22	22	36		
APPLICABLE MODEL:				
RENAULT				

RN-62204				
A	F	O	ABS	I/M/O
23	23	36.3		
APPLICABLE MODEL:				
RENAULT				


RN-62205				
A	F	O	ABS	I/M/O
22	22	36		
APPLICABLE MODEL:				
RENAULT				

RN-62206				
A	F	O	ABS	I/M/O
23	23	36.3		
APPLICABLE MODEL:				
RENAULT				


SB-62501					
A	F	O	ABS	I/M/O	
23	22	40			
APPLICABLE MODEL:					
SUBARU Leone 2WD 79-84 2WD TURBO 80-84 3DR COUPE 2WD 86-90					




SB-62516					
A	F	O	ABS	I/M/O	
23	21	42			
APPLICABLE MODEL:					
SUBARU Justy 89-94					




SB-62502					
A	F	O	ABS	I/M/O	
23	23	40			
APPLICABLE MODEL:					
SUBARU ALL ROAD 4WD 82-87 Leone 4WD 79-84					




SB-62518					
A	F	O	ABS	I/M/O	
23	25	40			
APPLICABLE MODEL:					
SUBARU COUPE SEDAN & WAGON 4WD 85-89 Layale A/T 90-91					




SB-62505					
A	F	O	ABS	I/M/O	
25	25	40.1			
APPLICABLE MODEL:					
SUBARU Dr COUPE 2WD 4WD 85-89 SUBARU COUPE LAYALE Leone 4WD 85-90 SEDAN LEGACY XT 4CYL M/T 85-89 Kombi 1800 Turbo 85K					




SB-62701					
A	F	O	ABS	I/M/O	
23	30	40			
APPLICABLE MODEL:					
SUBARU					




SB-62508					
A	F	O	ABS	I/M/O	
25	30	40			
APPLICABLE MODEL:					
SUBARU LEGACY 4WD 90-94 L&R					




SB-62201					
A	F	O	ABS	I/M/O	
25	22	47			
APPLICABLE MODEL:					
SUBARU					




SB-62513					
A	F	O	ABS	I/M/O	
25	29	40			
APPLICABLE MODEL:					
SUBARU					




SB-62202					
A	F	O	ABS	I/M/O	
23	22	47.3			
APPLICABLE MODEL:					
SUBARU					



SB-62514					
A	F	O	ABS	I/M/O	
25	22	40			
APPLICABLE MODEL:					
SUBARU LEGACY 2.2L AWD 95UP					



SB-62203					
A	F	O	ABS	I/M/O	
23	23	40			
APPLICABLE MODEL:					
SUBARU					




SB-62204				
A	F	O	ABS	I/M/O
23	18	42		
APPLICABLE MODEL:				
SUBARU				


SB-62205				
A	F	O	ABS	I/M/O
25	30	40		
APPLICABLE MODEL:				
SUBARU				

SB-62206				
A	F	O	ABS	I/M/O
23	21	42		
APPLICABLE MODEL:				
SUBARU				


SK-62501				
A	F	O	ABS	I/M/O
22	19	40		
APPLICABLE MODEL:				
SUZUKI CULTUKI 1.3L TUTTO				




SK-62511				
A	F	O	ABS	I/M/O
22	21	40		
APPLICABLE MODEL:				
SUZUKI SWIFT DOHC M/T 89-94				




SK-62502				
A	F	O	ABS	I/M/O
22	19	35		
APPLICABLE MODEL:				
SUZUKI SUZUKI CULTUS1.3L TUTTO				




SK-62516				
A	F	O	ABS	I/M/O
26	22	40		
APPLICABLE MODEL:				
SUZUKI CULTUS 1.6LA/T 94-99				




SK-62503				
A	F	O	ABS	I/M/O
22	19	35		
APPLICABLE MODEL:				
SUZUKI SUZUKI CULTUS 1.3L TUTTO				




SK-62520				
A	F	O	ABS	I/M/O
26	18	30		
APPLICABLE MODEL:				
SUZUKI				



SK-62503F2				
A	F	O	ABS	I/M/O
22	19	35		
APPLICABLE MODEL:				
SUZUKI				




SK-62522				
A	F	O	ABS	I/M/O
22	20	35		
APPLICABLE MODEL:				
SUZUKI ESTEEM ALL 1.6 LTR ENG 95-00-95-00				




SK-62504F2				
A	F	O	ABS	I/M/O
22	18	35		
APPLICABLE MODEL:				
SUZUKI ALTO 800				




SK-62701				
A	F	O	ABS	I/M/O
26	22	38		
APPLICABLE MODEL:				
SUZUKI				




SK-62510				
A	F	O	ABS	I/M/O
22	21	35		
APPLICABLE MODEL:				
SUZUKI SUZUKI SWIFT DOHL 89-94				




SK-62702				
A	F	O	ABS	I/M/O
22	19	35		
APPLICABLE MODEL:				
SUZUKI				




SK-62703				
A	F	O	ABS	I/M/O
22	19	40		
APPLICABLE MODEL:				
SUZUKI SWIFT 1.3L 4CYL4/84-86-4/84-86				




SK-62711				
A	F	O	ABS	I/M/O
20	17	24		
APPLICABLE MODEL:				
SUZUKI				




SK-62704				
A	F	O	ABS	I/M/O
18	18	35		
APPLICABLE MODEL:				
SUZUKI				




SK-62712				
A	F	O	ABS	I/M/O
36	22			
APPLICABLE MODEL:				
SUZUKI				




SK-62706				
A	F	O	ABS	I/M/O
22	19	40		
APPLICABLE MODEL:				
SUZUKI				




SK-62713				
A	F	O	ABS	I/M/O
22	28	35		
APPLICABLE MODEL:				
SUZUKI				




SK-62708				
A	F	O	ABS	I/M/O
22	21	40		
APPLICABLE MODEL:				
SUZUKI				




SK-62715				
A	F	O	ABS	I/M/O
20	17	34		
APPLICABLE MODEL:				
SUZUKI				




SK-62709				
A	F	O	ABS	I/M/O
20	17	22		
APPLICABLE MODEL:				
SUZUKI				




SK-62716				
A	F	O	ABS	I/M/O
36	22			
APPLICABLE MODEL:				
SUZUKI				




SK-62710				
A	F	O	ABS	I/M/O
21	17	35		
APPLICABLE MODEL:				
SUZUKI				




SK-62717				
A	F	O	ABS	I/M/O
24	18	34.6		
APPLICABLE MODEL:				
SUZUKI				




SK-62718				
A	F	O	ABS	I/M/O
22	18	35.5		
APPLICABLE MODEL:				
SUZUKI				




SK-62202				
A	F	O	ABS	I/M/O
22	20	35		
APPLICABLE MODEL:				
SUZUKI				




SK-62724				
A	F	D	H	I/M/O
22	127.5	66.5		
APPLICABLE MODEL:				
SUZUKI				




SK-62725				
A	F	O	ABS	I/M/O
22	21	35		
APPLICABLE MODEL:				
SUZUKI				




SK-62726				
A	F	O	ABS	I/M/O
22	21	35		
APPLICABLE MODEL:				
SUZUKI				




SK-62730				
A	F	O	ABS	I/M/O
22	20	35		
APPLICABLE MODEL:				
SUZUKI				




SK-62201				
A	F	O	ABS	I/M/O
22	20	35		
APPLICABLE MODEL:				
SUZUKI				




SO-62701				
A	F	O	ABS	I/M/O
22	22	40		
APPLICABLE MODEL:				
SKODA				




SO-62702				
A	F	O	ABS	I/M/O
22	30	40		
APPLICABLE MODEL:				
SKODA				




TO-62501				
A	F	O	ABS	I/M/O
23	29	34		
APPLICABLE MODEL:				
TOYOTA				




TO-62509				
A	F	O	ABS	I/M/O
20	23	35		
APPLICABLE MODEL:				
TOYOTA EXSIOR 2.0 CORONA 93UP 434 10-20580				




TO-62502				
A	F	O	ABS	I/M/O
23	23	34		
APPLICABLE MODEL:				
TOYOTA Corolla 1.6L				




TO-62510				
A	F	O	ABS	I/M/O
20	23	35		
APPLICABLE MODEL:				
TOYOTA EXSIOR CORONA 2.0L 93UP 43420-20380				




TO-62504				
A	F	O	ABS	I/M/O
23	29	34		
APPLICABLE MODEL:				
TOYOTA GEO				




TO-62511				
A	F	D	H	I/M/O
	27	112	33.2	
APPLICABLE MODEL:				
TOYOTA LEXUS 2.5L ES 250 90-91 CAMRY 8-90				




TO-62505				
A	F	O	ABS	I/M/O
23	29	36.1		
APPLICABLE MODEL:				
TOYOTA GEO				




TO-62512				
A	F	D	H	I/M/O
	34	112	33.2	
APPLICABLE MODEL:				
TOYOTA LEXUS 3.0L ES 300 92-96 CAMRY V6 92-96 AVALON 95-96				




TO-62506				
A	F	O	ABS	I/M/O
23	23	34		
APPLICABLE MODEL:				
TOYOTA TERCEL 1.5L				




TO-62514				
A	F	D	H	I/M/O
	23	106.2	79	
APPLICABLE MODEL:				
TOYOTA COROLLA FX 84-87				




TO-62507				
A	F	O	ABS	I/M/O
23	22	34		
APPLICABLE MODEL:				
TOYOTA TERCEL 91up				




TO-62515				
A	F	O	ABS	I/M/O
20	32	35		
APPLICABLE MODEL:				
TOYOTA CAMRY 4CYL 92-95				




TO-62516				
A	F	O	ABS	I/M/O
20	32	35		
APPLICABLE MODEL:				
TOYOTA CAMRY 4CYL 92-95				




TO-62527				
A	F	D	H	I/M/O
24	154	83.3		
APPLICABLE MODEL:				
TOYOTA Pick up 4*4/4RUNNER 86-95 T100 4*4 93-98				




TO-62517				
A	F	D	H	I/M/O
24	113	79		
APPLICABLE MODEL:				
TOYOTA CAMRY GAS 83-86 CAMRY 2WD 4CYL A/T 87-91 B/S				




TO-62529				
A	F	D	H	I/M/O
32	112	33.2		
APPLICABLE MODEL:				
TOYOTA CAMRY C6W/O ABS 90-91				




TO-62518				
A	F	O	ABS	I/M/O
20	30	35		
APPLICABLE MODEL:				
TOYOTA CAMRY 2WD 88-91				




TO-62531				
A	F	O	ABS	I/M/O
24	26	50		
APPLICABLE MODEL:				
TOYOTA CAMRY 3.0LA/T W/ABS 97up LH				




TO-62519				
A	F	O	ABS	I/M/O
20	30	35		
APPLICABLE MODEL:				
TOYOTA CAMRY 2WD 88-91				




TO-62532				
A	F	O	ABS	I/M/O
24	26	40		
APPLICABLE MODEL:				
TOYOTA CAMRY 3.0LA/T W/ABS 97/ABS up RH				




TO-62524				
A	F	O	ABS	I/M/O
23	23	44		
APPLICABLE MODEL:				
TOYOTA RAV-4 WAGON 4*4 COROLLA 88-91				




TO-62701				
A	F	O	ABS	I/M/O
27	24	47		
APPLICABLE MODEL:				
TOYOTA				




TO-62525				
A	F	O	ABS	I/M/O
23	23	32		
APPLICABLE MODEL:				
TOYOTA RAV-4 WAGON 4*4 COROLLA 88-91				




TO-62702				
A	F	O	ABS	I/M/O
20	27	35		
APPLICABLE MODEL:				
TOYOTA				




TO-62703				
A	F	O	ABS	I/M/O
27	34	47		
APPLICABLE MODEL:				
TOYOTA TACOMA 4X4 ALL W/O AUTO DISCONNECT 95-00-95-00				




TO-62709				
A	F	O	ABS	I/M/O
23	22	34		
APPLICABLE MODEL:				
TOYOTA TERCEL ALL EXC WAGON 87-90-87-90				




TO-62704				
A	F	O	ABS	I/M/O
23	23	34		
APPLICABLE MODEL:				
TOYOTA				




TO-62710				
A	F	O	ABS	I/M/O
20	23	32		
APPLICABLE MODEL:				
TOYOTA TERCEL ALL exc 86 SR-5 WAG 4X483-86-83-86 WAGON exc 86 SR-5 WAG 4X483-88-83-88				




TO-62705				
A	F	O	ABS	I/M/O
23	22	34		
APPLICABLE MODEL:				
TOYOTA TERCEL ALL EXC WAGON 87-90-87-90				




TO-62712				
A	F	O	ABS	I/M/O
23	23	34		
APPLICABLE MODEL:				
TOYOTA				




TO-62706				
A	F	O	ABS	I/M/O
23	23	33.95		
APPLICABLE MODEL:				
TOYOTA				




TO-62713				
A	F	O	ABS	I/M/O
23	22	34		
APPLICABLE MODEL:				
TOYOTA				




TO-62707				
A	F	O	ABS	I/M/O
20	25	35		
APPLICABLE MODEL:				
TOYOTA				




TO-62714				
A	F	O	ABS	I/M/O
24	27	40		
APPLICABLE MODEL:				
TOYOTA				




TO-62708				
A	F	O	ABS	I/M/O
20	25	35		
APPLICABLE MODEL:				
TOYOTA				




TO-62715				
A	F	O	ABS	I/M/O
24	27	50		
APPLICABLE MODEL:				
TOYOTA				




TO-62718				
A	F	O	ABS	I/M/O
20	24	35		
APPLICABLE MODEL:				
TOYOTA				




TO-62727				
A	F	O	ABS	I/M/O
24	26	40		
APPLICABLE MODEL:				
TOYOTA				




TO-62719				
A	F	O	ABS	I/M/O
23	23	34		
APPLICABLE MODEL:				
TOYOTA				




TO-62728				
A	F	O	ABS	I/M/O
24	26	50		
APPLICABLE MODEL:				
TOYOTA				




TO-62723				
A	F	D	H	I/M/O
	25	138	78	
APPLICABLE MODEL:				
TOYOTA				




TO-62729				
A	F	O	ABS	I/M/O
24	26	40		
APPLICABLE MODEL:				
TOYOTA				




TO-62724				
A	F	O	ABS	I/M/O
20	24	35		
APPLICABLE MODEL:				
TOYOTA				




TO-62730				
A	F	O	ABS	I/M/O
20	27	35		
APPLICABLE MODEL:				
TOYOTA				




TO-62725				
A	F	O	ABS	I/M/O
24	26	40		
APPLICABLE MODEL:				
TOYOTA				




TO-62731				
A	F	O	ABS	I/M/O
20	23	40.2		
APPLICABLE MODEL:				
TOYOTA				




TO-62726				
A	F	O	ABS	I/M/O
24	26	50		
APPLICABLE MODEL:				
TOYOTA				




TO-62732				
A	F	O	ABS	I/M/O
20	25	35		
APPLICABLE MODEL:				
TOYOTA				




VO-62701				
A	F	D	H	I/M/O
	24	94	32	
APPLICABLE MODEL:				
VOLVO				




VO-62202				
A	F	O	ABS	I/M/O
26	25	40		
APPLICABLE MODEL:				
VOLVO				




VO-62203				
A	F	O	ABS	I/M/O
26	34	40		
APPLICABLE MODEL:				
VOLVO				




VW-62007				
A	F	D	H	I/M/O
33	100	34		
APPLICABLE MODEL:				
VOLKSWAGEN JETTA GLI 84-90 SANTANA GOLF GTI 84-90 AUDI: 4000S coupe 82-87				




VW-62022				
A	F	D	H	I/M/O
28	108	32		
APPLICABLE MODEL:				
VOLKSWAGEN T4 2.0L 93 UP				




VW-62008F2				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN VOLKSWAGENGOLF SERIE 1.8(55 KW) CH1HN000001 1.8 CL-GL-GT(66KW) CH1HN000001 1.812/97-08/97(55 KW) CH1HN00000112/91-08/97				




VW-62022F2				
A	F	D	H	I/M/O
28	108	31.8		
APPLICABLE MODEL:				
VOLKSWAGEN VOLKSWAGEN TRANSPORTER 1.9 Turbo Diesel M/T08/94-08/94 2.4 Turbo Diesel M/T05/95-05/95 2.5i M/T08/94-08/94 2 M/T08/94-08/94 1.9 Diesel M/T08/94-08/94 2.4 Diesel M/				




VW-62014				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN Kombi Van Passat 90-92 Vanagon (4*4) 86-92 AUDI: 80A/T M/T 80-904 CYL				




VW-62030				
A	F	D	H	I/M/O
25	100	32.2		
APPLICABLE MODEL:				
VOLKSWAGEN Golf Gti SEAT: TOLEDO 1.6L 94'				




VW-62015				
A	F	D	H	I/M/O
33	94	32		
APPLICABLE MODEL:				
VOLKSWAGEN VW Golf Small VW-021 VOLKSWAGEN T42.0L 93UP				




VW-62501				
A	F	D	H	I/M/O
34	124	59.2		
APPLICABLE MODEL:				
VOLKSWAGEN Golf/Jetta/GTI(4CTLA/T) 93-97				




VW-62015F2				
A	F	D	H	I/M/O
33	94	32		
APPLICABLE MODEL:				
VOLKSWAGEN SCRIOCCO ALL A/A/AUTO TRANS FROM VIN 53E 0 12 218 TRU VIN 53F 000 091 84-85-84-85 W/3-3/4 DIAMETER INBOARD JOINT				




VW-62502				
A	F	D	H	I/M/O
34	130	59.5		
APPLICABLE MODEL:				
VOLKSWAGEN PASSAT 1.9 TDI 110CV-2.6 30V 10/96-10/96				




VW-62021				
A	F	D	H	I/M/O
33	108	31.8		
APPLICABLE MODEL:				
VOLKSWAGEN T4 2.0L 93 UP				




VW-62701				
A	F	D	H	I/M/O
30	100	58.6		
APPLICABLE MODEL:				
VOLKSWAGEN PASSAT 1.9 TDI 110CV-2.6 30V/10/96-10/96				




VW-62702				
A	F	D	H	I/M/O
33	92	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62709				
A	F	D	H	I/M/O
34	124	84.8		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62703				
A	F	D	H	I/M/O
30	108	57.6		
APPLICABLE MODEL:				
VOLKSWAGEN JETTA 1.8T				




VW-62710				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62704				
A	F	D	H	I/M/O
32	100	34		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62711				
A	F	D	H	I/M/O
	94	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62705				
A	F	D	H	I/M/O
25	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62712				
A	F	D	H	I/M/O
26	107	35		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62706				
A	F	O	ABS	I/M/O
26	28	40		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62713				
A	F	D	H	I/M/O
28	94	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62708				
A	F	O	ABS	I/M/O
35	28	42		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62201				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62202				
A	F	D	H	I/M/O
33	94	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62208				
A	F	D	H	I/M/O
33	94	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62203				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62209				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62204				
A	F	D	H	I/M/O
33	99.85	34		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62210				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62205				
A	F	D	H	I/M/O
33	94	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62211				
A	F	D	H	I/M/O
33	100	34		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62206				
A	F	D	H	I/M/O
33	94	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62212				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62207				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62214				
A	F	D	H	I/M/O
28	108	31.8		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62215				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62222				
A	F	D	H	I/M/O
33	89.8	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62216				
A	F	D	H	I/M/O
32	108	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62223				
A	F	D	H	I/M/O
33	100	34		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62217				
A	F	D	H	I/M/O
28	108	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62224				
A	F	D	H	I/M/O
25	100	31.8		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62219				
A	F	D	H	I/M/O
33	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				




VW-62225				
A	F	D	H	I/M/O
25	100	32		
APPLICABLE MODEL:				
VOLKSWAGEN				



VW-62220				
A	F	D	H	I/M/O
33	100	34		
APPLICABLE MODEL:				
VOLKSWAGEN				



VW-62226				
A	F	D	H	I/M/O
26	124	86.8		
APPLICABLE MODEL:				
VOLKSWAGEN				



VW-62221				
A	F	D	H	I/M/O
33	100	34		
APPLICABLE MODEL:				
VOLKSWAGEN				

