

No.	Product Picture	Product name	Speed ratio	Decription	MOQ	N.W.	G.W.	Packing specification	Packing Size
1		TOYOTA DIFFERENTIAL	9x41	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	24kg	26kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
2		TOYOTA DIFFERENTIAL	8x39	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	24kg	26kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
3		TOYOTA DIFFERENTIAL	10x41	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	26kg	28kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
4		TOYOTA DIFFERENTIAL	10x43	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	26kg	28kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
5		TOYOTA DIFFERENTIAL	11x43	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	26kg	28kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
6		TOYOTA DIFFERENTIAL	12x43	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	26kg	28kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
7		ISUZU NPR DIFFERENTIAL	7x41	1.Axle spline teeth:19T/23T 2.Hypoid offset:25.4 3.Gear installation distance:148/61	10pcs	50kg	55kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
8		ISUZU NPR DIFFERENTIAL	7x43	1.Axle spline teeth:19T/23T 2.Hypoid offset:25.4 3.Gear installation distance:148/61	10pcs	50kg	55kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
9		ISUZU NPR DIFFERENTIAL	7x39	1.Axle spline teeth:19T/23T 2.Hypoid offset:25.4 3.Gear installation distance:148/61	10pcs	50kg	55kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
10		ISUZU NPR DIFFERENTIAL	8x43	1.Axle spline teeth:19T/23T 2.Hypoid offset:25.4 3.Gear installation distance:148/61	10pcs	50kg	55kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
11		ISUZU NPR DIFFERENTIAL	6x39	1.Axle spline teeth:19T/23T 2.Hypoid offset:25.4 3.Gear installation distance:148/61	10pcs	50kg	55kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
12		ISUZU NPR DIFFERENTIAL	8x39	1.Axle spline teeth:19T/23T 2.Hypoid offset:25.4 3.Gear installation distance:148/61	10pcs	50kg	55kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm

No.	Product Picture	Product name	Speed ratio	Decription	MOQ	N.W.	G.W.	Packing specification	Packing Size
1		TOYOTA DIFFERENTIAL	9x41	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	24kg	26kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
13		ISUZU NPR DIFFERENTIAL	6x37	1.Axle spline teeth:19T/23T 2.Hypoid offset:25.4 3.Gear installation distance:148/61	10pcs	50kg	55kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
14		ISUZU TFR DIFFERENTIAL	9X41	1.Axle spline teeth:17T/23T 2.Hypoid offset:31.70 3.Gear installation distance:104.87/55	10pcs	26kg	28kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
15		ISUZU TFR DIFFERENTIAL	10X41	1.Axle spline teeth:17T/23T 2.Hypoid offset:31.70 3.Gear installation distance:104.87/55	10pcs	26kg	28kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
16		MITSUBISHI FUSO DIFFERENTIAL	6X37	1.Axle spline teeth:18T 2.Parallel distance of the flange hole:59x48mm 3.hypoid offset:28.7	10pcs	50kg	55kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
17		MITSUBISHI FUSO DIFFERENTIAL	6X40	1.Axle spline teeth:18T 2.Parallel distance of the flange hole:59x48mm 3.hypoid offset:28.7	10pcs	50kg	55kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
18		MITSUBISHI PAJERO DIFFERENTIAL	8X39	1.Axle spline teeth:30T/28T 2.Hypoid offset:30 3.Gear installation distance:115/66	10pcs	39kg	43kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
19		TOYOTA limited slip differential	8x39,9x41, 10x41,10x43	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	9kg	11kg	Fumigation-free packed in wooden cases,one differential in one cases.	26*26*22cm
20		TOYOTA locking differential	8x39,9x41, 10x41,10x43	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	9kg	11kg	Fumigation-free packed in wooden cases,one differential in one cases.	26*26*22cm
21		TOYOTA small differential assy 114	8x39,9x41	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	20pcs	5kg	6kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
22		TOYOTA small differential assy 115	10x41,10x43, 11x43,12x43	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	20pcs	6kg	7kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm

No.	Product Picture	Product name	Speed ratio	Decription	MOQ	N.W.	G.W.	Packing specification	Packing Size
1		TOYOTA DIFFERENTIAL	9x41	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	24kg	26kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
23		TOYOTA small differential case 114	8x39,9x41	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	20pcs	3.8kg	4kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
24		TOYOTA small differential case 115	10x41,10x43,11x43	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	20pcs	3.8kg	4kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
25		ISUZU small differential case	7x41,7x43,7x39,8x39,6x39,6x37,8x43	1.Axle spline teeth:19T/23T 2.Hypoid offset:25.4 3.Gear installation distance:148/61	20pcs	7kg	8kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
26		TOYOTA differential case114(small)	8x39,9x41	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	20pcs	3.6kg	4kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
27		TOYOTA differential case115(big)	10x41,10x43,11x43,12x43	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	20pcs	3.8kg	4.2kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
28		ISUZU differential case	7x41,7x43,7x39,8x39,6x39,6x37,8x43	1.Axle spline teeth:19T/23T 2.Hypoid offset:25.4 3.Gear installation distance:148/61	20pcs	12.5kg	13.5kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
29		TOYOTA differential flange part	8x39,9x41,10x41,10x43,11x43	1.Axle spline teeth:27T 2.Parallel distance of the flange hole:60x60mm	20pcs	0.6kg	0.8kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
30		ISUZU differential flange part	7x41,7x43,7x39,8x39,6x39,6x37,8x43	1.Axle spline teeth:18T 2.Parallel distance of the flange hole:58x81mm	20pcs	1.5kg	2kg	Fumigation-free packed in wooden cases,one differential in one cases.	47*36*36cm
31		ISUZU crown and pinion	7x41	1.crown outer diameter: 292mm 2.the length of the pinion: 225mm 3.the spline teeth of the pinion : 18T	10pcs	10.5kg	11.5kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	43*31*18cm
32		ISUZU crown and pinion	7x43	1.crown outer diameter: 292mm 2.the length of the pinion: 225mm 3.the spline teeth of the pinion : 18T	16pcs	10.5kg	11.5kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	45*33*20cm

No.	Product Picture	Product name	Speed ratio	Decription	MOQ	N.W.	G.W.	Packing specification	Packing Size
1		TOYOTA DIFFERENTIAL	9x41	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	24kg	26kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
33		ISUZU crown and pinion	7x39	1.crown outer diameter: 292mm 2.the length of the pinion: 225mm 3.the spline teeth of the pinion : 18T	16pcs	10.5kg	11.5kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	45*33*20cm
34		ISUZU crown and pinion	8x39	1.crown outer diameter: 292mm 2.the length of the pinion: 225mm 3.the spline teeth of the pinion : 18T	16pcs	10.5kg	11.5kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	45*33*20cm
35		ISUZU crown and pinion	8x43	1.crown outer diameter: 292mm 2.the length of the pinion: 225mm 3.the spline teeth of the pinion : 18T	16pcs	10.5kg	11.5kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	45*33*20cm
36		ISUZU crown and pinion	6x37	1.crown outer diameter: 292mm 2.the length of the pinion: 225mm 3.the spline teeth of the pinion : 18T	16pcs	10.5kg	11.5kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	45*33*20cm
37		ISUZU crown and pinion	6x39	1.crown outer diameter: 292mm 2.the length of the pinion: 225mm 3.the spline teeth of the pinion : 18T	16pcs	10.5kg	11.5kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	45*33*20cm
38		TOYOTA crown and pinion	9X37R	1.the spline teeth of pinion:27T	17pcs	10.6kg	11.5kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	45*33*20cm
39		TOYOTA crown and pinion	9X37F	1.the spline teeth of pinion:27T	18pcs	10.7kg	11.5kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	45*33*20cm
40		TOYOTA crown and pinion	9x41	1.crown outer diameter: 230mm 2.the length of the pinion: 260mm 3.the spline teeth of the pinion : 27T	16pcs	5.2kg	6.2kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	43*31*18cm
41		TOYOTA crown and pinion	8x39	1.crown outer diameter: 240mm 2.the length of the pinion: 255mm 3.the spline teeth of the pinion : 27T	16pcs	5.2kg	6.2kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	43*31*18cm
42		TOYOTA crown and pinion	10x41	1.crown outer diameter: 240mm 2.the length of the pinion: 260mm 3.the spline teeth of the pinion : 27T	16pcs	5.2kg	6.2kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	43*31*18cm

No.	Product Picture	Product name	Speed ratio	Decription	MOQ	N.W.	G.W.	Packing specification	Packing Size
1		TOYOTA DIFFERENTIAL	9x41	1.Axle spline teeth:30T 2.Hypoid offset:31.75 3.Gear installation distance:104.87/55	10pcs	24kg	26kg	Fumigation-free packed in wooden cases,one differential in one cases.	41*26*26cm
43		TOYOTA crown and pinion	10x43	1.crown outer diameter: 240mm 2.the length of the pinion: 260mm 3.the spline teeth of the pinion : 27T	16pcs	5.2kg	6.2kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	43*31*18cm
44		TOYOTA crown and pinion	11x43F	1.crown outer diameter: 240mm 2.the length of the pinion: 260mm 3.the spline teeth of the pinion : 27T	16pcs	5.2kg	6.2kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	43*31*18cm
45		TOYOTA crown and pinion	11x43R	1.crown outer diameter: 240mm 2.the length of the pinion: 260mm 3.the spline teeth of the pinion : 27T	16pcs	5.2kg	6.2kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	43*31*18cm
46		TOYOTA crown and pinion	12x43F	1.crown outer diameter: 240mm 2.the length of the pinion: 260mm 3.the spline teeth of the pinion : 27T	16pcs	5.2kg	6.2kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	43*31*18cm
47		TOYOTA crown and pinion	12x43R	1.crown outer diameter: 240mm 2.the length of the pinion: 260mm 3.the spline teeth of the pinion : 27T	16pcs	5.2kg	6.2kg	Fumigation-free packed in wooden cases,4 pcs crown and pinion in one cases.	43*31*18cm
48		TOYOTA DIFFERENTIAL KIT	30T	1.This kit include:2planetary gear;2 axle shaft gear;1 universal joint pin and 4 gasket. 2.this differentila kit is apply to TOYOTA/HIACE/JINBEI differential.	36pcs	1.2kg	1.3kg	two pcs differential kit in one small case,and 36 pcs differential kit will in a big wooden cases.	29.5*43*36.5 cm
49		ISUZU DIFFERENTIAL KIT	19T/23T/20T	1.This kit include:4 planetary gear;2 axle shaft gear;1 universal joint pin and 2 gasket. 2.this differentila kit is apply to ISUZU NPR differential.	18pcs	3kg	3.2kg	one pcs differential kit in one small case,and 18 pcs differential kit will in a big wooden cases.	29.5*43*36.5 cm