














No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
1	<b>6800S-C</b>	Plastic+cap zinc coating		PCS	48	7.5	6	56.5*38.5*24CM	plastic card	L:98mm ID::17.5MMFOR 8MM.12MMrod
2	<b>6800CH-GR</b>	Aluminium alloy+cap zinc coating		PCS	48	7.5	6	56.5*38.5*24CM	plastic card	L:79mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod
3	<b>6800CH-BL</b>	Aluminium alloy+cap zinc coating		PCS	48	7.5	6	56.5*38.5*24CM	plastic card	L:79mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod
4	<b>6800R-C</b>	Plastic+cap zinc coating		PCS	48	7.5	6	56.5*38.5*24CM	plastic card	L:98mm ID::17.5MMFOR 8MM.12MMrod
5	<b>6800B-C</b>	Plastic+cap zinc coating		PCS	48	7.5	6	56.5*38.5*24CM	plastic card	L:98mm ID::17.5MMFOR 8MM.12MMrod

No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
6	6800CH-C	Plastic+cap zinc coating		PCS	48	7.5	6	56.5*38.5*24CM	plastic card	L:79mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod
7	S200BK-CH	Plastic+cap zinc coating		PCS	48	7.5	6	49.5*36*32CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod
8	S200CH-W	Plastic+cap zinc coating		PCS	48	7.5	6	49.5*36*32CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod
9	S200CH-BK	Plastic+cap zinc coating		PCS	48	7.5	6	49.5*36*32CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod
10	S200CH-BL	Plastic+cap zinc coating		PCS	48	7.5	6	49.5*36*32CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod






No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
11	S200R-Y	Plastic+cap zinc coating		PCS	48	7.5	6	49.5*36*32CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod
12	S200CH-C	Plastic+cap zinc coating		PCS	48	7.5	6	49.5*36*32CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod
13	S200CH-Y	Plastic+cap zinc coating		PCS	48	7.5	6	49.5*36*32CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod
14	S200R-BL	Plastic+cap zinc coating		PCS	48	7.5	6	49.5*36*32CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod
15	S200Y-BL	Plastic+cap zinc coating		PCS	48	7.5	6	49.5*36*32CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod

No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
16	<b>S100BK-CH</b>	Plastic+cap zinc coating		PCS	48	7.5	6	56.5*38.5*24CM	plastic card	L:102mm ID::17.5MMFOR 8MM.12MMrod
17	<b>S100S-BK</b>	Plastic++cap zinc coating		PCS	48	7.5	6	56.5*38.5*24CM	plastic card	L:102mm ID::17.5MMFOR 8MM.12MMrod
18	<b>S100CH-R</b>	Plastic+cap zinc coating		PCS	48	7.5	6	56.5*38.5*24CM	plastic card	L:102mm ID::17.5MMFOR 8MM.12MMrod
19	<b>S100CH-BK</b>	Plastic+cap zinc coating		PCS	48	7.5	6	56.5*38.5*24CM	plastic card	L:102mm ID::17.5MMFOR 8MM.12MMrod
20	<b>020CH</b>	Plastic		PCS	50	9	7.5	47.5*30.5*43CM	plastic card	

No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
21	021CH	Plastic		PCS	50	9	7.5	41.5*37*28CM	plastic card	
22	29	zinc		PCS	50	9	7.5	47.5*30.5*43CM	plastic card	
24	19	plastic+leather		PCS	50	12	10.5	51.5*37*28CM	plastic card	L:103mm ID::17.5MMFOR 8MM.12MMrod
25	22	plastic+leather		PCS	50	12	10.5	51.5*37*28CM	plastic card	L:110mm ID::17.5MMFOR 8MM.12MMrod
26	023BK/B	leather+alluminum		PCS	50	12	10.5	51.5*37*28CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod

No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
27	024-C		 GD-024-C	PCS	50	12	10.5	51.5*37*28CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod
28	024-W		 GD-024-W	PCS	50	12	10.5	51.5*37*28CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod
29	023BK/Y		 GD-023BK/Y	PCS	50	12	10.5	51.5*37*28CM	plastic card	L:90mm ID::17.5MMFOR 8MM.12MMrod
30	009S/R		 GD-009S/R	PCS	50	13	11.5	51.5*37*28CM	plastic card	L:78MM hold ID:17.8MM max OD:52MM
31	013/R		 GD-013/R	PCS	50	13	11.5	51.5*37*28CM	plastic card	






No.	Model Number	Description	Picture	UNIT	Master Pack			Packing	Remarker	
					QTY/C TN	G.W(Kg s)	N.W(Kg s)			MEAS(Cm)
32	013S/R		 GD-013S/R	PCS	50	13	11.5	51.5*37*28CM	plastic card	
33	6000A-CH/BL		 GD-6000A-CH/BL	PCS	48	9	7.5	47.5*25.5*34.5CM	plastic card	L:82mm max OD:45MM ID::17.5MM FOR 8MM.12MMrod
34	6000B-CH/BL		 GD-6000B-CH/BL	PCS	48	9	7.5	47.5*25.5*34.5CM	plastic card	L:82mm max OD:45MM ID::17.5MM FOR 8MM.12MMrod
35	6000C-CH/BL		 GD-6000C-CH/BL	PCS	48	9	7.5	47.5*25.5*34.5CM	plastic card	L:82mm max OD:45MM ID::17.5MM FOR 8MM.12MMrod
36	6000D-CH/Y		 GD-6000D-CH/Y	PCS	48	9	7.5	47.5*25.5*34.5CM	plastic card	L:82mm max OD:45MM ID::17.5MM FOR 8MM.12MMrod






No.	Model Number	Description	Picture	UNIT	Master Pack			Packing	Remarker	
					QTY/C TN	G.W(Kg s)	N.W(Kg s)			MEAS(Cm)
37	6000B-CH/R		 GD-6000B-CH/R	PCS	48	9	7.5	47.5*25.5*34.5CM	plastic card	L:82mm max OD:45MM ID::17.5MM FOR 8MM.12MMrod
38	6000C-CH/S		 GD-6000C-CH/S	PCS	48	9	7.5	47.5*25.5*34.5CM	plastic card	L:82mm max OD:45MM ID::17.5MM FOR 8MM.12MMrod
39	6000C-CH/BK		 GD-6000C-CH/BK	PCS	48	9	7.5	47.5*25.5*34.5CM	plastic card	L:82mm max OD:45MM ID::17.5MM FOR 8MM.12MMrod
40	6080CH/S		 GD-6080CH/S	PCS	50	9	7.5	51.5*37*28CM	plastic card	L:79mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod
41	6080CH/C		 GD-6080CH/C	PCS	50	9	7.5	51.5*37*28CM	plastic card	L:79mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod




No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
42	6080CH/R		 GD-6080CH/R	PCS	50	9	7.5	51.5*37*28CM	plastic card	L:79mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod
43	6080CH		 GD-6080CH	PCS	50	9	7.5	51.5*37*28CM	plastic card	L:79mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod
44	6080CH/Y-C		 GD-6080CH/Y-C	PCS	50	9	7.5	51.5*37*28CM	plastic card	L:79mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod
45	6080CH/B-C		 GD-6080CH/B-C	PCS	50	9	7.5	51.5*37*28CM	plastic card	L:79mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod
46	6080CH-B		 GD-6080CH-B	PCS	50	9	7.5	51.5*37*28CM	plastic card	L:79mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod






No.	Model Number	Description	Picture	UNIT	Master Pack			Packing	Remarker	
					QTY/C TN	G.W(Kg s)	N.W(Kg s)			MEAS(Cm)
47	6020-W			PCS	50	12	10.5	51.5*37*28CM	plastic card	
48	6020-C			PCS	50	12	10.5	51.5*37*28CM	plastic card	
50	6070S			PCS	50	10	8.5	51.5*37*28CM	plastic card	L:76MM hold ID:15MM max OD:37MM
51	6020S			PCS	50	12	10.5	51.5*37*28CM	plastic card	
52	GD6040S			PCS	50	11	9.5	51.5*37*28CM	plastic card	

No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
53	6090S/BL			PCS	50	9.5	8	39.5*32*20CM	plastic card	
54	6090R			PCS	50	9.5	8	39.5*32*20CM	plastic card	
55	018-BL			PCS	50	10.5	9	51.5*37*28CM	plastic card	L:92mm max OD:32MM ID::17.5MM FOR 8MM.12MMrod
56	018-R			PCS	50	10.5	9	51.5*37*28CM	plastic card	L:92mm max OD:32MM ID::17.5MM FOR 8MM.12MMrod
57	14			PCS	50	13	11.5	58.5*40*18CM	plastic card	

No.	Model Number	Description	Picture	UNIT	Master Pack			Packing	Remarker	
					QTY/C TN	G.W(Kg s)	N.W(Kg s)			MEAS(Cm)
58	026S		 GD-026S	PCS	50	13	11.5	51.5*37*28CM	plastic card	
59	6060Y		 Y6060-GD	PCS	48	10	8.5	47.5*38.5*23.5CM	plastic card	
60	025/R		 GD-025/R	PCS	50	9	7.5	51.5*37*28CM	plastic card	
61	6100CH		 GD-6100CH	PCS	50	13	11.5	51.5*37*28CM	plastic card	L:94mm ID::17.5MM FOR 8MM.12MMrod
62	6090S		 GD-6090S	PCS	50	9.5	8	39.5*32*20CM	plastic card	






No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
63	6400B-CH/BL		 GD-6400B-CH/BL	PCS	50	11	9.5	51.5*37*28CM	plastic card	L:70mm max OD:49MM ID::17.5MM FOR 8MM.12MMrod
64	6400A-CH/R		 GD-6400A-CH/R	PCS	50	11	9.5	51.5*37*28CM	plastic card	L:70mm max OD:49MM ID::17.5MM FOR 8MM.12MMrod
65	6400A-CH/B		 GD-6400A-CH/B	PCS	50	11	9.5	51.5*37*28CM	plastic card	L:70mm max OD:49MM ID::17.5MM FOR 8MM.12MMrod
66	6500A-S	Aluminium	 GD-6500A-S	PCS	50	12	10.5	51.5*37*28CM	plastic card	
67	6500B-R	Aluminium	 GD-6500B-R	PCS	50	12	10.5	51.5*37*28CM	plastic card	L:54mm max OD:49MM ID::16MM FOR 8MM.12MMrod

No.	Model Number	Description	Picture	UNIT	Master Pack			Packing	Remarker	
					QTY/C TN	G.W(Kg s)	N.W(Kg s)			MEAS(Cm)
68	6500B-BL	Aluminium		PCS	50	12	10.5	51.5*37*28CM	plastic card	L:54mm max OD:49MM ID::16MM FOR 8MM.12MMrod
69	035S/C	Aluminium		PCS	50	12	10.5	51.5*37*28CM	plastic card	L:70mm max OD:49MM ID::17.5MM FOR 8MM.12MMrod
70	6600S-Y	Aluminium		PCS	50	12	10.5	51.5*37*28CM	plastic card	L:70mm max OD:49MM ID::17.5MM FOR 8MM.12MMrod
71	027S	Aluminium		PCS	50	12	10.5	51.5*37*28CM	plastic card	L:67mm max OD:44MM ID::16MM FOR 8MM.12MMrod
72	027GR	Aluminium		PCS	50	12	10.5	51.5*37*28CM	plastic card	L:67mm max OD:44MM ID::16MM FOR 8MM.12MMrod






No.	Model Number	Description	Picture	UNIT	Master Pack			Packing	Remarker	
					QTY/C TN	G.W(Kg s)	N.W(Kg s)			MEAS(Cm)
73	017B/S	Aluminium	 GD-017B/S	PCS	50	12	10.5	51.5*37*28CM	plastic card	
74	017R/S	Aluminium	 GD-017R/S	PCS	50	12	10.5	51.5*37*28CM	plastic card	
76	011S	Aluminium	 GD-011S	PCS	50	12	10.5	51.5*37*28CM	plastic card	
77	006S/BK	Aluminium	 GD-006S/BK	PCS	50	13	11.5	51.5*37*28CM	plastic card	
78	005S/Y		 GD-005S/Y	PCS	50	13	11.5	51.5*37*28CM	plastic card	

No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
79	033-BL	Aluminium	 GD-033-BL	PCS	50	10	8.5	51.5*37*28CM	plastic card	L:75mm max OD:54MM ID::17.5MM FOR 8MM.12MMrod
80	033-R	Aluminium	 GD-033-R	PCS	50	10	8.5	51.5*37*28CM	plastic card	L:75mm max OD:54MM ID::17.5MM FOR 8MM.12MMrod
81	<b>001-LED</b>	Aluminium	 GD-001-LED	PCS					plastic card	
82	<b>007S/BK-LED</b>	Aluminium	 GD-007S/BK-LED	PCS	50	9	7.5	41.5*37*28CM	plastic card	
83	<b>003-LED</b>	Aluminium	 GD-003S-LED	PCS	50	13	11.5	41.5*37*28CM	plastic card	






No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
84	<b>003CH-LED</b>	Aluminium		PCS	50	13	11.5	41.5*37*28CM	plastic card	
85	<b>030-LED</b>	Aluminium		PCS	50	13	11.5	41.5*37*28CM	plastic card	
86	<b>004-LED</b>	Aluminium		PCS	50	13	11.5	41.5*37*28CM	plastic card	
87	<b>004B-BK-LED</b>	Aluminium		PCS	50	13	11.5	41.5*37*28CM	plastic card	
88	<b>004B-CH-LED</b>	Aluminium		PCS	50	13	11.5	41.5*37*28CM	plastic card	

No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
89	032CH-LED	Aluminium		PCS	50	13	11.5	41.5*37*28CM	plastic card	
90	031S/Y-LED	Aluminium		PCS	50	13	11.5	41.5*37*28CM	plastic card	
91	6700BK	Aluminium		PCS	50	10.5	9	51.5*37*28CM	plastic card	L:89MM hold ID:17.8MM max OD:37MM
92	801	Aluminium+leather		PCS	50	13	11.5	51.5*37*28CM	plastic card	
93	802	Aluminium+leather		PCS	50	12	10.5	51.5*37*28CM	plastic card	

No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
94	803	Aluminium alloy		PCS	50	13	11.5	51.5*37*28CM	plastic card	
95	804	Aluminium alloy		PCS	50	12	10.5	51.5*37*28CM	plastic card	L:73mm max OD:48MM ID::17.5MM FOR 8MM.12MMrod
96	805	Aluminium alloy		PCS	50	13	11.5	51.5*37*28CM	plastic card	L:78MM hold ID:17.8MM max OD:52MM
97	806	Aluminium alloy		PCS	50	13	11.5	51.5*37*28CM	plastic card	
98	807	Aluminium alloy		PCS	50	13	11.5	51.5*37*28CM	plastic card	

No.	Model Number	Description	Picture	UNIT	Master Pack				Packing	Remarker
					QTY/C TN	G.W(Kg s)	N.W(Kg s)	MEAS(Cm)		
99	808	Aluminium alloy		PCS	50	13	11.5	51.5*37*28CM	plastic card	
100	809-LED	Aluminium alloy		PCS	50	11	9.5	51.5*37*28CM	plastic card	
101	810			PCS	50	13	11.5	51.5*37*28CM	plastic card	
102	901S			PCS	50	16.5	15	CARTON:56.5*30*25 CM BOX:28.5*22.8*10.8C M	plastic card	
103	902BK	Aluminium alloy+spring		PCS	48	17	15.5	CARTON:50.5*37.5*2 5.5CM BOX:36.5*24.5*11.5C M	plastic card	

No.	Model Number	Description	Picture	UNIT	Master Pack			Packing	Remarker	
					QTY/C TN	G.W(Kg s)	N.W(Kg s)			MEAS(Cm)
104	902R	Aluminium alloy+spring		PCS	48	17	15.5	CARTON:50.5*37.5*25.5CM BOX:36.5*24.5*11.5CM	plastic card	
105	902BL	Aluminium alloy+spring		PCS	48	17	15.5	CARTON:50.5*37.5*25.5CM BOX:36.5*24.5*11.5CM	plastic card	
106	903BK			PCS	48	10	8.5	CARTON:45.5*36*25.5CM BOX:35*22*11.5CM	plastic card	