















SN7 22.5	K031844K55 K031844K50 K011117		Φ36*114 Φ32*84 BOLT:Φ16*85*1.5 Φ16*80*1.5 Φ39				1756390 1906779					
SN5 17.5	K001928		Φ30*99 Φ30*72 BOLT:Φ16*105*1.5 Φ16*75*1.5	81.50822.6026	000 420 4182							
	K000697 K000698		Φ32*80 BOLT:Φ16*80*1.5 Φ35 Φ39				1906776 2021750 1477678					
	K000935		Φ36*145 BOLT:Φ16*150*1.5									3434380200
	K00131 II 350470063			81.50822.6025			1439494					
	II 368470064		Φ36*80 BOLT:Φ16*85*1.5		001 988 2810		1448910					

Caliper Repair kit-WABCO











TEMCO.N O	WABCO.NO	Photo	Dimensions	OEM.NO								
				MAN	MERCEDES BENZ	IVECO	SCANIA	DAF	RENAULT	VOLVO	BPW	SAF
17.5"	12999699 12999702		Φ30*78 Φ30*91 BOLT:Φ16*90*1.5 Φ16*70*1.5	81.50822.6001		42536957		1436853				
17.5"	12999580		BOLT:Φ16*90*1.5 Φ16*70*1.5 Φ10*40*1									
19.5"	12999776		Φ38*76 Φ38*118 BOLT:Φ16*120*1.5 Φ16*80*1.5 30*42*30					1628065	5001866626	85108166		













Caliper Repair kit-MERITOR

TEMCO.N O	MERITOR.NO	Photo	Dimensions	OEM.NO									
				MAN	MERCEDES BENZ	IVECO	SCANIA	DAF	RENAULT	VOLVO	BPW	SAF	
	MCK1243 MCK1140		Φ35*144 Φ31*84 BOLT:Φ18*150*1.5 Φ18*90*1.5 Φ16*40*1.5	81.50802.6025						5001860791			
	MCK1086		Φ35*130 Φ33*67 BOLT:Φ18*150*1.5 Φ18*90*1.5 Φ16*40*1.5							5001858717			
	MCK1309									5001866398	85109891		
	MCK1139												
	SJ4112										3092329		






KING PIN KIT

King pin kit-MERCEDES BENZ


TEMCO.NO	O.E.M.NO.	Photo	king pin		TEMCO.NO	O.E.M.NO.	Photo	king pin	
			Bore Ø [mm]	Length [mm]				Bore Ø [mm]	Length [mm]
	3463300019		50	109		6253300119		55	109
	3463300219		50	120		6013300019		23	132
	3103300419		24	154		3103300319		26	154
	3103301219		27	153		6683300019		27	153
	3163300019		30	174		3163300119		30	186
	6703300119		30	186		6703300219		30	186
	6753300119		30	186		3803300219		33	186
	6753300219		33	186		6753301419		33	186

	6753300319		33	186		3603300619		38	217
	6753301819		38	217		6753301919		38	217
	3553300619		45	218		3553300319		45	219
	3913300019		50/51	222		3073300019		50/51	222
	3463300119		50/64	119		000 330 1319		50/64	126
	6253300219		55/60	126		6253300419		55/60	126













King pin kit-DAF

TEMCO.NO	O.E.M.NO.	Photo	king pin		TEMCO.NO	O.E.M.NO.	Photo	king pin	
			Bore Ø [mm]	Length [mm]				Bore Ø [mm]	Length [mm]
	0 681 621		31.5/50	270 M27*2		0 681 706		31.5/50	272 M27*2
	1895 529		31.5/50	254 M27*2		0 683 466		32/40	172
	0 683 469		32/40	172					









King pin kit-IVECO

TEMCO.NO	O.E.M.NO.	Photo	king pin		TEMCO.NO	O.E.M.NO.	Photo	king pin	
			Bore Ø [mm]	Length [mm]				Bore Ø [mm]	Length [mm]
	190 4698		43/53	227					





King pin kit-MAN



TEMCO.NO	O.E.M.NO.	Photo	king pin		TEMCO.NO	O.E.M.NO.	Photo	king pin	
			Bore Ø [mm]	Length [mm]				Bore Ø [mm]	Length [mm]
	81.44205.6024		29.5/30	156		81.44205.6012		34.5/35	174
	81.44205.6016		34.5/35	174		81.44205.6020		34.5/35	174
	81.44205.6025		35/36	172		81.44205.6018		37.5/38	192
	81.44205.6019		41.5/42	202		81.44205.6009		44.5/45	213
	81.44205.6010		49.5/50	223		81.44205.6013		49.5/50	223
	81.44205.6023		50/51	223.5		81.36305.6004		50	109

King pin kit-RENAULT







TEMCO.NO	O.E.M.NO.	Photo	king pin		TEMCO.NO	O.E.M.NO.	Photo	king pin	
			Bore Ø [mm]	Length [mm]				Bore Ø [mm]	Length [mm]
	5000794185		35	179		7420865911		35	179
	5000793828		40	241		7485133870		40/60	227 M40*1.5
	7420865912		45	214		5000793849 5000794320		46	280
	5010630994		50	225		7420865913		50	236
	5000794319		40	236		5000793641		28	153
	5000794318		46	300					

King pin kit-SCANIA

TEMCO.NO	O.E.M.NO.	Photo	king pin		TEMCO.NO	O.E.M.NO.	Photo	king pin	
			Bore Ø [mm]	Length [mm]				Bore Ø [mm]	Length [mm]
	550284		40/45	224		550257		40/45	224
	550713 550732		44.4/53.5	228		550729		44.4/53	215






	550711 550733		36/44.5	215		550722		45/57	244
--	------------------	---	---------	-----	--	--------	---	-------	-----

King pin kit-VOLVO





TEMCO.NO	O.E.M.NO.	Photo	king pin		TEMCO.NO	O.E.M.NO.	Photo	king pin	
			Bore Ø [mm]	Length [mm]				Bore Ø [mm]	Length [mm]
	272920		35/45	192		276193		35/45	220 M30*1.5
	276030		37/48	238 M33*2		3090267 276015		37/48	238 M33*2
	3090266		50	251		20751021		40/53	238 M40*1.5 M38*1.5

TIE ROD END







to fit-MERCEDES

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG100	001 330 0335		115	30*1.5	18*1.5	Φ22.5	Φ20		LK/LN2/LP/NG
TM-LG101	ACHF 241	ACHF 242	120	30*1.5	20*1.5	Φ26.6	Φ22.7		DAF/MAN
TM-LG102	000 460 6848	000 460 5848	125	30*1.5	27*1.5	Φ32	Φ29		MK/ACTROS
TM-LG103	000 330 2635	000 330 2735	160	24*1.5	14*1.5	Φ32	Φ19		T2/L
TM-LG104	000 330 1435	000 330 1535	105	28*1.5	18*1.5	Φ22.5	Φ20		
TM-LG105	000 330 1135	000 330 1235	95	24*1.5	18*1.5	Φ22.5	Φ20		
TM-LG106	000 460 2948	000 460 3448	125	30*1.5	24*1.5	Φ30	Φ27		MAN
TM-LG107	000 330 0148	000 330 0135	120	30*1.5	20*1.5	Φ26	Φ23.5		MAN/DAF
TM-LG108	000 330 4035	000 330 4135	152	36*1.5	20*1.5	Φ26	Φ23.5		
TM-LG109	000 330 9735	000 330 9835	105	24*1.5	18*1.5	Φ22.5	Φ20		
TM-LG110	000 460 6848	000 460 6948	125	30*1.5	24*1.5	Φ30	Φ27		
TM-LG111	000 330 1435	000 330 1535	110	28*1.5	18*1.5	Φ22.4	Φ20		
TM-LG112	000 330 8535	000 330 8635	95	24*1.5	16*1.5	Φ20	Φ18		


to fit-SCANIA



TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG120	395010	395009	120	30*1.5	24*1.5	Φ30	Φ27		
TM-LG121	031 0980	031 0979	170	52*1.5	24*1.5	Φ30	Φ27		
TM-LG122	325614		95	26*1.5	24*1.5	Φ30	Φ27		
TM-LG123	1357674	1357673	150	30*1.5	24*1.5	Φ30	Φ27		

to fit-VOLVO




TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG130	1527234		90	28*1.5	12*1.5	Φ16.2	Φ14.5		
TM-LG131	3092472	3092471	120	30*1.5	20*1.5	Φ29	Φ24		
TM-LG132	1698846	1698847	125	30*1.5	20*1.5	Φ29.3	Φ24		F 12
TM-LG133	1695776	1698840	125	30*1.5	24*1.5	Φ31.7	Φ27.3		
TM-LG134	1699401	1699400 1696900 1131741 6889483	170	52*1.5	20*1.5	Φ29	Φ24		
TM-LG135	1668179		95	30*1.5	20*1.5	Φ36.7	Φ24		FH12-16

to fit-RENAULT



TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG140	500 080 3464	500 080 3465	140	38*1.5	20*1.5	Φ26.5	Φ23.5		

TM-LG141	000 340 1207	000 340 1206	120	38*1.5	24*1.5	Φ30	Φ27		
TM-LG142	500 080 3460	500 080 3459	170	52*1.5	24*1.5	Φ30	Φ27		





to fit-DAF

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG150	1235 515	1235 514	133	52*1.5	24*1.5	Φ30	Φ27		
TM-LG151	67389	67303	140	48*1.5	24*1.5	Φ30	Φ27		
TM-LG152	606923	606922	130	48*1.5	24*1.5	Φ30	Φ27		

to fit-MAN




TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG155	81953010015	81953010016	120	30*1.5	24*1.5	Φ30	Φ27		
TM-LG156	81953010013	81953010014	120	30*1.5	20*1.5	26	23.5		


to fit-IVECO

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
	4833827	4833828	120	30*1.5	20*1.5	26	23.5		
	4833829	4833830	125	30*1.5	24*1.5	30	27		
	4688948	4688949	125	38*1.5	24*1.5	30	27		
		42489395	125	30*1.5	24*1.5	30	27		





tie rod end-JAPAN


to fit-HINO

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG160	45420-1600 45420-1611 45420-1690 45420-1550	45430-1600 45430-1611 45430-1690 45430-1550	205	44*2.0	20*1.5	Φ28	Φ25.5		EF750
TM-LG161	45420-2391	45430-2391	165	40*2.0	20*1.5	Φ28	Φ25.3		
TM-LG162	45420-1110	45430-2391	165	44*2.0	24*1.5	Φ32	Φ29.2		
TM-LG163	45420-1750 45420-2180	45430-1740 45420-2250	204	44*2.0	20*1.5	Φ28	Φ25.3		AK3H
TM-LG164	45420-2740	45430-2740	245	44*2.0	20*1.5	Φ28	Φ25.3		
TM-LG165	45420-1250	45430-1230	182	44*2.0	18*1.5	Φ24.3	Φ21.4		
TM-LG166	45420-1020	45430-1020	190	44*2.0	20*1.5	Φ30	Φ25.5		
TM-LG167	45420-1590	45430-1590	113	27*1.5	18*1.5	Φ22	Φ19.5		
TM-LG168	44520-1580	44520-1590	260	60*2.0	20*1.5	Φ28	Φ25.3		







TM-LG169	45420-1600B	45430-1600B	205	44*2.0	20*1.5	Φ28.3	Φ25.4		
TM-LG170	45420-2660	45430-2661	235	44*1.5	20*1.5	Φ28	Φ25.3		
TM-LG171	45420-1710	45430-1710	128	32*1.5	18*1.5	Φ22	Φ19.5		
TM-LG172	45420-1880	45430-1880	78	22*1.5	20*1.5	Φ28	Φ26		
TM-LG173	45420-2630	45430-2640	166	40*1.5	24*2.0	Φ28	Φ26		
TM-LG174	45046-39485	45047-39285	125	25*1.5	18*1.5	Φ22.1	Φ19.4		
TM-LG175	45420-2800	45430-2800	175	44*1.5	24*1.5	Φ30.5	Φ27		广汽日野P11C
TM-LG176	45046-39485	45047-39285	133	22*1.5	18*1.5	Φ22	Φ19.4		

to fit-NISSAN

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG180	48570-90065 48570-90028	48571-90065 48571-90028	146	44*1.5	24*1.5	Φ30	Φ27		CW51
TM-LG181	48570-90075	48571-90076	186	44*1.5	24*1.5	Φ30.5	Φ27.3		
TM-LG182	48570-90214	48571-90205	156	44*1.5	24*1.5	Φ30	Φ27		RG
TM-LG183	48570-90212	48571-90212	193	44*1.5	24*1.5	Φ30	Φ27.5		CW53
TM-LG184	48570-90218	48571-90218	218	56*1.5	24*1.5	Φ30	Φ27.2		CW520
TM-LG185	48570-Z5007	48571-Z5007	105	33*1.5	18*1.5	Φ22.2	Φ19.6		
TM-LG186	48570-0T810	48571-0T810	120	24*1.5	14*1.5	Φ20.7	Φ16.8		
TM-LG187	48570-Z5002	48571-Z5002	95	31*1.5	18*1.5	Φ22.3	Φ20		



TM-LG188	48570-00Z05	48571-00Z05	218	49*1.5	24*1.5	Φ30.7	Φ27.3		CW450
TM-LG189	48570-C0400	48571-C0400	127	25*1,5	18*1.5	Φ23	Φ19.3		
TM-LG190	48570-O0Z79	48571-O0Z79	172	56*1.5	24*1.5	Φ30.8	Φ27.3		
TM-LG191	48570-O0Z63	48571-O0Z63	200	44*1.5	24*1.5	Φ30.8	Φ27.3		
TM-LG192	48570-O0Z06	48571-O0Z06	157	44*1.5	24*1.5	Φ30.5	Φ27.3		




to fit-ISUZU

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG199	1-43150-139-6 1-43150-439-1	1-43150-140-6 1-43150-440-1	169.5	50*1.5	24*2.0	Φ32.5	Φ29		10PD1
TM-LG200	1-43150-349-0 1-43150-349-1 1-43150-563-1 1-43150-630-1	1-43150-350-0 1-43150-350-1 1-43150-564-1 1-43150-631-1	169.5	50*1.5	24*2.0	Φ32.5	Φ29		10PD1 CXZ
TM-LG201	1-43150-141-4 1-43150-141-1/2 1-43150-042-1/2	1-43150-142-4 1-43150-142-1/2 1-43150-043-1/2	172	36*1.5	24*2.0	Φ32.5	Φ29		
TM-LG202	1-43150-090-0	1-43150-091-0	127	36*1.5	24*1.5	Φ28.5	Φ25.3		
TM-LG203	1-43150-790-0	1-43150-791-0	172	50*1.5	24*1.5	Φ32	Φ28.8		10PC1
TM-LG204	1-43150-677-0	1-43150-678-0	172	50*1.5	24*1.5	Φ28	Φ25.3		
TM-LG205	1-43150-801-0	1-43150-802-0	172	56*1.5	24*2.0	Φ32	Φ29.5		10PE1
TM-LG206	1-43150-630-0	1-43150-631-0	170	50*1.5	24*2.0	Φ32	Φ29.5		
TM-LG207	1-43150-901 1-43150-856	1-43150-902 1-43150-857	198	58*1.5	24*2.0	Φ32	Φ29.5		51L

TM-LG208	JE-5890	JE-5890	116	27*1.5	18*1.5	Φ22	Φ20		
TM-LG209	1-43150-670-1	1-43150-671-1	122	36*1.5	22*1.5	Φ28	Φ25.5		
TM-LG210	1-43150-792	1-43150-793	170	36*1.5	24*1.5	Φ32	Φ29.5		
TM-LG211	1-43150-351	1-43150-352	90	26*1.5	24*1.5	Φ30.3	Φ27		
TM-LG212	1-43150-113-2	1-43150-114-2	120	20*1.5	16*1.5	Φ20.3	Φ18.1		
TM-LG213	1-43150-679-2	1-43150-680-2	126	20*1.5	16*1.5	Φ22	Φ20		
TM-LG214	8-94103-222-2	8-94103-223-2	170	36*1.5	24*1.5	Φ32.4	Φ28.85		
TM-LG215	1-43150-435-1	1-43150-436-1	170	36*1.5	24*1.5	Φ32.4	Φ28.85		
TM-LG216	1-43150-811-0	1-43150-812-0	172	50*1.5	24*1.5	Φ32.4	Φ29		
TM-LG217	8-98054-851-0	8-98054-852-0	198	58*1.5	24*2.0	Φ32	Φ29.5		

to fit-MITSUBISHI

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG220	MC-806279 MC-812879	MC-806280 MC-812880	172	42*1.5	20*1.5	Φ25.7	Φ23		FV413
TM-LG221	MC-806270 MK-309050	MC-806271 MK-309051	179	48*1.5	18*1.5	Φ24.5	Φ22.5		
TM-LG222	MC-881270 MC-881272	MC-881271 MC-881273	172	42*1.5	20*1.5	Φ26.5	Φ23		
TM-LG223	MC-813171	MC-813170	160	39*1.5	24*1.5	Φ30	Φ27.2		
TM-LG224	MC-810259	MC-810258	156	22*1.5	18*1.5	Φ25	Φ22.5		
TM-LG225	MC-891783	MC-891782	175	42*1.5	24*1.5	Φ30	Φ27.5		FV415

TM-LG226	MC-891862 MC-891872	MC-891861 MC-891873	219	42*1.5	14*1.5	Φ30	Φ27.5		FV515
TM-LG227	MC-805526	MC-805527	160	39*1.5	20*1.5	Φ26.6	Φ23.5		
TM-LG228	MC-891871	MC-891870	170	52*1.5	24*1.5	Φ28	Φ25.3		
TM-LG229	MC-891785	MC-891784	219	42*1.5	24*1.5	Φ30.2	Φ27.7		FV515
TM-LG230	MC-8374091	MC-8374090	172	42*1.5	24*1.5	Φ30.2	Φ27.7		
TM-LG231	MC-819259	MC-810258	152	22*1.5	18*1.5	Φ25	Φ22.5		
TM-LG232	MR-420082	MR-420083	150	33*1.5	18*1.5	Φ24.6	Φ22.6		
TM-LG233	MC-891874	MC-891875	245	45*1.5	24*1.5	Φ30	Φ27.3		
TM-LG234	MC-832322	MC-832323	102	22*1.5	16*1.5	Φ21.8	Φ20		
TM-LG235	MC-8374090	MC-8374091	90	26*1.5	24*1.5	Φ30.3	Φ27		
TM-LG236	MK-363168		102	20*1.5	14*1.5	Φ20	Φ17.9		
TM-LG237	MC-117897	MC-118044	116	27*1.5	18*1.5	Φ22	Φ20		
TM-LG238	MC-810258	MC-810259	98	22*1.5	16*1.5	Φ22	Φ20.2		
TM-LG239	MK-309711	MK-309712	145	22*1.5	14*1.5	Φ21	Φ18.5		
TM-LG240	MK-033300	MK-033301	92	20*1.5	14*1.5	Φ19	Φ17		
TM-LG241	NW-033300	NW-033301	106	22*1.5	14*1.5	Φ21	Φ18.5		




tie rod end-KOREA

to fit-KOREA








TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
TM-LG250	96200416	96200415	198	42*1.5	24*1.5	Φ32.6	Φ28.8		BH115-BH116
TM-LG251	94814779	94814778	171	36*1.5	24*1.5	Φ32.6	Φ28.8		BS105
TM-LG252	56890-5K000	56880-5K000	130	24*1.5	16*1.5	Φ22	Φ20		
TM-LG253	56890-7G300	56880-7G300	164	42*1.5	24*2.0	Φ30.5	Φ27.6		
TM-LG254	41-889		103	24*1.5	20*1.5	Φ24	Φ20		DRAGLINK
TM-LG255	9-172-30		103	24*1.5	18*1.5	Φ24	Φ20		DRAGLINK
TM-LG256	AA92A-34210		104	20*1.5	18*1.5	Φ22	Φ20		

tie rod end-CHINA




to fit-SINOTRUK

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
	199100430704	199100430701	115	30*1.5	20*1.5	Φ26	Φ23.5		
	AZ9100430218-4	AZ9100430218-11	115	30*1.5	24*1.5	Φ30	Φ27		
			125	30*1.5	24*1.5	Φ32	Φ29		





to fit-FOTON

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
			115	30*1.5	20*1.5	Φ26	Φ23.5		
			175	42*1.5	20*1.5	Φ26	Φ23.1		
			175	44*1.5	20*1.5	Φ26	Φ23.3		
			130	36*1.5	22*1.5	Φ30	Φ27.2		
			190	30*1.5	22*1.5	Φ26	Φ23.5		
			79	22*1.5	24*1.5	Φ26	Φ23.5		
			79	22*1.5	24*1.5	Φ26	Φ22		

to fit-FAW

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
			130	36*1.5	22*1.5	Φ30	Φ27.2		
			190	30*1.5	22*1.5	Φ30	Φ23.5		
			190	36*1.5	22*1.5	Φ30	Φ23.5		

to fit-JAC

TEMCO. NO	O. E. M. NO. RH	O. E. M. NO. LH	Dimensions					Photo	Model
			L	M	m	K	k		
			175	42*1.5	20*1.5	Φ26	Φ23.1		
			175	42*1.5	20*1.5	Φ30	Φ27		
	56891-Y3070	56881-Y3070	175	42*1.5	24*1.5	Φ30	Φ27		
			115	30*1.5	20*1.5	Φ26	Φ23.5		


TORQUE ROD

Torque Rod-SCANIA

TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Pipe [mm]	Length [mm]	
	1428349 1326775		17	115	24	46	522	
	1428347		17	115	24	46	568	
	1399180 1338769		17	115	24	46	568	
	1486758		19	115	24	46	522	
	1722747 1499475		19	115	24	50	569	
	1722748 1499476		19	115	24	50	569	
	1722750 1499478		19	115	24	50	617	
	1722749 1499477 1399020		19	115	24	50	606	
	1393298		17	115	24	48	752	
	1464611 1353445 1942147		17	115	24	42	705	

	1486756		19	115	24		568	
	1486757 1485758 1782023		19	115	24	48	570	
	1485759		19	115	24	46	580.5	
	1722751 1499479		19	115	24	50	629	
	1399019 1500576 1386559		17	115	24	50	616.5	
	1500572 1386556		17	115	24	50	569	
	1367282		17	115	24	46	540	
	1722746 1499474		19	115	24	50	568	
	445599 489989		19	130	30	48	650	
	1438475 1863130		17	115	24	50	589	
	489987 465816 466801		19	130	30	48	650	

Tie Bar Bush-SCANIA




TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Diameter [mm]	Length [mm]	
	1368682 349254 273621		18	145		120	182	Serie 3, Serie 4

	1372786 248953		16	145			120	182	
	638862 639287		19	130	30		85	166	Bus - Serie 3, Bus - Serie 4
	550812 639319		17	100	20		67	132	Actros, Atego, Atego up to 18 t, Axor, Econic
	550806		17	115	24		74.5	148	Bus - Serie 3, Serie 3, Serie 4
	1515981		19	115	24		75	147	Serie 4, Serie P,G,R,T
	550808		17	115	24		67	148	Serie 3, Serie 4, Serie P,G,R,T
	550807						67	135	Serie 3, Serie 4, Serie P,G,R,T
	1498131		19	115	24		67	147	Serie 4, Serie P,G,R,T
	1517403 550799		17	115	24		75	148	Bus - Serie 4, Bus - Serie F/K/N, Serie 4, Serie P,G,R,T
	1435944		19	130	30		84.5	163	Bus - Serie 3, Bus - Serie 4, Bus - Serie F/K/N, Serie P,G,R,T
	1722753		19	115	24		75	148	Serie 4, Serie P,G,R,T
	550800		17	115	24		67	148	Bus - Serie 4, Bus - Serie F/K/N, Serie 3, Serie 4, Serie P,G,R,T








Torque Rod-DAF

TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model
			Bore Ø [mm]	Bore Distance [mm]	Width [mm]	Thickness [mm]	Pipe [mm]	




	1793876 1620436 1361652		23	152	498	24	48	608	75 CF, 85 CF, 95 XF, CF 75, CF 75IV, CF 85, CF 85IV
	1793875 1617096 1368270 1390932 1361651		23	152	500	24	48	609	65 CF, 75 CF, 85 CF, 95 XF, 95 XF 530, CF 65, CF 65II, CF 65IV, CF 75, CF 75IV, CF 85, CF 85IV, F 75, LF 45, LF 55, LF 55IV, XF 95, XF 105
	1793877 1620437 649819		23	152	494	35	50	603	75 CF, 85 CF, 95 XF, CF 75, CF 75IV, CF 85, CF 85IV, F 2100, F 2300, F 2500, F 2700, XF 95, XF 105
TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model	
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Pipe [mm]	Length [mm]		
	267743 1656428 1361650 1361649		21	130	24	48	611	85 CF, 95 XF, 1260 PP, CF 65, CF 65II, CF 65IV, CF 75, CF 75IV, CF 85, CF 85IV, F 75, LF 45, LF 55, LF 55IV, XF 95, XF 105	
	1620438 1284860 655697 655695		21	130	30	50	600	75 CF, 85 CF, 95 XF, 95 XF 530, CF 75, CF 75IV, CF 85, CF 85IV, F 75, F 85, F 95, F 2300, F 2500, F 2700, F 2800, F 2900, F 3200, F 3300, F 3600, XF 95, XF 105	
	1294251		19	130	24	42	606	75 CF, 85 CF, CF 75, CF 75IV, CF 85, CF 85IV, F 75, F 85	
TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model		
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Diameter [mm]		Length [mm]	
	696321		23	152	24	95	190	75 CF, 85 CF, 95 XF, 95 XF 530, 885 ANM, CF 75, CF 75IV, CF 85, CF 85IV, F 75, F 85, F 95, F 2100, F 2300, F 2500, F 2700, F 2800, F 2900, F 3200, F 3300, F 3600, N 2800, SB 220, SBG 220, XF 95, XF 105, YTZ 95	
	1376729		23	152	24	75	150	65 CF, 75 CF, 85 CF, 95 XF, 95 XF 530, CF 65, CF 65II, CF 65IV, CF 75, CF 75IV, CF 85, CF 85IV, F 75, LF 45, LF 55, LF 55IV, XF 95, XF 105	
	689748		17	115	24	75	150	75 CF, 85 CF, 95 XF, CF 75, CF 75IV, CF 85, CF 85IV, F 75, F 85, F 95, SB 2300, SB 2700, SB 2750, SB 3000, SBR 3000, SBR 3015, XF 95, XF 105	
	691709 513757		21	130	30	85	164	65 CF, 75 CF, 85 CF, 95 XF, 95 XF 530, CF 75, CF 85, F 65, F 75, F 85, F 95, F 1700, F 1900, F 2300, F 2500, F 2700, F 2800, F 2900, F 3200, F 3300, F 3600, FT 95 500, LF 45, SB 220, SB 225,	
	1376728		21	130	24	75	105	65 CF, 75 CF, 85 CF, 95 XF, 95 XF 530, 1260 PP, CF 65, CF 65II, CF 65IV, CF 75, CF 75IV, CF 85, CF 85IV, LF 45, LF 55, LF 55IV, XF 95, XF 105	

	1243618		17	115	24	67	148	
	691704				Height [mm]:46	72		F 75, F 85, F 95, F 1900, F 2300
	696320				Height [mm]:61	90		








Torque Rod-IVECO








TEMCO.NO	O.E.M.NO.	Photo	Dimensions						Model
			Bore Ø [mm]	Bore Distance [mm]	Width [mm]	Thickness [mm]	Pipe [mm]	Length [mm]	
	41034479 41042050 41028600 41028598 41009665 41002770 41026372 8137026		21	130	535	24	46	665	Euromover, Eurostar, Eurotech, Eurotrakker, Stralis, Trakker
	41042092 41028599 98472468 98405832 504064007		19	130	526	24	46	659	Eurocargo, Eurocargo EURO 4/5, Eurocargo MY 2008, Eurocargo Tector, Eurotech
	41042093 500340451		21	130		24	46	665	
TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model	
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Pipe [mm]	Length [mm]		
	41035951		19	130	24	50	594	Eurocargo, Euromover, Eurostar, Eurotech, Eurotrakker, Stralis, Trakker	
	98488010		19	130	24	48	585		
	42065332 41011006		21	152	24	58	610		
	42041107 41011008		21	152	24	50	610	Eurostar, Eurotech, Eurotrakker, Stralis, Trakker	

	41009961		19	130	24	50	455	
	98472466 41009661 41035951 8137027		19	130	24	50	594	Eurocargo, Euromover, Eurostar, Eurotech, Eurotrakker, Stralis, Trakker
TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Diameter [mm]	Length [mm]	
	93161960		21	130	24	75	163	Eurocargo, Eurocargo EURO 4/5, Eurocargo MY 2008, Eurocargo Tector, Euromover, Eurostar, Eurotech, Eurotrakker, Stralis, Trakker
	93192619 42493431		21	152	24	95	193	Axor, L 2638, NG, SK
	93192618 93161720		21	152	24	85	195	LP, MK, NG, SK
	93192361		19	130	24	75	163	Eurocargo, Eurocargo EURO 4/5, Eurocargo MY 2008, Eurocargo Tector, Euromover, Eurostar, Eurotech, Eurotrakker, Stralis, Trakker
	42488722		19	130	30	85	166	
	42535204		21	130	30	85		
	42535045			115		67		
	42530909			145		85		
	42535445			100		67		
	93161958					72		


	93161631 93161632						72		Eurocargo, Euromover, Eurostar, Eurotech, Eurotrakker, Stralis, Trakker
	2968454		38				72	46	
	93161959		38	144					













Torque Rod-RENAULT

TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model	
			Bore Ø [mm]	Bore Distance [mm]	Width [mm]	Thickness [mm]	Pipe [mm]		Length [mm]
	7420829503		21	130	597	30	58	671	Kerax
	7420741703		19	115			48	662	Premium
TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model		
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Pipe [mm]		Length [mm]	
	5010530366		19	145	30	52	575	Kerax, Magnum AE, Magnum E. TECH, Major-R, Manager G	
	5010389262		21	152	35	50	574	Kerax	
	5010467915		21	152	35	50	575	Kerax	
	5010207726 5000869572		17	122		46	550	BUS	
	5010207727 5000869573		17	122		46	692	BUS	




TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Diameter [mm]	Length [mm]	
	7421051052		21	130	70	35	510	Kerax
	5001842337		21	152	35	85	189	Kerax
	5001831526		19	145	30	85		Kerax
	5001842823		19	130	30	85	164	
	7420702095		21	130	35	95		Kerax
	7420840815		21	130	30	85	166	Kerax DXI
	7420547286		19	115	24	75	148	Premium
	7420840820				Height [mm]:60	90		VOLVO:20840820
	7420741710				Height [mm]:46	72		VOLVO:20741710

Torque Rod-MAN








TEMCO.NO	O.E.M.NO.	Photo	Dimensions						Model
			Bore Ø [mm]	Bore Distance [mm]	Width [mm]	Thickness [mm]	Pipe [mm]	Length [mm]	
	81.43270.6076 81.43270.6078 81.43270.6030 81.43270.6034 81.43270.6054 81.43270.6057 81.43270.6074 81.43270.6082		23	152	513.5	24	50	627	E90, E2000, F90, F2000, TGA














	81.43270.6077 81.43270.6081 81.43270.6075 81.43270.6067 81.43270.6056		23	152	516	24	58	627	F90, F2000
	81.43270.6096 81.43270.6121 81.43270.6114 81.43270.6221		23	130	514	24	48	627	TGA, TGS, TGX
	81.43270.6117		25	130	507	24	58	627	F2000, TGA, TGS, TGX
	81.43270.6087 81.43270.6088 81.43270.6094 81.43270.6095		25/25	152/130	513	24	48	627	E2000, F2000, TGA, TGM, TGS, TGX
	81.43270.6137 81.43270.6116		25/25	152/130	509	24/26	48	627	E2000, F2000, TGA, TGM, TGS, TGX
TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model	
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Pipe [mm]	Length [mm]		
	81.43220.6129 81.43220.6096 81.43220.6097 81.43220.6098 81.43220.9129 81.43230.6014 81.43230.6030		19	130	24	48	577	E2000, F90, F2000, L2000, M90, M2000L, M2000M, TGA	
	81.43220.6092 81.43220.6067 81.43220.6090 81.43220.6068 81.43220.9092		19	130	30	48	590	E90, E2000, F90, F2000, TGA, TGX	
	81.43220.6052 81.43220.6010 81.43220.6012 81.43220.6013 81.43220.6020 81.43220.6035 81.43220.6040 81.43220.6041 81.43220.6056 81.43230.6018 81.43230.6028		19	130	30	70	565		
	81.43220.6196 81.43220.6232 81.43220.6233		19	130	24	48	596	F2000, TGA, TGS, TGX	
	81.43230.6037 81.43230.9037		19	130	30	65	500	Bus	
	81.43220.6093 81.43220.6070 81.43220.6071 81.43220.6091 81.43220.6072 81.43220.6119		21	130		58	585	F90, F2000, TGA	
	81.43220.6229 81.43220.6304 81.43220.6305		19	130	24	48	572	TGA, TGS, TGX	













	81.43220.6272 81.43220.6267 81.43220.6236		19	130	24	48	566	E90, E2000, F90, F2000, TGA, TGS, TGX
TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Diameter [mm]	Length [mm]	
	81.43270.6079		23	152	24	95	193	F90, F2000, HOCL, TGA, ÖAF
	81.43270.6119		19	115	24	75	148	TGM
	81.43270.6105		25	130	24	85	170	E2000, F2000, TGA, TGL, TGM, TGS, TGX, ÖAF
	81.43270.6126		23	130	24	85	166	F2000, TGA, TGS, TGX
	81.43270.6040		21	152	24	95	193	Axor, L 2638, NG, SK
	81.43270.6110		25	152	24		100	E2000, F2000, TGA, TGM, TGS, TGX
	81.43220.6107 81.43220.6055 81.43220.6104		19	130	30	85	164	Centroliner, Cityliner, E90, E2000, EL, F90, F2000, Lions City, Lions Classic, Lions Coach, Lions Regio, Lions Star, ND, NS, NGT, NL, NLN/UE, NM, NMT, RH, SD, SG, Starliner, SUE, TGA, TGS, Tourliner, Trendliner, UEL
	81.43220.6250		19	130	24	85	170	E2000, F2000, TGA, TGS, TGX
	81.43220.6202		17	100	24	67	143	M2000L
	81.43220.6244		17	115	24	75	148	TGA, TGS, TGX
	85.43220.6002		19	130	24	75	163	Lions City, Lions Coach, Lions Regio, Lions Star, M2000L, ND, NL, RH, Starliner,








	81.95301.6132 81.43270.6080				45			F2000,F90
	81.43270.6065				72			E2000, L2000, M90, M2000L, M2000M
	81.95301.6133		23	152	35	90	188	Bus

Torque Rod-MERCEDES-BENZ




TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model	
			Bore Ø [mm]	Bore Distance [mm]	Width [mm]	Thickness [mm]	Pipe [mm]		Length [mm]
	9483502205 9483501705		25/23	152/130	510	30	60	621.5	Actros, Arocs, Atego, Axor
	9483503005 9483500405 9473500905 9443500505		25/25	152/130	520	24	46	622	Actros, Arocs, Atego, Atego up to 18 t, Axor
	9473500105 9473500705 9443500305 9443500005		25/25	152/130	520	24	46	622	Actros, Actros MP4, Antos, Arocs, Atego, Atego up to 18 t, Axor, Econic
TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model		
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Pipe [mm]		Length [mm]	
	3953201532		21	152		50	638		
	3953201432		21	152		50	628		
	3953200132		21	152		50	500		
	3853500006 6533500006		21	152		50	568		

	3813500206 3833500006		21	152		50	595	
	3853500106 3953200332		21	152		50	610	
	9413300011 9453300011		17	100	20	40	754	Actros, Atego, Atego up to 18 t, Axor, Eonic
	6243500506 6539501606 6593503906 3953501306		21	152		58	629	
	6593501906 6593504206 6253500106		21	152		58	645	
	6243500406 6593501506 6593503806		21	152		58	629	
	6593501106 6593503406 6243500006		21	152		58	579	
	6243500606 6593501706 6596504006		21	152		50	629	
	6243500306 6593501406 6593503706		21	152		50	629	
	6593500106 6593502406 3953500206		21	152	24	50	585	MK, NG, SK
	6593500406 6593502706 3953500706		21	152		50	585	MK, NG, SK
	6593501206 6593503506 6243500106		21	152		50	579	MK, NG, SK
	9483501205 9483500805		21	152	24	52	565	Actros, Arocs, Atego, Atego up to 18 t, Axor

	9483502405 9483502005 9483501305		21	152	24	52	565	Actros, Arocs, Atego, Atego up to 18 t, Axor
	9483502505 9483501005 9453500105		21	152	24	52	615	Actros, Arocs, Axor, Zetros
TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Diameter [mm]	Length [mm]	
	000 350 3605		25	152	30	107	203	Actros, Arocs, Atego, Axor
	000 350 3705		23	130	30	85	166	Actros, Arocs, Atego, Axor
	000 350 2405		25	152	24	100		
	000 350 2205		25	130	24	75	175	Actros, Arocs, Atego, Atego up to 18 t, Axor, Econic
	000 350 2305		25	152	24	85	195	Actros, Arocs, Atego, Atego up to 18 t, Axor, Econic
	000 350 0613 000 586 1135 000 350 1805		21	152	24	85	195	LP, MK, NG, SK
	000 350 0113		21	152	24	108		MK, NG
	000 350 0413 000 586 1235		21	152	24	95	193	Axor, L 2638, NG, SK
	000 330 0707		17	115	24	75	150	Citaro, Conecto, O 405, O 500, OH 3736
	000 330 0207		19	130	24	75	163	O 405

	000 330 0075		16	130	30	85		
	000 350 2705		21	152	24	85	195	Actros, Arocs, Atego, Atego up to 18 t, Axor
	000 330 1411		17	100	20	67	132	Actros, Atego, Atego up to 18 t, Axor, Econic
	000 350 0506		19	130	30	85	164	ComfortClass 400, Integro, MultiClass 400, O 500, TopClass 400, Turismo, Travego
	000 350 0405				90			NG, SK
	000 586 1433		21	152	24	65	80	LP, MK, NG, SK
	3435860032 0005861433					65	160	

Torque Rod-VOLVO





TEMCO.NO	O.E.M.NO.	Photo	Dimensions						Model
			Bore Ø [mm]	Bore Distance [mm]	Width [mm]	Thickness [mm]	Pipe [mm]	Length [mm]	
	20829503 20392649 1076639 1629734 1626896		23	130	597	30	58	671	FH, FH 12, FH 16, FL 6, FM, FM 7, FM 9, FM 10, FM 12, NH 12
	20741695 20507262 20741703		19	115	627	24	48	662.5	FE, FH, FH 12, FH 16, FM, FM 9, FM 12, NH 12, VM
	1080690 1606200		23	152	526.5	24	58	635	F 10, F 12, F 16, FL 10, FL 12, N 10, N 12, NL10, NL12
TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model	
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Pipe [mm]	Length [mm]		

	1626958		21	130	30	48	570	FH, FH 12, FH 16, FH 400, FH 440, FH 480, FH 520, FL 6, FM 7, FM 9, FM 10, FM 12, NH 12
	1607079 3944820 8158206 1581527		21	130		48	660	
	1621419 1608151		17	100		48	621	
	20517494 20509018 204010530 70371270 20374444		17	115	24		625	B 6R, B 7R, B 9R, FH, FH 12, FH 16, FH 400, FH 440, FH 480, FH 520, FM, FM 7, FM 9, FM 12
	21051052 20522934		21	130	70	35	510	FH, FH 12, FH 16, FM, FM 9, FM 12
	20532931 21051046		21	130	70	30	515	FH, FM
TEMCO.NO	O.E.M.NO.	Photo	Dimensions					Model
			Bore Ø [mm]	Bore Distance [mm]	Thickness [mm]	Diameter [mm]	Length [mm]	
	3093630 20840815 20840814		21	130	30	85	166	FH, FH 12, FH 16, FM, FM 9, FM 12, NH 12
	20547286		19	115	24	75	148	FE, FH, FH 12, FH 16, FL 6, FM, FM 9, FM 12, NH 12
	271187		17	115	24	75	150	F 10, F 12, F 16, FH 12, FH 16, FL 6, FL 7, FL 10, FL 12, FM 7, FM 9, FM 10, FM 12, NH 12, NL10, NL12
	276192 274056 6889513		23	152	24	95	190	F 10, F 12, F 16, FL 10, FL 12, N 10, N 12, NL10, NL12
	1598588		13.5	125		91.5	150	B 7R, B 9S, B 10B, B 10L, B 10M, B 10R, B 12, B 12M, B 5B, F 10, F 12, F 16, FH 12, FH 16, FL 6, FL 7, FL 10, FL 12, FM 7, FM 10, FM 12, FS 7, NH 12, NL10, NL12
	274019		21	130	30	85	164	B 10B, F 10, F 12, F 16, FH, FH 12, FH 16, FL 7, FL 10, FL 12, FM 7, FM 9, FM 10, FM 12, N 10, N 12, NH 12, NL10, NL12







Wheel Stud

wheel bolt-MERCEDES/MAN

TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model
			Length	Thread size	Thread Length	Quality Grade	
TM-LS100	381 401 07 71		110mm	M22X1.5mm	40mm	10.9	MAN
TM-LS101	942 401 03 71		91.5mm	M22X1.5mm	57mm	10.9	ACTROSS
TM-LS102	942 401 02 71		68mm	M22X1.5mm	42mm	10.9	ACTROSS
TM-LS103	1588406		55mm	M20X2.0mm	30mm	10.9	SCANIA
TM-LS104	315 402 01 70		125mm	M18X2.0mm	71mm	10.9	MAN
TM-LS105	293 493 S1		60mm	M20X2.0mm	38mm	10.9	SCANIA
TM-LS106	387 402 05 70 kpl		140mm	M18X2.0mm	80mm	10.9	MAN
TM-LS107	1608293		115mm	M20X2.0mm	60mm	10.9	ACTROSS
TM-LS108	335 401 00 70		65mm	M18X2.0mm	40mm	10.9	MAN
TM-LS109	395 401 00 70 kpl		75mm	M20X2.0mm	45mm	10.9	MAN
TM-LS110	387 402 04 70		80mm	M18X2.0mm	45mm	10.9	MAN
TM-LS111	305 401 00 71		76mm	M22X1.5mm	40mm	10.9	
TM-LS112	338 401 50 71		71mm	M22X1.5mm	40mm	10.9	








TM-LS114	381 401 07 71		110mm	M22X1.5mm	75mm	10.9	
TM-LS115	381 401 06 71		110mm	M22X1.5mm	40mm	10.9	
TM-LS116	381 401 03 71		89mm	M22X1.5mm	38mm	10.9	
TM-LS117	389 401 00 71		91mm	M22X1.5mm	55mm	10.9	
TM-LS118	381 401 08 71		115mm	M22X1.5mm	38mm	10.9	
TM-LS119	381 401 03 71		89mm	M22X1.5mm	38mm	10.9	
TM-LS120	381 401 05 71		108mm	M22X1.5mm	38mm	10.9	
TM-LS121	000 401 2471		80mm	M22X1.5mm	55mm	10.9	
TM-LS122	000 401 2971		86mm	M22X1.5mm	50mm	10.9	

wheel bolt-SCANIA

TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model
			Length	Thread size	Thread Length	Quality Grade	
TM-LS130	1528712		85mm	7/8" - 11 BSF	60 mm	10.9	
TM-LS131	1868667		81mm	7/8" - 11 BSF	78mm	10.9	
TM-LS132	1368690		68mm	7/8" - 11 BSF	44mm	10.9	
TM-LS133	1368693		85mm	7/8" - 11 BSF	61mm	10.9	
TM-LS134	1368694		97mm	7/8" - 11 BSF	71mm	10.9	
TM-LS135	1368695		103mm	7/8" - 11 BSF	78mm	10.9	


TM-LS136	1420775		113mm	7/8" - 11 BSF	88mm	10.9	
TM-LS137	121302		80mm	7/8" - 11 BSF	57mm	10.9	
TM-LS138	143962		110mm	M18X2.0mm	61mm	10.9	
TM-LS139	0230339S1		95mm	M18X2.0mm	52mm	10.9	
TM-LS140	0228632S1		60mm	M18X2.0mm	36mm	10.9	
TM-LS141	132601L		90mm	7/8" - 11 BSF	65mm	10.9	
TM-LS142	132602R		90mm	7/8" - 11 BSF	65mm	10.9	
TM-LS143	123250R		74mm	7/8" - 11 BSF	53mm	10.9	
TM-LS144	123249L		74mm	7/8" - 11 BSF	53mm	10.9	

wheel bolt-VOLVO

TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model
			Length	Thread size	Thread Length	Quality Grade	
TM-LS150	017 872		90mm	M22X1.5mm	50mm	10.9	
TM-LS151	3963997		93.5mm	7/8" - 14 UNF	40.5mm	10.9	
TM-LS152	3112593		77mm	7/8" - 14 UNF	40mm	10.9	
TM-LS153	6010505		95mm	M22X1.5mm	40mm	10.9	
TM-LS154	6852474		100mm	M22X1.5mm	40mm	10.9	
TM-LS155	1589010		111mm	7/8" - 14 UNF	35mm	10.9	
TM-LS156	20553561		131mm	M22X1.5mm	102mm	10.9	







TM-LS157	20515518		110mm	M22X1.5mm	71mm	10.9	
TM-LS158	943405		130mm	7/8" - 14 UNF	38mm/31mm	10.9	
TM-LS159	21147687		114mm	M22X1.5mm	57mm	10.9	RENAULT
TM-LS160	20553560		122.5mm	M22X1.5mm	93mm	10.9	
TM-LS161	20515519		115mm	M22X1.5mm	74mm	10.9	RENAULT
TM-LS162	20515517		96mm	M22X1.5mm	67mm	10.9	
TM-LS163	20515515		87mm	M22X1.5mm	58mm	10.9	
TM-LS164	20515514		80mm	M22X1.5mm	50mm	10.9	
TM-LS165	1 573 082		102mm	7/8" - 14 UNF	35mm	10.9	
TM-LS166	1 573 081		86mm	7/8" - 14 UNF	32mm	10.9	
TM-LS167	6852 475		77mm	M22X1.5mm	32mm	10.9	
TM-LS168	1589009		111mm	7/8" - 14 UNF	35mm	10.9	
TM-LS169	20707705		105mm	M22X1.5mm	50mm	10.9	
TM-LS170	8152 104		113.5mm	7/8" - 14 UNF	44.5mm	10.9	








wheel bolt-DAF

TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model
			Length	Thread size	Thread Length	Quality Grade	
TM-LS180	0 217 266		118mm	M22X2.0mm	32mm	10.9	







TM-LS181	0 191 175		112mm	M22X2.0mm	38mm	10.9	
TM-LS182	0 190 203		75mm	M22X2.0mm	37mm	10.9	
TM-LS183	0 643 382		80mm	M18X2.0mm	37mm	10.9	
TM-LS184	0 637 429		125mm	M18X2.0mm	37mm	10.9	
TM-LS185	1309191		96mm	M22X1.5mm	42mm	10.9	
TM-LS186	1337020		72mm	M22X1.5mm	45mm	10.9	
TM-LS187	0620 649		104mm	M22X1.5mm	42mm	10.9	
TM-LS188	1356 736		94mm	M22X1.5mm	42mm	10.9	
TM-LS189	272 740 S1		100mm	M20X2.0mm	52mm	10.9	
TM-LS190	620 646		85mm	M22X1.5mm	42mm	10.9	

wheel bolt-IVECO

TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model
			Length	Thread size	Thread Length	Quality Grade	
TM-LS200	42117448		87mm	M22X1.5mm	40mm	10.9	
TM-LS201	42119082		65mm	M22X1.5mm	40mm	10.9	
TM-LS202	2475870		80.5mm	M22X1.5mm	40mm	10.9	
TM-LS203	7168465		100mm	M22X1.5mm	40mm	10.9	
TM-LS204	4459448		128mm	M22X1.5mm	40mm	10.9	
TM-LS205	03427565		92mm	M22X1.5mm	40mm	10.9	

TM-LS206	0716 8580		86mm	M22X1.5mm	40mm	10.9	
TM-LS207	2477764		110mm	M22X1.5mm	39mm	10.9	
TM-LS208	0716 8841		88mm	M20X1.5mm	38mm	10.9	
TM-LS209	0 0247 7764		110mm	M22X1.5mm	39mm	10.9	
TM-LS210	0 4206 4831		90mm	M20X1.5mm	36mm	10.9	
TM-LS211	0 4212 7265		92mm	M22X1.5mm	40mm	10.9	
TM-LS212	0 0717 0510		86mm	M20X1.5mm	36mm	10.9	

wheel bolt-RENAULT






TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model
			Length	Thread size	Thread Length	Quality Grade	
TM-LS220	50 10 319 141		79mm	M22X1.5mm	40mm	10.9	
TM-LS221	00 00 190 220		97.5mm	M22X1.5mm	47mm	10.9	
TM-LS222	50 10 241 892		102mm	M22X1.5mm	60mm	10.9	
TM-LS223	50 00 547 960		72mm	M18X1.5mm	32mm	10.9	
TM-LS224	50 00 351 162		95mm	M20X1.5mm	44mm	10.9	
TM-LS225	50 10 566 244		95mm	M22X1.5mm	40mm	10.9	

wheel bolt-ROR

TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model
			Length	Thread size	Thread Length	Quality Grade	


TM-LS230	212 20 132		80mm	M22X1.5mm	42mm	10.9	
TM-LS231	212 20 969		95mm	M22X1.5mm	58mm	10.9	
TM-LS232	210 20 997		98mm	M22X1.5mm	56mm	10.9	
TM-LS233	21273L		82mm	7/8" - 11 BSF	41mm	10.9	
TM-LS234	21272R		82mm	7/8" - 11 BSF	41mm	10.9	
TM-LS235	210 18490R		94mm	7/8" - 11 BSF	45mm	10.9	
TM-LS236	210 18491L		94mm	7/8" - 11 BSF	45mm	10.9	
TM-LS237	210 22 167		87mm	M22X1.5mm	38mm	10.9	

wheel bolt-SAF

TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model
			Length	Thread size	Thread Length	Quality Grade	
	1 303 1074 12		83mm	M22X1.5mm	48mm	10.9	
	1 303 1118 11		68mm	M22X1.5mm	39mm	10.9	
	1 303 1118 10		73mm	M22X1.5mm	45mm	10.9	
	1 303 1074 13		83mm	M22X1.5mm	48mm	10.9	
	1 303 1075 12		93mm	M22X1.5mm	57mm	10.9	

wheel bolt-BPW

TEMCO.NO	O.E.M.NO.	Photo	Dimensions				Model
			Length	Thread size	Thread Length	Quality Grade	

	0 250702300		140mm	M18X2.0mm	72mm	10.9	
	0 250708700		130mm	M18X2.0mm	72mm	10.9	
	0 250704100		125mm	M18X2.0mm	72mm	10.9	
	0 250704400		110mm	M18X2.0mm	72mm	10.9	
	0 250703700		115mm	M20X2.0mm	50mm	10.9	

