













SNAIL ELECTRIC HORN



<p>DL32</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>		<p>DL32E</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>	
<p>DL32A</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>		<p>DL32K</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>	
<p>DL32C</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>		<p>DL32F</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>	
<p>DL137</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>		<p>DL137C</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>	
<p>DL137A</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>		<p>DL137E</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>	
<p>DL137B</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>		<p>DL33N</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4.5A FRENQUENCY H=500±20 L=400±20 SOUND LEVEL:105-115A OUT DIAMETER:95MM</p>	

WWW.0086PARTS.COM

SNAIL ELECTRIC HORN



<p>DL33</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4.5A FRENQUENCY H=480±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:95MM</p>		<p>DL33E</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:95MM</p>	
<p>DL33A</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:95MM</p>		<p>DL33F</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:95MM</p>	
<p>DL33C</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:95MM</p>		<p>DL33K</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:95MM</p>	
<p>DL33M</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>4.5A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL:100-115A OUT DIAMETER:95MM</p>		<p>DL135M</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>5A FRENQUENCY H=480±20 L=410±20 SOUND LEVEL:105-120A OUT DIAMETER:100MM</p>	
<p>DL135E</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>5A FRENQUENCY H=480±20 L=410±20 SOUND LEVEL:105-120A OUT DIAMETER:100MM</p>		<p>DL135C</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>5A FRENQUENCY H=480±20 L=410±20 SOUND LEVEL:105-120A OUT DIAMETER:100MM</p>	
<p>DL135S</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>5A FRENQUENCY H=480±20 L=410±20 SOUND LEVEL:105-120A OUT DIAMETER:100MM</p>		<p>DL135A</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>5A FRENQUENCY H=480±20 L=410±20 SOUND LEVEL:105-120A OUT DIAMETER:100MM</p>	

WWW.0086PARTS.COM

SNAIL ELECTRIC HORN














<p>DL138</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4.5A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL:100-115A</p> <p>OUT DIAMETER:82MM</p>		<p>DL138F</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>4.5A</p> <p>FREQUENCY H=500±20 L=400±20</p> <p>SOUND LEVEL:105-115A</p> <p>OUT DIAMETER:82MM</p>	
<p>DL138A</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4.5A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL:100-115A</p> <p>OUT DIAMETER:82MM</p>		<p>DL138E</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4.5A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL:100-115A</p> <p>OUT DIAMETER:82MM</p>	
<p>DL138C</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4.5A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL:100-115A</p> <p>OUT DIAMETER:82MM</p>		<p>DL139E</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>4.5A</p> <p>FREQUENCY H=500±20 L=400±20</p> <p>SOUND LEVEL:105-115A</p> <p>OUT DIAMETER:92MM</p>	
<p>DL139</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4.5A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL:100-115A</p> <p>OUT DIAMETER:92MM</p>		<p>DL33S</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>9A</p> <p>FREQUENCY H=510±20 L=410±20</p> <p>SOUND LEVEL:100-115A</p> <p>OUT DIAMETER:95MM</p>	
<p>DL139A</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4.5A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL:100-115A</p> <p>OUT DIAMETER:92MM</p>		<p>DL33P</p> <p>RATED VOLTAGE: 12</p> <p>CURRENT RANGE:>9A</p> <p>FREQUENCY H=510±20 L=410±20</p> <p>SOUND LEVEL:100-115A</p> <p>OUT DIAMETER:95MM</p>	
<p>DL139B</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>9A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL:100-115A</p> <p>OUT DIAMETER:92MM</p>		<p>DL138K</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>9A</p> <p>FREQUENCY H=500±20 L=400±20</p> <p>SOUND LEVEL:105-115A</p> <p>OUT DIAMETER:83MM</p>	

WWW.0086PARTS.COM

SNAIL ELECTRIC HORN








<p>M124</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >4A</p> <p>FREQUENCY H=500±20 L=400±20</p> <p>SOUND LEVEL: 105-115A</p> <p>OUT DIAMETER: 95MM</p>		<p>DL138P</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >4.5A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL: 100-115A</p> <p>OUT DIAMETER: 82MM</p>	
<p>DL138N</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >4.5A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL: 100-115A</p> <p>OUT DIAMETER: 82MM</p>		<p>DL138M</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >4.5A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL: 100-115A</p> <p>OUT DIAMETER: 82MM</p>	
<p>DL138S</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >4A</p> <p>FREQUENCY H=510±20 L=410±20</p> <p>SOUND LEVEL: 100-115A</p> <p>OUT DIAMETER: 80MM</p>		<p>DL136</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >4A</p> <p>FREQUENCY H=510±20 L=410±20</p> <p>SOUND LEVEL: 100-115A</p> <p>OUT DIAMETER: 93MM</p>	
<p>DL131B</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >6A</p> <p>FREQUENCY H=480±20 L=410±20</p> <p>SOUND LEVEL: 110-115A</p> <p>OUT DIAMETER: 102MM</p>		<p>DL34</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >7.5A</p> <p>FREQUENCY H=390±20 L=310±20</p> <p>SOUND LEVEL: 110-120A</p> <p>OUT DIAMETER: 128MM</p>	
<p>M135</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >10A</p> <p>FREQUENCY H=380±20 L=310±20</p> <p>SOUND LEVEL: 100-115A</p> <p>OUT DIAMETER: 115MM</p>		<p>DL34B</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >7.5A</p> <p>FREQUENCY H=390±20 L=320±20</p> <p>SOUND LEVEL: 110-125A</p> <p>OUT DIAMETER: 128MM</p>	
<p>QL12</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >3.5A</p> <p>FREQUENCY 410</p> <p>SOUND LEVEL: 105-115A</p> <p>OUT DIAMETER: 101-152-203MM</p>		<p>M135B</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE: >20A</p> <p>FREQUENCY H=380±20 L=310±20</p> <p>SOUND LEVEL: 110-125A</p> <p>OUT DIAMETER: 115MM</p>	

WWW.0086PARTS.COM

SNAIL ELECTRIC HORN



DL131C		QL11	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE: >3A FRENQUENCY H=480±20 L=410±20 SOUND LEVEL: 100-115A OUT DIAMETER: 102MM</p>		<p>RATED VOLTAGE: CURRENT RANGE: >0.3~1A FRENQUENCY : 410 SOUND LEVEL: 105-115A OUT DIAMETER: 120MM</p>	
DL131		DL32B	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE: >3A FRENQUENCY H=480±20 L=410±20 SOUND LEVEL: 100-115A OUT DIAMETER: 102MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE: >6A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL: 100-115A OUT DIAMETER: 90MM</p>	
DL32P		DL135	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE: >4A FRENQUENCY H=510±20 L=410±20 SOUND LEVEL: 100-115A OUT DIAMETER: 87MM</p>		<p>RATED VOLTAGE: 12V CURRENT RANGE: ≥7A FRENQUENCY H=380±20 L=310±20 SOUND LEVEL: 105-120A OUT DIAMETER: 115MM</p>	

WWW.0086PARTS.COM

DISC ELECTRIC HORN



<p>DL128A</p> <p>RATED VOLTAGE: 6-12V CURRENT RANGE:>2A FRENQUENCY H=430±30</p> <p>SOUND LEVEL:90-100A OUT DIAMETER:65MM</p>		<p>DL128E</p> <p>RATED VOLTAGE: 6-12V CURRENT RANGE:>2A FRENQUENCY H=430±30</p> <p>SOUND LEVEL:90-100A OUT DIAMETER:72MM</p>	
<p>DL128</p> <p>RATED VOLTAGE: 6-12V CURRENT RANGE:>2A FRENQUENCY H=430±30</p> <p>SOUND LEVEL:90-100A OUT DIAMETER:72MM</p>		<p>DL124K</p> <p>RATED VOLTAGE: 12V CURRENT RANGE:>3A FRENQUENCY H=400±20 L=325±20</p> <p>SOUND LEVEL:105-115A OUT DIAMETER:92MM</p>	
<p>DL128C</p> <p>RATED VOLTAGE: 6-12V CURRENT RANGE:>2A FRENQUENCY H=430±30</p> <p>SOUND LEVEL:90-100A OUT DIAMETER:72MM</p>		<p>DL110A</p> <p>RATED VOLTAGE: 12V CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=350±20</p> <p>SOUND LEVEL:105-115A OUT DIAMETER:79MM</p>	
<p>DL123</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4A FRENQUENCY H=420±20 L=350±20</p> <p>SOUND LEVEL:105~115A OUT DIAMETER:92MM</p>		<p>DL124A</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=410±20</p> <p>SOUND LEVEL:100~105A OUT DIAMETER:90MM</p>	
<p>DL123A</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4A FRENQUENCY H=420±20 L=350±20</p> <p>SOUND LEVEL:105~115A OUT DIAMETER:92MM</p>		<p>DL124C</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=410±20</p> <p>SOUND LEVEL:100~105A OUT DIAMETER:90MM</p>	
<p>DL123C</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>4A FRENQUENCY H=420±20 L=350±20</p> <p>SOUND LEVEL:105~115A OUT DIAMETER:92MM</p>		<p>DL124</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=400±20 L=325±20</p> <p>SOUND LEVEL:105~115A OUT DIAMETER:90MM</p>	

WWW.0086PARTS.COM

DISC ELECTRIC HORN



DL124E		DL125E	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=410±20 L=350±20 SOUND LEVEL:100~105A OUT DIAMETER:90MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=410±20 L=350±20 SOUND LEVEL:100~105A OUT DIAMETER:90MM</p>	
DL125		DL125N	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=410±20 L=350±20 SOUND LEVEL: 100~105A OUT DIAMETER:90MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=410±20 L=350±20 SOUND LEVEL:100~105A OUT DIAMETER:90MM</p>	
DL125C		DL125A	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=410±20 L=350±20 SOUND LEVEL:100~105A OUT DIAMETER:90MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=410±20 L=350±20 SOUND LEVEL:100~105A OUT DIAMETER:90MM</p>	
DL120		DL160	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>6A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:98MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>6A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:112MM</p>	
DL120A		DL160A	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>6A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:98MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>6A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:123MM</p>	
DL150		DL150A	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>6A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:125MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>5A FRENQUENCY H=390±20 L=330±20 SOUND LEVEL:105-115A OUT DIAMETER:126MM</p>	

WWW.0086PARTS.COM

DISC ELECTRIC HORN



<p>DL160E</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>6A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:115MM</p>		<p>DL129</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=400±20 L=325±20 SOUND LEVEL:105-115A OUT DIAMETER:110MM</p>	
<p>DL125F</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=400±20 L=325±20 SOUND LEVEL:100-115A OUT DIAMETER:90MM</p>		<p>DL129A</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=400±20 L=325±20 SOUND LEVEL:105-115A OUT DIAMETER:110MM</p>	
<p>DL121</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>5A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:96MM</p>		<p>DL129C</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY H=400±20 L=325±20 SOUND LEVEL:105-115A OUT DIAMETER:110MM</p>	
<p>DL118</p> <p>RATED VOLTAGE: 12V CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:75MM</p>		<p>DL118F</p> <p>RATED VOLTAGE: 12V CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:77MM</p>	
<p>DL118A</p> <p>RATED VOLTAGE: 12V CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:75MM</p>		<p>DL118E</p> <p>RATED VOLTAGE: 12V CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:75MM</p>	
<p>DL118C</p> <p>RATED VOLTAGE: 12V CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:75MM</p>		<p>DL149A</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>6A FRENQUENCY H=420±20 L=340±20 SOUND LEVEL:105-115A OUT DIAMETER:114MM</p>	

WWW.0086PARTS.COM

DISC ELECTRIC HORN



<p>DL149</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=340±20</p> <p>SOUND LEVEL:105~115A OUT DIAMETER:100MM</p>		<p>DL140</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>5A FRENQUENCY H=420±20 L=340±20</p> <p>SOUND LEVEL:105~115A OUT DIAMETER:90MM</p>	
<p>DL110</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=350±20</p> <p>SOUND LEVEL:105~115A OUT DIAMETER:79MM</p>		<p>DL127</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=350±20</p> <p>SOUND LEVEL:105~115A OUT DIAMETER:108MM</p>	
<p>DL110A</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=335±20</p> <p>SOUND LEVEL:105~115A OUT DIAMETER:77MM</p>		<p>DL1251A</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>6A FRENQUENCY H=420±20 L=340±20</p> <p>SOUND LEVEL:105~115A OUT DIAMETER:114MM</p>	
<p>DL50</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4A FRENQUENCY H=380±20 L=320±20</p> <p>SOUND LEVEL:110~125A OUT DIAMETER:130MM</p>		<p>DL51</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>4A FRENQUENCY H=400±20 L=320±20</p> <p>SOUND LEVEL:110~120A OUT DIAMETER:126MM</p>	
<p>DL50C</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4A FRENQUENCY H=380±20 L=320±20</p> <p>SOUND LEVEL:110~125A OUT DIAMETER:130MM</p>		<p>DL51C</p> <p>RATED VOLTAGE: 12V</p> <p>CURRENT RANGE:>4A FRENQUENCY H=400±20 L=320±20</p> <p>SOUND LEVEL:110~120A OUT DIAMETER:150MM</p>	
<p>DL50-2</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>4A FRENQUENCY H=380±20 L=320±20</p> <p>SOUND LEVEL:110~125A OUT DIAMETER:135MM</p>		<p>DL160C</p> <p>RATED VOLTAGE: 12-24V</p> <p>CURRENT RANGE:>1A FRENQUENCY :530±20</p> <p>SOUND LEVEL:85~100A OUT DIAMETER:112MM</p>	

WWW.0086PARTS.COM

DISC ELECTRIC HORN



<p>DL126</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3.5A FRENQUENCY H=420±20 L=350±20 SOUND LEVEL:105-115A OUT DIAMETER:92MM</p>		<p>DL129B</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>6.5A FRENQUENCY H=400±20 L=325±20 SOUND LEVEL:105-115A OUT DIAMETER:110MM</p>	
<p>DL52B</p> <p>RATED VOLTAGE: 48V CURRENT RANGE:>3A FRENQUENCY H=420±20 L=340±20 SOUND LEVEL: 100~115A OUT DIAMETER:124MM</p>		<p>DL124B</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>6A FRENQUENCY H=400±20 L=325±20 SOUND LEVEL:110~115A OUT DIAMETER:90MM</p>	
<p>DL125B</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>6A FRENQUENCY H=400±20 L=325±20 SOUND LEVEL:105~115A OUT DIAMETER:90MM</p>		<p>DL50B</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>7.5A FRENQUENCY H=380±20 L=320±20 SOUND LEVEL:110~125A OUT DIAMETER:130MM</p>	

WWW.0086PARTS.COM

AIR ELECTRIC HORN



<p>G203</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>7.5A FRENQUENCY :450HZ SOUND LEVEL:>128A LENGTH :570MM</p>		<p>G304A</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>20A FRENQUENCY :680HZ SOUND LEVEL:115~125A LENGTH :490MM</p>	
<p>YB201B</p> <p>RATED VOLTAGE: 12V CURRENT RANGE:>3A FRENQUENCY :450HZ SOUND LEVEL :>135A LENGTH :570MM</p>		<p>G304</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>20A FRENQUENCY :680HZ SOUND LEVEL:115~125A LENGTH :490MM</p>	
<p>YB202A</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY :450HZ SOUND LEVEL :>135A LENGTH :570MM</p>		<p>G302</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>1.5A FRENQUENCY:460~530HZ SOUND LEVEL:105~115A LENGTH :236MM</p>	
<p>G301</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY :450HZ SOUND LEVEL :>128A LENGTH :L=125MM R=165MM</p>		<p>G101C</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY :450HZ SOUND LEVEL :>128A LENGTH :L=190MM R=255MM</p>	
<p>G101</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY :450HZ SOUND LEVEL :>128A LENGTH :L=190MM R=255MM</p>		<p>G100</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY :450HZ SOUND LEVEL :>128A LENGTH :L=265MM R=320MM</p>	
<p>G101A</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY :450HZ SOUND LEVEL :>128A LENGTH :L=190MM R=255MM</p>		<p>G303</p> <p>RATED VOLTAGE: 12-24V CURRENT RANGE:>3A FRENQUENCY :450HZ SOUND LEVEL :>128A LENGTH :L=125MM M=190MM R=225MM</p>	

WWW.0086PARTS.COM





AIR ELECTRIC HORN



G103		G306	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>10A FRENQUENCY SOUND LEVEL:>130A LENGTH :265-299-342MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>20A FRENQUENCY :680-850HZ SOUND LEVEL:115~125A LENGTH :L=127MM R=178MM</p>	
G103A		G307	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>10A FRENQUENCY SOUND LEVEL :>130A LENGTH :188-250-310MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>20A FRENQUENCY: 680-760-830HZ SOUND LEVEL:115~125A LENGTH</p>	
G102		G309	
<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>7A FRENQUENCY SOUND LEVEL :>125A LENGTH :250-310MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>20A FRENQUENCY: 680-760-830HZ SOUND LEVEL:115~125A LENGTH :102-163-230MM</p>	

WWW.0086PARTS.COM

OTHERS

G305		G302C	
<p>RATED VOLTAGE: 12-24V APPLICABLE:0.1~0.4MPA FRENQUENCY :680-850 SOUND LEVEL:115~125A LENGTH :L=127MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>0.6A FRENQUENCY SOUND LEVEL:65~75A OUT DIAMETER</p>	
G305A		G302E	
<p>RATED VOLTAGE: 12-24V APPLICABLE:0.1~0.4MPA FRENQUENCY SOUND LEVEL:115~125A LENGTH : L=127MM</p>		<p>RATED VOLTAGE: 12-24V CURRENT RANGE:>0.3A FRENQUENCY SOUND LEVEL:65~75A OUT DIAMETER</p>	
G302A			
<p>RATED VOLTAGE: 12V CURRENT RANGE:>30A FRENQUENCY 400~500HZ SOUND LEVEL: 115~125A</p>	